

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF EMERGENCY REGISTRATION CERTIFICATES FOR A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that, on August 17, 2005, the director of Ohio EPA issued (1) one emergency infectious waste transporter certificate to Stericycle, Inc., 28161 N. Keith Drive, Lake Forest, IL 60045, ID No: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222 Columbus, Ohio 43215.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY**

**PETITION TO MODIFY SEWER FACILITY PLANNING AREA  
AND OPPORTUNITY TO COMMENT**

Notice is hereby given that the State of Ohio is reviewing a petition filed by the Delaware County Commissioners that affects the future sewer service provided to a ten acre parcel in Concord Township. The property is south of Harriott Road and west of State Route 745 and is proposed to become part of the Tartan Fields housing development, Phase 20, Part B. If the petition were granted, sewer services would be provided through Delaware County at the Tartan Fields spray irrigation facility. The public and the other providers of sewer services in the vicinity have the opportunity to raise objections and offer comments regarding sewer services through October 7, 2005.

The subject parcel (60031005010000) is currently within the Columbus Metropolitan Facility Planning Area. The State's Areawide Waste Management Plan, Central Scioto Water Quality Management Plan Update, adopted pursuant to section 208 of the federal Clean Water Act ("CSPU Plan") identifies the City of Columbus as the management agency responsible for planning and providing wastewater collection and treatment within this portion of the facility planning area. Under section 5.03.02 of the CSPU Plan petitions to modify the plan may be filed at any time and, pursuant to the procedures and criteria found in that section of the CSPU Plan, the Plan can be modified through the Director's action on the petition.

All interested parties are entitled to review the petition. Persons interested may also wish to review the detailed design plans for the proposed sewer extension submitted in a permit to install application for the Tartan Fields Phase 20, Part B (PTI # 01-11654). Furthermore, the present providers of sewer services are hereby advised that section 5.03.02 of the CSPU Plan identifies four criteria upon which to base objections to the petition. The Director shall consider written objections submitted by the present providers of sewer services and any comments from the public prior to acting upon the petition.

If you would like to review a copy of the petition or permit to install please contact Michelle Thompson, File Review Coordinator (614) 728-3790. Written comments should be mailed to Ohio EPA (Attn: Dan Dudley, Ohio EPA, Division of Surface Water, P.O. Box 1049, Columbus, Ohio 43216-1049) by the close of business on Friday, October 7, 2005.

**PUBLIC NOTICE**

**OHIO EPA APPROVES CLOSURE PLAN FOR  
HI TECMETAL GROUP-WALKER HEAT TREATING**

On August 2, 2005, Ohio EPA approved a closure plan for the Salt Bath Room at Hi TecMetal Group, Inc.,-Walker Heat Treating located at 10601 Briggs Road, in Cleveland, Ohio. The EPA I.D. number for this facility is OHD004197307.

Pursuant to Ohio Revised Code rule 3745-66-11 & 12, the facility's closure plan received on May 23, 2005 was approved as outlined in the Director's August 2, 2005 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission

**PUBLIC NOTICE**

**OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN**

On August 1, 2005, Ohio EPA received a new hazardous waste closure plan from Walker Heat Treating concerning a waste storage unit located in the facility's atmospheric room at 10601 Briggs Road, Cleveland, Ohio 44111. The EPA Identification Number for this facility is OHD004197307.

**Why is Walker Heat Treating submitting this Closure Plan?**

At the request of Ohio EPA, Walker Heat Treating submitted this closure plan. This closure plan is intended to support anticipated clean closure of the southwest corner of the atmospheric room. It describes the hazardous waste unit to be closed, decontamination methods, and lists the hazardous wastes and chemicals of concern. Sections are dedicated to the sampling and analysis plan, including waste characterization, preservation and shipment, and sample containers, to name a few. Finally, the closure plan provides minimum details for certification, scheduling, and closure cost estimates.

**When and how do I submit written comments about the Closure Plan?**

You can submit written comments anytime between August 12, 2005 and September 11, 2005. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Closure Plan?**

You can review the Closure Plan at the following locations:

**Ohio EPA, Northeast District Office**, 2110 Aurora Road, Twinsburg, Ohio 44087, tel: (330) 963-1200;

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

**PUBLIC NOTICE**

**OHIO EPA APPROVES CLOSURE PERIOD EXTENSION REQUEST  
FROM CITY OF UPPER ARLINGTON**

On August 8, 2005, Ohio EPA approved a closure period extension request from the City of Upper Arlington for its facility located at 4100 Roberts Road, Columbus, Ohio. The EPA I.D. number for this facility is OHD986966984.

The facility's July 15, 2005 extension request, pursuant to Ohio Administrative Code rule 3745-66-13(B), is for additional time to review confirmatory analyses and to complete certification of closure documentation. This closure plan period now expires on February 16 2006. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE**

**OHIO EPA RECEIVES PERMIT RENEWAL APPLICATION**

On June 21, 2005, Ohio EPA received a renewal application from Klor Kleen, Inc. for its hazardous waste facility installation and operation permit (Permit). The facility is located at 3118 Spring Grove Avenue, Cincinnati, Ohio 45225. The EPA Identification Number for this facility is OHD980821862.

**Why is Klor Kleen submitting this Permit renewal application?**

Klor Kleen, Inc. is permitted primarily for the storage of hazardous waste on an epoxy-coated concrete pad. The wastes stored include spent chlorinated solvents, corrosive wastes, metal-laden wastes, wastewater treatment sludge from electroplating operations, and various off-specification commercial chemical products. Klor Kleen, Inc. submitted this renewal application to continue these operations. If approved, the permit would be in effect for ten years.

**When and how do I submit written comments about this Permit application?**

You can submit written comments anytime between August 11, 2005 and September 10, 2005. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Permit application?**

You can review the Permit application at the following locations:

**Ohio EPA, Southwest District Office**, 401 East Fifth Street, Dayton, Ohio 45402, (937) 285-6357;

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977; and,

**Klor Kleen, Inc.**, 3118 Spring Grove Avenue, Cincinnati, Ohio 45225, (513) 681-0060, contact person; Raymond Boyle.

**PUBLIC NOTICE**

**OHIO EPA APPROVES CLOSURE PERIOD EXTENSION REQUEST  
ENVIROSAFE SERVICES - WYNN ROAD**

On August 9, 2005, Ohio EPA approved a closure period extension request from Envirosafe Services of Ohio, Inc. for its facility located at 876 Otter Creek Road, Oregon, Ohio. The EPA I.D. number for this facility is OHD000721415.

The facility's July 28, 2005 extension request, pursuant to Ohio Administrative Code rule 3745-66-13(B), is for additional time since the previous winter extension, the utility corridors, paved parking areas and roadways; installation of the utility; piping and conduits, and the landscaping has yet to be completed. This closure period now expires on November 30, 2005. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE**

**OHIO EPA RECEIVES CLASS 1A PERMIT MODIFICATION REQUEST  
ENVIROSAFE, OTTER CREEK ROAD FACILITY**

On August 9, 2005, Ohio EPA received a Class 1A Modification from Envirosafe Services of Ohio, Inc. (Envirosafe) to its Hazardous Waste Facility Installation and Operation Permit (Permit). The facility is located at 876 Otter Creek Road, Oregon, Ohio 43616. The EPA Identification Number for this facility is OHD045243706.

**Why is Envirosafe submitting this Class 1A Modification?**

Envirosafe is permitted to operate a hazardous waste landfill and other related hazardous waste management units at its facility. Envirosafe wishes to update Cell M permit application drawings and related information in accordance with design requirements outlined in their draft permit renewal/modification. The draft permit (specifically Permit Condition J.2(r)), requires the facility to update these drawings within 30 days of the effective date of final permit. However, Envirosafe has decided to submit this information in advance of the final permit issuance. Although not required by law, the director has decided to provide the public with a 30 day comment period for this modification as noted below.

**When and how do I submit written comments about this Modification Request?**

You can submit written comments anytime between August 10 and September 9, 2005. Send your comments to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Modification Application?**

You can review the application and related material at the following locations:

**Toledo-Lucas County Library, Oregon Branch**, 3340 Dustin Road, Oregon, Ohio 43616, tel: (419) 259-5250,

**Ohio EPA, Northwest District Office**, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461,

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

**PUBLIC NOTICE**

**OHIO EPA ISSUES CLASS 2 MODIFIED HAZARDOUS WASTE PERMIT**

On August 12, 2005, Ohio EPA issued a modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Envirosafe Services of Ohio, Inc. for its facility at 876 Otter Creek Road, Oregon, Ohio 43616. The EPA Identification Number for this facility is OHD045243706.

**Why is Envirosafe Services of Ohio, Inc. modifying its Permit?**

Envirosafe Services of Ohio, Inc. (Envirosafe) is permitted to operate a hazardous waste landfill and other related hazardous waste management units at its facility. Envirosafe wishes to discontinue monitoring the shallow till ground water monitoring wells (designated as S" wells) for the common indicator parameters sodium and chloride. This final modified permit will allow Envirosafe to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

**Can I appeal this final modified Permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than **September 14, 2005**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to ORC § 3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Joseph P. Koncelik, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Date of Public Notice: August 25, 2005**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to expand and enhance an existing State-owned marina and to construct campground facilities on Middle Bass Island in Lake Erie. The application was submitted by the Ohio Department of Natural Resources, 2045 Morse Road, Building F-3, Columbus, Ohio 43229. The project is located on the southern end of Middle Bass Island. The Buffalo District of the U.S. Army Corps of Engineers' Project Number for this application is 2001-00701(4). The Ohio EPA ID Number for this project is 052324.

The project location contains 9 jurisdictional wetlands totaling approximately 21.83 acres. There are approximately 3.95 acres of Category 1 wetlands, 8.74 acres of Category 2 wetlands, and 9.14 acres of Category 3 wetlands. However, final categorization of all the wetlands is still under review. Another 2.08 acre wetland exists nearby on a potential mitigation site, Parcel A, owned by the Ohio Department of Natural Resources. The existing marina is 14.89 acres in size. Within the marina are about 1.25 acres of vegetated shallow beds and 2.30 acres of vegetated deep water beds. Just outside the current marina entrance in Lake Erie are approximately another 2.48 acres of vegetated shallow beds and 3.57 acres of vegetated deep water beds. The U.S. Army Corps of Engineers has not yet verified the delineation of waters report.

The applicant's Preferred Alternative to expand the marina to 512 boat slips and to construct a campground, if implemented, would result in impacts to a total of 11.33 acres of wetlands, including 3.95 acres of Category 1 wetlands, 7.10 acres of Category 2 wetlands, and 0.28 acres of potentially Category 3 wetlands. Impacts to wetlands associated with the marina expansion would total 7.76 acres. Construction of the campgrounds would result in impacts to 2.80 acres of wetlands. Marina expansion would require excavation of some upland areas and removal of the existing peninsula. A new steel crib bulkhead totaling about 2,800 linear feet, would be installed around the west, south, and east sides of the expanded marina. The northern side of the existing marina would have a 1,200 linear foot stone revetment constructed just outside the existing wetland in order to protect the wetland from wave action. A new concrete boat ramp, 93 feet long by 30 feet wide, would be constructed in the northwest corner of the new marina. Relocating the marina entrance northward would enhance water circulation patterns in the marina, resulting in improvements in water quality. The relocated marina would also provide increased boater safety and protection from waves and wind. The entrance would be 125 feet wide and be bounded on both sides by new rubblemound breakwaters with navigation lights mounted on either side. The existing marina entrance would be restored

to a more natural shoreline by the construction of a 670 linear foot stone revetment and two detached breakwaters, which will allow for the formation of a sand and cobble beach/wetland area.

The applicant's Minimal Degradation Alternative to expand the marina to 360 boat slips and to construct a campground, if implemented, would result in impacts to a total of 8.85 acres of wetlands, including 3.95 acres of Category 1 wetlands, 4.62 acres of Category 2 wetlands, and 0.28 acres of potentially Category 3 wetlands. Impacts to wetlands associated with the marina expansion would total 5.28 acres. Construction of the campgrounds would result in impacts to 2.80 acres of wetlands. Approximately 2,100 linear feet of steel crib bulkhead would be placed around the inside of the marina on the west, south, and east sides. Approximately 300 linear feet of stone revetment would be placed on the northwest side of the marina near a new concrete boat ramp 93 feet long by 30 feet wide. The marina would also include a gas dock and pumpout station that is 10 feet wide and 110 feet long. Another stone revetment of approximately 515 linear feet would be constructed along the north edge of the marina just inside of the new entrance channel. The plans for the marina entrance relocation are the same as for the Preferred Alternative.

All of the shallow and deep water vegetated beds would be impacted by both the Preferred and the Minimal Degradation Alternatives.

The applicant's Non-Degradation Alternative would have no impacts to waters of the state. The existing marina would continue to operate as is, with the 26 transient docks.

The applicant seeks approval of the Minimal Degradation Alternative.

The applicant has submitted a conceptual mitigation plan which utilizes on-site preservation and enhancement along with the off-site construction of a wetland island in Middle Harbor near Catawba Island.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie (HUC 04120200). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning August 22, 2005, copies of the application for the certification and technical support information, including the conceptual mitigation plan, may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA Northwest District Office by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on Tuesday, October 11, 2005 starting at 1:00 p.m. at the Middle Bass Island Town Hall, 985 Fox Road, Middle Bass Island, Ohio 43446. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on Tuesday, October 25, 2005. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on Tuesday, October 25, 2005.

**PUBLIC NOTICE**

**OHIO EPA ISSUES AUTHORIZATION TO EXCAVATE, FILL, GRADE, AND  
CONDUCT BUILDING ACTIVITIES UNDER RULE 13 OF OHIO ADMINISTRATIVE  
CODE**

On July 19, 2005, Ohio EPA issued a final authorization under Rule 13 of Ohio Administrative Code 3745-27-13 to Philips Electronics North America Corporation for its facility located at 700 North Pratt Street, Putnam County, Ottawa, Ohio. The EPA Identification Number for this facility is OHD094808904.

**Why does Philips Electronics North America Corporation need this Rule 13 Authorization?**

Philips Electronics is under contract to perform the installation of soil borings; sampling of soil; excavation and off-site disposal of potentially contaminated soil, waste, and waters; and, unspecified remedial actions. On December 6, 2004, Philips Electronics requested to conduct excavation, filling, grading, and building activities at the site. The Rule 13 authorization allows Philips Electronics to perform the requested activity.

**Can I appeal this Rule 13 Authorization?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final Rule 13 Authorization, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than September 14, 2005. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code §3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Joseph P. Koncelik, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE**

**ISSUANCE OF A DRAFT SOLID WASTE PERMIT TO INSTALL**

Notice is hereby given that on August 18, 2005, a draft Solid Waste Permit to Install (PTI #06-07793) was issued to: RLS Transfer, 990 Eastern Avenue, P.O. Box 327, Chillicothe, Ohio 45601-0327. The permit, if approved, authorizes RLS Transfer to construct the proposed RLS Transfer Facility (facility) on a ten-acre property in Scioto Township, Ross County, Ohio. The facility is located at 990 Eastern Avenue, just outside of Chillicothe. The Ohio Environmental Protection Agency (Ohio EPA) received the permit application on April 1, 2005. The draft PTI can be reviewed in accordance with Ohio EPA's file review procedures by writing to Ohio EPA, Southeast District Office, 2195 Front Street, Logan, Ohio 43138, Tel:(740) 385-8501. Written comments will be accepted for the director's consideration until August 29, 2005 and should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel:(614) 644-2621.

**PUBLIC NOTICE**

**OHIO EPA APPROVES AMENDED CLOSURE PLAN FOR  
G.M. CORPORATION - LORDSTOWN FACILITY**

On August 9, 2005, Ohio EPA approved an amended closure plan for the General Motors Corporation - Lordstown Metal Fabricating Division, located at 2369 Ellsworth-Bailey Road, Lordstown, Ohio. The EPA I.D. number for this facility is OHD083321091.

Pursuant to Ohio Revised Code rule 3745-66-12, the facility's amended closure plan submitted on April 14, 2005 was approved with modifications as outlined in the Director's August 9, 2005 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE**

**OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN**

On August 8, 2005, Ohio EPA received an amended hazardous waste closure plan from Amko Service Company for its former underground tank storage unit located at 3740 Davis Road, Dover, Ohio 44622. The EPA Identification Number for this facility is OHD017998022.

**Why is Amko Service Company submitting this Closure Plan?**

As required by the 1992 Consent Order, Amko Service Company submitted this amended closure plan. This plan outlines the facility's current conditions, which include regional and local hydrogeology, and historical data review of the closure unit. Amko developed a closure strategy and goals which discusses quarterly groundwater monitoring, operation of an Air Sparge/Soil Vapor Extraction system, and achievement of closure by meeting Site Closure Goals. Other related topics include closure activities including remedial system operation along with confirmation sampling; a proposed closure remedy; closure certification; and proposed closure assurance and cost estimates.

**When and how do I submit written comments about this Closure Plan?**

You can submit written comments anytime between August 15 and September 14, 2005. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Closure Plan?**

You can review the closure plan at the following locations:

**Ohio EPA, Southeast District Office**, 2195 Front Street, Logan, Ohio 43138, tel: (740) 385-8501; and,

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215 (614) 644-2977.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT**

On August 18, 2005, Ohio EPA issued a final class 2 modified hazardous waste facility installation and operation permit (Permit) to Cytec Industries, Inc. for its facility at 1405 Greene Street, Marietta, Ohio 45750. The EPA Identification Number for this facility is OHD004341509.

**Why is Cytec Industries, Inc. modifying its permit?**

Cytec Industries, Inc. (Cytec) is a former speciality chemical manufacturing plant. Operations at the facility have ceased and Cytec is currently performing investigation and cleanup of waste areas at the site. Cytec wishes to change the number, location, depth, and design of the permitted ground water monitoring wells and add a secondary compliance well to the Integrated Ground Water Monitoring Program. This final modified permit will allow Cytec to make the requested changes. To issue this final Permit Modification, Ohio EPA determined that the Hazardous Waste Permit application is complete and meets appropriate standards.

**Can I appeal this final modified Permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than September 17, 2005. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code § 3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Joseph P. Koncelik, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.