

**PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 10/3/2005.

For information regarding these final actions, contact Glenn Luksik, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
Cuyahoga	INTERNATIONAL AUTO SERVICE	CLEVELAND HTS	OH

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
LABORATORY CERTIFICATION UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on October 13, 2005, the Director of the Ohio Environmental Protection Agency (Ohio EPA), pursuant to Ohio Revised Code 3746.04(B)(6) and Ohio Administrative Code 3745-300-04, issued a laboratory certification to Pace Analytical Services ("Pace"), 7726 Moller Road, Indianapolis, Indiana. The certification number assigned to Pace is CL0065.

The issuance of this certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
LABORATORY CERTIFICATION UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on October 13, 2005, the Director of the Ohio Environmental Protection Agency (Ohio EPA), pursuant to Ohio Revised Code 3746.04(B)(6) and Ohio Administrative Code 3745-300-04, issued a laboratory certification to STL-Knoxville ("STL"), 5815 Middlebrook Pike, Knoxville, Tennessee. The certification number assigned to STL is CL0059.

The issuance of this certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Kay Hughes, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

**OHIO ENVIRONMENTAL PROTECTION AGENCY
ISSUANCE OF DRAFT PERMITS TO OPERATE
PUBLIC INFORMATION SESSION
PUBLIC HEARING**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has issued on October 12, 2005, four (4) Draft Permits to Operate (PTOs), numbers UIC 03-02-003-PTO-I, UIC 03-02-004-PTO-I, UIC 03-02-005-PTO-I, and UIC 03-02-006-PTO-I to Innovene USA LLC, Lima, Ohio. The Draft Permits are for Class I Hazardous Injection Wells Numbers 1, 2, 3, and 4 at the Innovene facility located at Fort Amanda and Adgate Roads in Allen County, Lima, Ohio. These proposed permits have been issued in draft form by the Director pursuant to Section 6111.044 of the Revised Code.

Notice is hereby given that Ohio EPA will conduct an Information Session and Public Hearing on Wednesday, November 16, 2005, at 7p.m. The public hearing will immediately follow. The information session and hearing will be held at the Apollo Career Center, 3325 Shawnee Road, Lima, Ohio.

Ohio EPA's draft PTO's are issued to meet state requirements and regulations, found in Chapter 6111. of the Revised Code and Chapter 3745-34 of the Ohio Administrative Code. The draft action proposes to allow continued use of the Innovene wells Number WDW#1, WDW#2, WDW#3, and WDW#4, with some revised permit conditions and requirements. These wells are used by Innovene for disposal of wastewater generated on site primarily from the manufacture of acrylonitrile and associated products. The wells are also permitted to receive wastewater generated at the on-site Nitrogen and Butandiol manufacturing facilities. Additionally, the wells receive wastewater from Fort Amanda Specialities manufacturing processes located adjacent to the Innovene facility.

During the information session, Ohio EPA will provide information and answer questions regarding Ohio EPA's draft actions. At the public hearing, the public may present testimony to the hearing officer. All persons are entitled to attend or be represented and give written or oral comments on the draft actions at the public hearing.

Written comments on the draft permits may be submitted at the hearing or mailed to Ohio EPA, Division of Drinking and Ground Waters, Attn: UIC Unit Supervisor, P.O. Box 1049, Columbus, Ohio 43216-1049. **All comments received on or before Friday, November 25, 2005, will be considered part of the administrative record and will be considered prior to the final decision on issuance of the four permits.**

Persons desiring to receive notice of further proceedings, copies of fact sheets and other information relating to the above referenced permits may contact Ohio EPA, Division of Drinking and Ground Waters, P.O. Box 1049, Columbus, Ohio 43216-1049, Attn: Chuck Lowe, (614) 644-2752. Copies of the draft permits may be inspected at the Lima Public Library, 650 W. Market Street, Lima, OH; at the Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH, (419) 352-8461; or at Ohio EPA, Central Office, 122 South Front Street, Columbus, OH (614) 644-2752, by first contacting Chuck Lowe.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL ENVIRONMENTAL COVENANTS TO
THE STANDARD OIL COMPANY**

On September 30, 2005, Ohio EPA issued Environmental Covenants to the Standard Oil Company for five (5) parcels of ground situated in various locations in Allen County, Ohio. The Standard Oil Company locations are all permitted hazardous waste facilities undergoing closure activities for its hazardous waste management units. The EPA I.D. numbers for these facilities are OHD005057542, OHD042157644, and OHD005051826.

The Standard Oil Company must achieve compliance with 5301.80 and 5301.92 of the Ohio Revised Code which restricts the use of its properties to limited industrial, commercial, and recreational activities as outlined in the covenants. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

ASHLAND COUNTY

**PUBLIC NOTICE
ISSUANCE OF DRAFT PERMIT TO INSTALL 06-07753 FOR AN AIR
CONTAMINANT SOURCE FOR Mar Zane Plant No 17**

On 9/8/2005 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for Mar Zane Plant No 17, located at 4540 State Route 39, Perrysville, Ohio.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 06-07753:

Chapter 31 modification PTI 06 07166 to increase maximum production rate to 200 tons per hour.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Bruce Weinberg, Ohio EPA, Southeast District Office, 2195 Front Street, Logan, OH 43138 [(740)385-8501].

Date of Public Notice: October 19, 2005

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to develop 66-acre site for commercial and mixed-use purposes including the Cincinnati Children's Hospital Medical Center. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's preferred alternative, if approved, would directly impact 1,056 feet of stream, 0.35 acres of non-isolated wetlands, and 1.05 acres of ponds. The applicant's minimal degradation alternative, if approved, would directly impact 680 feet of stream, 0.35 acres of non-isolated wetlands, and 1.05 acres of ponds. The applicant's non-degradation alternative, if approved, would have no direct impact on streams, wetlands, or ponds. The application was submitted by Pedco E & A Services, Inc., 11499 Chester Road, Suite 301, Cincinnati, Ohio 45246. The project is located in the northwest quadrant of State Route 129 (6872 Cincinnati-Dayton Road) and Interstate 75, Liberty Township, Butler County, Ohio. The Louisville District of the U.S. Army Corps of Engineers Number for this project is 200500505. The Ohio EPA Number for this project is 052408.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality in the Gregory Creek watershed of the Great Miami River basin (HUC 05080002). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting October 19, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA Northeast District Office by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

OHIO ENVIRONMENTAL PROTECTION AGENCY

DRAFT SOLID WASTE MANAGEMENT PLAN

Notice is hereby given that, in accordance with OCR 3734.55 (D), the Ohio Environmental Protection Agency (Ohio EPA) has issued a draft solid waste management plan for the Clinton County Solid Waste Management District and is seeking public comment.

Among other things, ORC 3734.53 (A) specifies that solid waste management plans must demonstrate having access to adequate solid waste management capacity for at least ten years as well as compliance with the recycling goals contained in the State Solid Waste Management Plan.

The solid waste management plan prepared by Ohio EPA directs the Clinton County Solid Waste Management District to: provide at least thirteen sites where residential and commercial recyclable materials can be dropped off for recycling; assist the City of Wilmington in establishing a curbside recycling program; annually perform a comprehensive data collection effort; conduct feasibility studies for implementing a fiber collection program and economic incentives to encourage participation in recycling programs; establish a residential recycling awards program; establish a web page; establish a commercial and industrial recycling task force; implement a commercial and industrial recycling recognition program; conduct regular surveys of commercial and industrial recycling activity; provide periodic collection events for household hazardous waste, scrap tires, electronic equipment, and appliances; conduct education and awareness programs for the public and schools; and submit quarterly budget and implementation reports to Ohio EPA.

A public comment period has been established that will run until November 21, 2005

Written comments should be sent to the attention of Ernie Stall at the Division of Solid and Infectious Waste Management, P.O. Box 1049, Columbus, Ohio 43216-1049. All comments received by close of business on November 21, 2005 will be considered by Ohio EPA prior to finalizing the solid waste management plan for the Clinton County Solid Waste Management District and prior to the Director's issuance of final findings and orders in accordance with ORC 3734.55 (D). Written comments submitted after this date may be considered as time and circumstances permit.

Ohio EPA may schedule one or more public information sessions at a future date based on the number of written comments received during the public comment period.

Questions regarding the solid waste management plan for the Clinton County Solid Waste Management District should be directed to Ernie Stall, at the Division of Solid and Infectious Waste Management, at (614) 728-5356.

A copy of the Clinton County Solid Waste Management District's solid waste management plan prepared by Ohio EPA is available for review at the reference desk of the Wilmington Public Library of Clinton County located at 268 North South Street, Wilmington, Ohio 45177. In addition, a copy is available for review at Ohio EPA's central office in Columbus, Ohio.

Date of Public Notice: October 19, 2005

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to construct a commercial development resulting in impacts to 0.996 acres of isolated wetlands. The application was submitted by Progressive Casualty Insurance Company, 6300 Wilson Mills Road-N27A, Mayfield Village, Ohio 44143. The project is located at 651 Beta Drive, Mayfield Heights, Ohio 44143, Cuyahoga County, Ohio. The Ohio EPA Number for this project is 052347.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting October 19, 2005, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

**PUBLIC NOTICE
ISSUANCE OF DRAFT PERMIT TO INSTALL 06-07724 FOR AN AIR
CONTAMINANT SOURCE FOR Allied Corp. Plant 77**

On 7/19/2005 the Director of the Ohio Environmental Protection Agency issued a draft action of a Permit To Install an air contaminant source for Allied Corp. Plant 77, located at 4900 West 150th Street, Cleveland, Ohio.

Installation of the air contaminant source identified below may proceed upon final issuance of Permit To Install 06-07724:

Portable hot mix asphalt plant.

Comments concerning this draft action, or a request for a public meeting, must be sent in writing to the address identified below no later than thirty (30) days from the date this notice is published. All inquiries concerning this draft action may be directed to the contact identified below.

Bruce Weinberg, Ohio EPA, Southeast District Office, 2195 Front Street, Logan, OH 43138 [(740)385-8501].

PUBLIC NOTICE

OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN

On September 26, 2005, Ohio EPA received a new hazardous waste closure plan from Bedford Heights Collision Center concerning a hazardous waste storage unit located at 23380 Miles Avenue, Bedford Heights, Ohio 44128. The EPA Identification Number for this facility is OH0000059550.

Why is Bedford Heights Collision Center submitting this Closure Plan?

At the request of Ohio EPA, Bedford Heights Collision Center submitted this closure plan. The closure plan is intended to support anticipated clean closure of the northeast corner of the rear yard of the facility. It describes the hazardous waste unit to be closed, remediation procedures, removal of contaminated soil, and lists hazardous waste codes and chemicals of concern. Sections are dedicated to the Sampling and Analysis Plan, including excavation activities; field documentation and chain of custody; and emissions and wastewater pollution control; to name a few. Finally, the closure plan provides minimum details for certification, scheduling, and closure cost estimates.

When and how do I submit written comments about the Closure Plan?

You can submit written comments anytime between October 11, 2005 and November 10, 2005. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Ohio EPA, Northeast District Office, 2110 Aurora Road, Twinsburg, Ohio 44087, tel: (330) 963-1200; and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

PUBLIC NOTICE

Notice is hereby given that on October 12, 2005, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit to Fed One, 8400 Industrial Parkway, Plain City, Ohio 43064. The permit was issued for a project to construct the Air East Business Park at the northeast corner of Pontius and Hays Roads, Groveport, Franklin County, Ohio. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be filed with ERAC at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557 within 30 days of issuance of this final action.

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR**

**Allied Corporation Plant #16 (0664980006), Stoneco Equipment #21.8789
(0664960032), and Allied Corporation Equipment #21.8808 (0664960030)**

Ohio EPA has received a request to relocate portable air contaminant sources for the company identified above. Upon review of the request, the Director has approved the relocation of the following: 400 TPH Portable Drum Mix Asphalt Plant permitted under PTI 04-01195 issued on May 28, 2002; 67 HP Portable Diesel-fired Generator permitted under PTI 04-01302 issued on May 21, 2002; and 800 HP Portable Diesel-fired Generator permitted under PTI 04-01207 issued on July 18, 2000. The air contaminant sources are currently located at 12580 Greensburg Pike, Portage, OH and are authorized to move to 3798 State Route 53, Forest, OH upon the publication of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Ohio EPA Southeast District Office, Division of Air Pollution Control, 2195 Front St., Logan,
OH 43138. (740) 385-8501.

PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR GREAT LAKES CRUSHING CO. (0243011330)

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Crusher and Screening Plant permitted under PTI 02-14132 issued on November 21, 2000. The air contaminant source is currently located at 7725 Race Road, North Ridgeville, OH, and is authorized to move to 30155 Euclid Ave., Willoughby, OH upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below. Dennis Bush, Ohio EPA Northeast District Office, 2110 East Aurora Road, Twinsburg, OH 44087. Phone: (330) 963-1223.

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR
Shelly Materials Plant 95 (0664980004)**

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of 300 TPH portable counterflow drum mix asphalt plant, Roadways and Parkings Areas, and Storage Piles permitted under PTI 06-07735 issued on August 16, 2005. The air contaminant source is currently located at 3500 Jackson Pike, Grove City, OH and is authorized to move to 1558 County Road 105, Belle Center, OH upon the publication of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Ohio EPA Southeast District Office, Division of Air Pollution Control, 2195 Front St., Logan,
OH 43138. (740) 385-8501.

PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR
Shelly Materials Portable Aggregate Washing System (0664950004)

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of 170 TPH Portable Ortner Aggregate Washer and 215 HP CAT 3208 Diesel Generator permitted under PTI 06-07338 issued on January 29, 2004. The air contaminant source is currently located at 4664 Hardin-Marion Rd., Kenton, OH and is authorized to move to 1558 County Road 105, Belle Center, OH upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Ohio EPA Southeast District Office, Division of Air Pollution Control, 2195 Front St., Logan,
OH 43138. (740) 385-8501.

Date of Public Notice: October 19, 2005

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct an 8.5 acre Dredge Material Relocation Area(DMRA)/ wetland habitat area within Grand Lake St. Marys. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's preferred alternative would result in impacts to 8.5 acres of Grand Lake St. Marys. The applicant's minimal degradation alternative would result in impacts to 6.5 acres of Grand Lake St. Marys. The applicant's non-degradation alternative would have no direct impacts to water resources on site. The application was submitted by the Ohio Department of Natural Resources, Division of Parks and Recreation, 1952 Belcher Drive, Columbus, Ohio 43224. The project is located at Grand Lake St Marys State Park, near Monroe Creek, within Montezuma Bay, in Mercer County. The Army Corps of Engineers number for this project is 200401548. The Ohio EPA number for this project is 042193.

The discharges from the activity, if approved, could result in degradation to, or lowering of, the water quality in the Grand Lake St Marys watershed, within the Wabash River watershed (05120101). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting October 19, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: October 19, 2005

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to relocate Indian Run to stabilize the County Road 4 (Gilman Avenue) road embankment and protect a 10-inch water main. As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's preferred alternative, if approved, would directly impact 200 feet of the Indian Run channel and create a new replacement channel. The applicant's minimal degradation alternative, if approved, would install a vertical wall along Indian Run but not create a new channel. The applicant's non-degradation alternative, if approved, would have no direct impact on streams or wetlands. The application was submitted by the Washington County Engineer, 103 Westview Avenue, Marietta, Ohio 45750. The project is located east of County Road 4 on Indian Run, approximately 1.7 miles north of State Route 550, City of Marietta, Washington County, Ohio. The Huntington District of the U.S. Army Corps of Engineers Number for this project is 200500729. The Ohio EPA Number for this project is 052391.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Indian Run in the Muskingum River watershed (HUC 05040004). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting October 19, 2005, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA Northeast District Office by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.