

**PUBLIC NOTICE  
FINAL ISSUANCE OF CERTIFICATE OF REGISTRATION AS A  
GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on March 7, 2006, the director of Ohio EPA issued an infectious waste generator certificate to BioLife Plasma Services LP, One Baxter Pkwy DF#3-1W, Deerfield, IL 60015, Reg. No.: 00-G-00372. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE**  
**FINAL ISSUANCE OF EMERGENCY REGISTRATION CERTIFICATES**  
**FOR A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that, on March 3, 2006, the director of Ohio EPA issued (1) one emergency infectious waste transporter certificate to Stericycle, Inc., 28161 N. Keith Drive, Lake Forest, IL 60045, ID No: 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222 Columbus, Ohio 43215.

**State of Ohio**  
**Environmental Protection Agency**  
**Notice of Adoption of Rules**

Notice is hereby given that the Director of Environmental Protection, under the authority of Ohio Revised Code Section 3704.03 has adopted amended rule 3745-21-09 of the Administrative Code.

The purpose of this rulemaking and proposed amendments have resulted primarily from the plans in the Cincinnati and Dayton metro counties to eliminate their vehicle inspection programs (E-check) at the end of 2005. To offset the increase in VOC and NOx emissions which would result from the termination of this program, new control strategies were developed which required these rule changes/additions.

Public hearings on the proposed amendments to this rule were held on December 7, 2005 in both Cincinnati and Dayton, Ohio. Comments received during the comment period primarily dealt with opinions on the termination of the E-check program although one comment from an affected facility resulted in a change to this proposed rule. Therefore, this rule, which was originally part of a rule package containing amended rules 3745-21-01, 21-04, 21-12 and new rules 3745-21-17 and 18 of the Administrative Code, was re-filed with JCARR on January 4, 2006. To preserve the applicability of the rule's appendices, the rule was refiled a second time on January 30, 2006. The other rules, also part of the E-check replacement control strategies, became effective February 10, 2006. The Director's order of adoption for rule 3745-21-09 of the Administrative Code was issued on March 2, 2006 and the effective date of this rule is March 12, 2006

To request a copy of this rule, obtain further information, or inspect or request copies of agency files and records pertaining to the proceeding contact Lee F. Burkleca, Ohio EPA, Division of Air Pollution Control, Lazarus Government Center, PO Box 1049, Columbus, Ohio 43216-1049 or call Lee at 614-728-1344. This rule is available on the Web page for electronic downloading by scrolling down to OAC 3745-21, "Carbon Monoxide, Photochemically Reactive Materials, Hydrocarbons, and related Materials Standards". The URL is: <http://www.epa.state.oh.us/dapc/regs/regs.html>. This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215. Copies of the appeal must be served upon the Director of the Ohio EPA within three (3) days of filing with ERAC. Ohio EPA also requests that a copy of the appeal be served upon the Environmental Enforcement Section of the Ohio Attorney General's Office.

**State of Ohio  
Environmental Protection Agency  
Notice of Adoption of Rule**

Notice is hereby given that the Director of Environmental Protection, under the authority of Ohio Revised Code sections 6111.51 and 6111.53, has adopted new rules 3745-4-01, 3745-4-02, 3745-4-03, 3745-4-04, 3745-4-05 and 3745-4-06 of the Administrative Code.

The rules will implement the requirement of Ohio Revised Code section 6111.51 to establish criteria for three levels of credible data related to surface water monitoring and assessment and the requirement of Ohio Revised Code section 6111.53 to establish a water quality monitoring program to collect credible data for surface water monitoring and assessment. The rules establish the necessary training and experience needed to submit credible data and requirements for sample collection, analytical methods, data assessment and quality assurance/quality control procedures for each of the three levels of credible data. The rules also: define training and experience requirements for qualified data collectors; describe sampling protocols and field methods to ensure that the data collection and interpretation are reproducible, scientifically defensible and free from pre-conceived bias; require each state agency in possession of surface water quality data to submit the data to Ohio EPA; and require Ohio EPA to establish and maintain a computerized database of all credible water quality data submitted to the Agency.

A public hearing on the proposed new rules was held on August 3, 2005 in Columbus, Ohio. Changes to the proposed new rules were made as a result of public comment and were refiled on January 4, 2006. The Director's action in this matter is pursuant to the procedural requirements of Ohio Revised Code Chapter 119. and is based upon the record of the public hearing and comments received during the comment period. The Director's order of adoption was issued on March 10, 2006. The effective date of these new rules is March 24, 2006. To request a copy of these rules, write to Mr. Jeff Reynolds, Ohio Environmental Protection Agency, Division of Surface Water, P.O. Box 1049, Columbus, OH 43216-1049 or call Mr. Reynolds at (614) 644-3635. Copies of the adopted rules are also available on the Ohio EPA Division of Surface Water Web site at [www.epa.state.oh.us/dsw](http://www.epa.state.oh.us/dsw).

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with ERAC within thirty (30) days after the notice of the Director's action at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215. Copies of the appeal must be served upon the Director of the Ohio EPA within three (3) days of filing with ERAC. Ohio EPA also requests that a copy of the appeal be served upon the Environmental Enforcement Section of the Ohio Attorney General's Office.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL OF CERTIFIED PROFESSIONALS CERTIFICATIONS UNDER OHIO'S  
VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on March 7, 2006, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following Certified Professionals:

**Craig A. Cox CP189; Joel A. Hunt CP185; Jennifer Johnson Krueger CP274; Robert M. Lowry CP229; Michael J. McKim CP249; Michael J. Pardus CP238; John P. Pierko CP186; Christina G. Pollock CP283; John A. Simon CP152; Richard W. Volpi CP193; Bradford S. White CP146**

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE**  
**COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS**  
**Hunter Manufacturing Company - Hunter Manufacturing Company Property**

Notice is hereby given that on March 6, 2006, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Hunter Manufacturing Company for the property identified as the Hunter Manufacturing Company property (the "Property").

Hunter Manufacturing Company conducted a voluntary action of the approximately 7.3 acre-Property located at 30525 Aurora Road, Solon, Cuyahoga County, Ohio. A no further action letter was submitted on October 17, 2005 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of the Hunter Manufacturing Company by Mr. Dan B. Brown, a Certified Professional (No. 0127), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 728-1298.

**PUBLIC NOTICE**  
**COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS**  
**Forest City Technologies, Inc. - Forest City Technologies, Inc. Property**

Notice is hereby given that on March 6, 2006, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Forest City Technologies, Inc. for the property identified as the Forest City Technologies, Inc. property (the "Property").

Forest City Technologies, Inc. conducted a voluntary action of the approximately 2.97 acre-Property located at 15657 Brookpark Road, Brook Park, Cuyahoga County, Ohio. A no further action letter was submitted on November 15, 2005 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Forest City Technologies, Inc. by Mr. Kevin M. Reaman, a Certified Professional, No. 250, as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 728-1298.

Statewide

Ohio EPA Permit No. OHW000002

National Pollutant Discharge Elimination System (NPDES) Permit Program

**PUBLIC NOTICE  
OF  
ISSUANCE OF THE DRAFT GENERAL NPDES PERMIT  
FOR  
AUTHORIZATION TO DISCHARGE WASTEWATER FROM WATER TREATMENT  
PLANTS**

Ohio Environmental Protection Agency  
Division of Surface Water, Permits Section  
122 South Front Street  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 06-03-069  
Date of Issue of Public Notice: March 17, 2006

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)–Division of Surface Water (DSW) has issued a draft general National Pollutant Discharge Elimination System (NPDES) permit that may potentially provide coverage to only those water treatment plants that discharge wastewater from plain purification, lime-soda softening and iron-manganese removal processes in the State of Ohio.

Applicants under this permit include water treatment facilities that discharge similar type wastewater while producing potable water. Water treatment plants that discharge wastewater from ion-exchange and reverse osmosis processes (this includes wastewater from plants using combined treatment of ion-exchange and iron and manganese removal process) are not covered by this general permit. The fact sheet explains why they are not covered. Key parameters monitored in this draft permit are: flow, suspended solids, pH, total residual chlorine and halomethane compounds.

This general permit will cover only existing permitted facilities. New water treatment plant dischargers will need an individual permit and must go through the antidegradation procedure.

Copies of the draft general NPDES permit and the associated fact sheet and documentation can be obtained on the Ohio EPA-DSW web page at [www.epa.state.oh.us/dsw/permits/gpfact.html](http://www.epa.state.oh.us/dsw/permits/gpfact.html) or by contacting one of the following Ohio EPA district offices:

Southeast District Office (740) 385-8501  
Southwest District Office (937) 285-6357  
Northwest District Office (419) 352-8461  
Northeast District Office (330) 963-1200  
Central District Office (614) 728-3778

In accordance with OAC3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this draft general permit. Comments received shall be considered by the Director before the draft permit is issued as final. Persons wishing to be on the Ohio EPA's interested parties mailing list for this project or wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA's Division of Surface Water, Attention: Raj Chakrabarti / Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049. Comments must be received by April 17, 2006. Comments received after this date may not be considered as part of the official record.

**Date of Public Notice: March 8, 2006**

**Adams County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project: Killen Station - Barge Unloading Facility (improvements for limestone unloading, gypsum loading and additional barge mooring on the Ohio River to support new air quality control technology (i.e. flue gas desulfurization system) under construction). The application was submitted by The Dayton Power & Light Company. The project is located at the Killen Electric Generating Station, on U.S. Route 52 - 7 miles East of Manchester, Ohio in Monroe Township (Adams County) and near ORM 389. The Huntington (WV) District Corps of Engineers Public Notice Number for this project is 000046206-1. The Ohio EPA ID Number for this project is 052517.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in temporary, minimal impacts due to dredge and fill activities. The proposed preferred alternative plans the addition of 23 new river cells (22 -22' diameter and 1 - 40' diameter cells) and the modification and reuse of 5 existing cells (enlargement from 16' to 22' diameter cells). The applicant estimates the following planned quantities (below the OHWE) to construct the proposed preferred alternative: Dredge - 61,883 cu yds and Fill - 2,082 tons steel sheet piling and 8,978 cu yds stone and/or sand (clean fill). The applicant's proposed minimal degradation alternative, if approved, would result in temporary, minimal impacts due to dredge and fill activities, similar to the preferred alternative. The proposed minimum alternative plans for the addition of 10 fewer new 22' diameter river cells than the preferred alternative. The estimated planned quantities for construction of the minimum alternative would be reduced by 659 tons of steel sheet piling and 2,731 cu yds of stone and/or sand versus the preferred alternative. Dredge quantities are estimated to be reduced by 44,590 cu yds versus the preferred alternative. The applicant has demonstrated that this project is water-dependent therefore there is no proposed non-degradation alternative, that would have no direct impacts on waters of the state.

The applicant has requested a maintenance dredging permit inclusive of the existing and proposed new structures. The applicant estimates requirements to remove up to 40,000 cu yds of silted materials from the unloading, loading, cooling water intake and barge mooring areas approximately once every 5 years.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before

deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting March 8, 2006 copies of the application for the certification and Technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**Date of Public Notice: March 8, 2006**

**Adams County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project: Stuart Station - Barge Unloading Facility (improvements for limestone unloading, gypsum loading and additional barge mooring on the Ohio River to support new air quality control technologies (i.e. flue gas desulfurization systems) under construction). The application was submitted by The Dayton Power & Light Company. The project is located at the J.M. Stuart Electric Generating Station, on U.S. Route 52 - 4 miles East of Aberdeen, Ohio in Spriggs Township (Adams County) and near ORM 405. The Huntington (WV) District Corps of Engineers Public Notice Number for this project is 000049076-1. The Ohio EPA ID Number for this project is 052518.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in temporary, minimal impacts due to dredge and fill activities. The proposed preferred alternative plans the addition of 37 new river cells (34 - 22' diameter and 3 - 40' diameter cells) and the modification and reuse of 6 existing cells (enlargement from 16' to 22' diameter cells). The applicant estimates the following planned quantities (below the OHWE) to construct the proposed preferred alternative: Dredge - 6,109 cu yds and Fill - 3,661 tons steel sheet piling and 19,060 cu yds stone and/or sand (clean fill). The applicant's proposed minimal degradation alternative, if approved, would result in temporary, minimal impacts due to dredge and fill activities, similar to the preferred alternative. The proposed minimum alternative plans for the addition of 7 fewer new 22' diameter new river cells than the preferred alternative. The estimated planned quantities for construction of the minimum alternative would be reduced by 642 tons of steel sheet piling and 2,835 cu yds of stone and/or sand versus the preferred alternative. Dredge quantities are estimated to be the same as the preferred alternative. The applicant has demonstrated that this project is water-dependent therefore there is no proposed non-degradation alternative, that would have no direct impacts on waters of the state.

The applicant has requested renewal of a maintenance dredging permit inclusive of the proposed new structures. The applicant estimates requirements to annually remove up to 15,000 cu yds of silted material from areas adjacent to the plant cooling water intake and barge unloader facilities. The applicant estimates requirements to remove up to 50,000 cu yds of silted materials from barge mooring areas in front of existing and proposed river cells approximately once every 5 years.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with

OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting March 8, 2006 copies of the application for the certification and Technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
ISSUANCE OF DRAFT PERMIT TO INSTALL AND PREFERRED PLAN FOR  
GEORGIA-PACIFIC RESINS, INC., COLUMBUS, OHIO  
Public Meeting to be held**

Public notice is hereby given that the Ohio Environmental Protection Agency (EPA) has issued, on February 9, 2006 a draft action for air Permit-to-Install (PTI) application number 01-12019 to Georgia-Pacific Resins Inc. and on January 26, 2006, a Preferred Plan concerning this facility located at 1975 Watkins Road in Columbus, Ohio 43207 (Franklin County).

Copies of the draft PTI application with technical support information and the Preferred Plan and related documents may be reviewed and/or copies made by first calling to make an appointment at the Central District Office, located at 122 South Front Street, Columbus, Ohio 43216, telephone number (614) 728-3778, or via the internet at <http://www.epa.state.oh.us/dapc/0112019d.pdf>. The Preferred Plan is also available for review at the Columbus Metropolitan Branch Library located at 3540 South High Street in Columbus, Ohio 43207 or on the Central District Office website at <http://www.epa.state.oh.us/cdo/georgiapcf.htm>.

**PTI**

The draft permit proposes to modify PTI 01-341 issued on July 15, 1980 for installation of formaldehyde plant number 2 at the facility. The PTI will formalize the current parametric monitoring requirements on the catalytic incinerator, list the leak detection and repair program requirements, and limit the hourly and annual emission of methanol, formaldehyde and carbon monoxide.

The permit modification, if approved, would reduce the annual limitations on methanol emissions while allowing an increase in the annual limitation on formaldehyde and carbon monoxide emissions. Emission testing in October 2003 demonstrated improved destruction efficiency of volatile organic compound (VOC) emissions with reduced carbon monoxide destruction efficiency across the catalytic incinerator. The following table presents the allowable air emissions from the incinerator in the draft permit showing the net increases or decreases resulting from this modification:

Pollutant	Current Stack Limit	Annual Limits	Proposed Stack Limit	Proposed Limit	Net Increase (Decrease)
	Lbs/Hour	Tons/Year	Lbs/Hour	Tons/Year	Tons/Year
formaldehyde	0.2	0.8	0.27	1.18	0.30
methanol	1.3	5.5	0.14	0.63	(4.86)

VOC	6.8	28.6	2.17	9.51	(19.1)
carbon monoxide	2.5	10.5	9.03	39.57	29.07

This facility is subject to the applicable provisions of the Ohio Administrative Code (OAC) rules 3745-31-01 through 31-05 (A) for new source review and 3745-21-09 (DD) and (EE) for operation of a process that produces organic chemicals.

### **Preferred Plan**

Georgia-Pacific Resins, Inc. entered into an administrative consent order with Ohio EPA on December 22, 1994 to investigate contamination at the site. The Preferred Plan summarizes the history of the site and the investigation of contamination at the site, provides an analysis of the feasibility of remedial alternatives, and outlines Ohio EPA's preferred alternative for remediation.

Georgia-Pacific produces resins from formaldehyde, methanol and phenol as the primary raw materials. On September 10, 1997, a batch reactor exploded and released a "partially polymerized resin" mixture into the nearby environment. This explosion occurred during the investigation and emergency removal actions addressed some of the release issues identified in the investigation. Although the emergency removal actions addressed many of the areas of concern, Ohio EPA recommends the following actions in the Preferred Plan: institutional controls, engineering controls, bio-pond decommissioning, and a long-term operation and maintenance plan.

### **Public Hearing**

Ohio EPA will hold a public meeting on March 14, 2006, to answer questions and to accept comments on both the draft PTI and Preferred Plan. The public meeting will begin at 6:30 P.M. in the Ohio Department of Transportation's Auditorium located at 1980 W. Broad Street, Columbus, Ohio 43223. The public meeting will begin with an information session during which Ohio EPA will present a summary of the draft PTI and Preferred Plan and answer questions. Immediately following the information session, a hearing will be held to accept comments on the draft PTI and Preferred Plan. The public can submit oral or written comments for the record. A presiding officer will be present and may limit oral testimony to ensure that all parties are heard.

Written comments on the draft PTI and Preferred Plan must be received by the close of business on March 24, 2006. Comments received after this date will not be considered to be a part of the official record. Anyone may submit written comments at the hearing or send comments to Ohio EPA at: PTI - John Kirwin, Division of Air Pollution Control or Preferred Plan - David O'Toole, Division of Emergency and Remedial Response; Central District Office, P.O. Box 1049, 122 South Front Street, Columbus 43216-1049. Comments may also be faxed to 614-728-3898. Ohio EPA will consider all comments submitted during the public comment period before taking final actions.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
URBAN SETTING DESIGNATION FOR  
HARRISBURG PIKE SHOPPING CENTER, COLUMBUS, OHIO**

Public notice is hereby given that the Ohio Environmental Protection Agency (EPA) has received, on October 11, 2005, a request to approve an Urban Setting Designation for approximately 10.76 acres of land located at 610 - 690 Harrisburg Pike in Columbus (Franklin County) including the Harrisburg Pike Shopping Center. This request was submitted by Geotechnical Consultants, Inc. on behalf of Kin Properties, Boca Raton, Florida, the former property owner.

Pursuant to Ohio Administrative Code 3745-300-10(D), Ohio's Voluntary Action Program (VAP) allows for the voluntary clean up of contaminated property in Ohio without the risk of state civil liability. Under VAP, ground water cleanup is required where contaminated ground water poses risks to the community or environment.

A USD may be requested for properties participating in the VAP when there is no current or anticipated future use of ground water by local residents for drinking, showering, bathing or cooking. In these areas, an approved USD would lower the cost of cleanup and promote economic redevelopment while still protecting public health and safety. If this USD were to be approved, the ground water cleanup or response requirements for the property would be lessened. The ground water under portions of the Harrisburg Pike Shopping Center contains solvents from former dry cleaning businesses.

The Ohio EPA director may approve the request for a USD based on a demonstration by the certified professional that the USD requirements are met and an evaluation of existing or future uses of ground water in the area have been assessed.

Comments regarding this request for USD must be received by the close of business on April 2, 2006. Please direct your comments by mail to Doug Crandall, Ohio EPA - CDO, PO Box 1049, Columbus, Ohio 43216-1049 or by email at [douglas.crandall@epa.state.oh.us](mailto:douglas.crandall@epa.state.oh.us). Telephone questions regarding this USD can be placed to Ohio EPA, Central District Office, Division of Emergency and Remedial Response at (614) 387-6181. This USD request can be viewed on line at [www.epa.state.oh.us/cdo/harrisburgpikeshop.html](http://www.epa.state.oh.us/cdo/harrisburgpikeshop.html).

**PUBLIC NOTICE**  
**OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN**

On February 24, 2006, Ohio EPA received an amended hazardous waste closure plan from AK Steel Corporation, for its former drum storage area located at 520 North Second Street, Cambridge, Ohio 43725. The EPA Identification Number for this facility is OHD058842501.

**Why is AK Steel Submitting this Amended Closure Plan?**

At the request of Ohio EPA, AK Steel submitted this amended closure plan. This closure plan is the second of two amendments. This plan proposes a more appropriate set of monitoring wells and parameters will be monitored to provide a better understanding of groundwater conditions at the facility. It addresses remediation activities of Volatile Organic Compounds at the site using the In-situ Reactive Zone technology. Various other topics discussed in detail include: sampling and analysis plan; and groundwater data evaluation, compliance monitoring, and reporting.

**When and how do I submit written comments about this Amended Closure Plan?**

You can submit written comments anytime between March 8, 2006 and April 7, 2006. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us)

**Where can I review the Amended Closure Plan?**

You can review the Closure Plan at the following locations:

**Ohio EPA, Southeast District Office**, 2195 Front Street, Logan, Ohio 43138, tel: (740) 385-8501;

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215; (614) 644-2977.

**Date of Public Notice: March 3, 2006**

**Lorain County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the construction of a concrete block seawall capped with a reinforced concrete slab (Elevation = 578.0"±(IGLD 1985)) along approximately 40 linear feet (LF) of shoreline, a steel crib pier, and armor stone bluff protection at each side of the seawall. The application was submitted by Howard W. Bergendahl, 31988 Lake Road, Avon Lake, Ohio 44012. The project is located at 31988 Lake Road, Avon Lake, Lorain County, Ohio. The Buffalo District of the U.S. Army Corps of Engineers' Public Notice Number for this application is 2006-00451(0). The Ohio EPA ID Number for this project is 062521.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in a total of 83 cy of concrete seawall blocks and 124 cy of concrete rubble and stone seawall backfill along 40 linear feet of seawall, 135 cy of stone filled crib pier along 40 LF of pier centerline, 183 cy of 2-7 ton armor stones, and 160 cy of stone and/or concrete rubble armor stone underlayer to be placed below the plane of ordinary high water (OHW - 573.4 feet IGLD 1985) and above existing grade. The proposed project will occupy a total of 4395± sf of lands presently lying below the plane of OHW.

The applicant's proposed minimal degradation alternative, if approved, would result in a total of 83 cy of concrete seawall blocks and 124 cy of concrete rubble and stone seawall backfill along 40 linear feet of seawall, 66 cy of stone filled crib pier along 20 LF of pier centerline, 183 cy of 2-7 ton armor stones, and 160 cy of stone and/or concrete rubble armor stone underlayer to be placed below the plane of ordinary high water (OHW - 573.4 feet IGLD 1985) and above existing grade. The proposed project will occupy a total of 3995± sf of lands presently lying below the plane of OHW. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting March 3, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, 122 South Front Street, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on April 20, 2006 at 5:30 p.m. at the Avon Lake Library, 32649 Electric Boulevard, Avon Lake, Ohio. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on April 27, 2006. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Date of Public Notice: March 3, 2006**

**Lorain County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the construction of an armor stone revetment along the subject property's shore slope. The revetment will have a 2H:1V face slope, consist of 2-7 ton armor stone, and have a crest elevation of 582 ft. (IGLD85). The application was submitted by Mary Lou Crawford, 20049 Parkview Avenue, Rocky River, Ohio 44116. The project is located at 3 Andress Court, Lorain, Lorain County, Ohio. The Buffalo District of the U.S. Army Corps of Engineers' Public Notice Number for this application is 2005-01266(1). The Ohio EPA ID Number for this project is 062524.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in a total of approximately 170 cy of armor stone and 110 cy of underlayer rubble to be placed on existing lands lying at or below ordinary high water (OHW; 573.4 feet IGLD85) and above existing grade along approximately 100 LF of shoreline. The total project area below the existing OHW line is approximately 3515 SF.

The applicant's proposed minimal degradation alternative, if approved, would result in a total of approximately 142 cy of armor stone and 54 cy of underlayer rubble to be placed on existing lands lying at or below ordinary high water (OHW; 573.4 feet IGLD85) and above existing grade along approximately 100 LF of shoreline. The total project area below the existing OHW line is approximately 2925 SF. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting March 3, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, 122 South Front Street, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on April 20, 2006 at 5:30 p.m. at the Avon Lake Library, 3269 electric Boulevard, Avon Lake, Ohio. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on April 27, 2006. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. box 1049, Columbus, Ohio 43216-1049.

**Lucas County**

**PUBLIC NOTICE  
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO  
TEXTILEATHER CORPORATION, INC.**

On February 24, 2006, Ohio EPA issued final Findings and Orders to Textileather Corporation, Inc. for its facility located at 3729 Twining Street, Toledo, Ohio 43963. This facility is a large generator of hazardous waste. The EPA I.D. number for this facility is OHD061029682.

Textileather Corporation, Inc. must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**Date of Notice: March 15, 2006**

**Stark County**

**PUBLIC NOTICE  
NOTICE OF PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a public hearing on the draft National Pollutant Discharge Elimination System (NPDES) permit renewal for the Stark County Bob-O-Link Allotment Wastewater Treatment Plant.

The Bob-O-Link Treatment Plant is to be located at 2000 Mohler Drive, Plain Township, Stark County, Ohio. The NPDES renewal application was submitted by the Stark County Sanitary Engineer on behalf of the Stark County Board of Commissioners, P.O. Box 7906, Canton, Ohio 44705.

The public hearing has been scheduled for 6:30 P.M. on April 25, 2006 at the North Canton Public Library, 185 North Main Street, North Canton, Ohio 44720. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft permit. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on May 4, 2006. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the draft permit and technical support information may be reviewed and/or copies made at Ohio EPA's Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio, by first calling (330) 963-1200 to make an appointment.

**Date of Notice: March 15, 2006**

**Stark County**

**PUBLIC NOTICE  
NOTICE OF PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a public hearing on the draft National Pollutant Discharge Elimination System (NPDES) permit renewal for the Stark County Bob-O-Link Allotment Wastewater Treatment Plant.

The Bob-O-Link Treatment Plant is to be located at 2000 Mohler Drive, Plain Township, Stark County, Ohio. The NPDES renewal application was submitted by the Stark County Sanitary Engineer on behalf of the Stark County Board of Commissioners, P.O. Box 7906, Canton, Ohio 44705.

The public hearing has been scheduled for 6:30 P.M. on April 25, 2006 at the North Canton Public Library, 185 North Main Street, North Canton, Ohio 44720. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft permit. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on May 4, 2006. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the draft permit and technical support information may be reviewed and/or copies made at Ohio EPA's Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio, by first calling (330) 963-1200 to make an appointment.

**Stark County**

**PUBLIC NOTICE  
OHIO EPA APPROVES CLOSURE PLAN FOR  
OLYMCO, INC.**

On March 8, 2006, Ohio EPA approved a new closure plan for Olymco, Inc., for one above-ground accumulation tank located at 2125 Harrison Avenue, Canton, Ohio. The EPA I.D. number for this facility is OHD038954525.

Pursuant to Ohio Revised Code rules 3745-66-11 & 12, the facility's closure plan submitted on May 12, 2005, was approved, with conditions, as outlined in the Director's March 8, 2005 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**Date of Public Notice: March 10, 2006**

**Warren County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING  
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit for the discharge from the existing SUMCO Phoenix Corporation wastewater disposal system located at 537 Grandlin Road, Mainville, Warren County, Ohio. The application was submitted by SUMCO Phoenix Corporation - Cincinnati, 537 Grandlin Road, Mainville, Ohio 45039.

SUMCO Phoenix Corporation is proposing to increase the amount of reverse osmosis reject water being discharged via the facility's NPDES permit from 0.115 MGD to 0.220 MGD. The loading of the dissolved solids being discharged would be increased. However, this increase will not result in a significant increase in the ambient water quality. The discharges are to an unnamed tributary to the Little Miami River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary to the Little Miami River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending application are available for review at Ohio EPA's Southwest District Office, 401 East Fifth Street, Dayton, Ohio 45402, (937) 285-6357. An Ohio EPA public hearing on the proposed project has been scheduled for 7:00 P.M. on April 25, 2006, at the Hamilton Township Community Center, 131 State Route 22 and 3 (aka Montgomery Road), Mainville, Ohio 45039. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on May 2, 2006. Comments received after this date may not be considered as part of the official record.

**PUBLIC NOTICE  
OHIO EPA ANNOUNCES PUBLIC MEETING AND EXTENDS COMMENT  
PERIOD FOR CYTEC INDUSTRIES, INC. - MARIETTA, OHIO**

On January 6, 2006, Ohio EPA issued a draft Class 3 hazardous waste facility installation and operation permit (Permit) modification to Cytec Industries, Inc. (Cytec) for its facility at 1405 Greene Street, Marietta, Ohio 45750. The EPA Identification Number for this facility is OHD004341509.

**Why is Cytec Modifying its Permit?**

Cytec is a former speciality chemical manufacturing plant. Operations at the facility have ceased and Cytec is currently performing investigation and cleanup of waste areas at the site. To investigate and clean the site, Cytec, Inc. needs a Permit. Cytec is requesting a Class 3 modification to add the constituents 1,1-dichloroethane and 2,4,5-T to the Integrated Groundwater Monitoring Program.

**When and where will Ohio EPA hold a public meeting?**

At the request of several interested parties, Ohio EPA has scheduled a public meeting to discuss the addition of the constituents 1,1-dichloroethane and 2,4,5-T to the monitoring list. Ohio EPA will hold the public meeting on **April 17, 2006**, at 6:30 p.m. It will be held at the Washington County Public Library, 615 Fifth Street, Marietta, Ohio 45750; (740) 373-1057. The comment period is now extended to April 27, 2006. Comments may be submitted to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us)

**Where can I review the Permit application and draft Permit modification?**

You may continue to review these at one of the following locations:

**Washington County Public Library**, 615 Fifth Street, Marietta, Ohio 45750, (740) 373-1057;

**Ohio EPA - Southeast District Office**, 2195 Front Street, Logan, Ohio 43138, (740) 385-8501; and,

**Ohio EPA, Division of Hazardous Waste Management**, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2917.