

**PUBLIC NOTICE  
FINAL ISSUANCE OF AN AMENDED CERTIFICATE  
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on April 19, 2006, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE**  
**COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS**  
**Fort Scott Development Company, LLC/Fort Scott Property**

Notice is hereby given that on April 18, 2006, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to the Fort Scott Development Company, LLC for the property identified as the Fort Scott property (the "Property").

The Fort Scott Development Company, LLC conducted a voluntary action of the approximately 205-acre property located at 6762 River Road, New Baltimore, Hamilton County, Ohio. A no further action letter was submitted on October 12, 2005 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of the Fort Scott Development Company, LLC, Michael D. Weinstein, a Certified Professional (CP126), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth St., Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE**  
**COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS**  
**Goodyear Tire and Rubber Company - Former Goodyear Stow Mold Plant**

Notice is hereby given that on April 20, 2006, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Goodyear Tire and Rubber Company and Albrecht, Inc. for the property identified as the Former Goodyear Stow Mold Plant property (the "Property").

Goodyear Tire and Rubber Company conducted a voluntary action of the approximately 71.24 acre-Property located at 4700 Hudson Drive, Stow, Summit County, Ohio. A no further action letter was submitted on November 15, 2005 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Goodyear Tire and Rubber Company by Mr. Jim Smith, a Certified Professional, No. CP121, as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**Date of Public Notice: April 13, 2006**

**Delaware County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project that will relocate SR-750 on a new alignment near the Columbus Zoo. The application was submitted by the Ohio Department of Transportation. The project is located in Powell, Ohio. The Huntington District of the U.S. Army Corps of Engineers Number for this project is 200600068. The Ohio EPA ID Number for this project is 062546.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 320 linear feet of three (3) streams and 0.04 acres of a low quality Category 1 wetland. The applicant's proposed minimal degradation alternative, if approved, would impact 270 linear feet of three (3) streams and 0.04 acres of a low quality Category 1 wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Upper Scioto (05060001) watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting April 13, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on May 13, 2006. Comments received after this date may not be considered as part of the official record.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in

reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**Date of Public Notice: April 15, 2006**

**Delaware County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATIONS**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a multi-use development to provide commercial and office services and residential home sites to residents in the City of Delaware and rural communities to the north. Zaremba Group, Zaremba Inc., and Ohio Builders submitted the application. The 218-acre project site is located in the City of Delaware, Ohio, on the south side of U.S. 36 and west of Glenn Road; the Penn Central railroad borders the site to the south and west. The Huntington District Corps of Engineers Public Notice Number for this project is 200400891. The Ohio EPA ID Number for this project is 052520.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 7.721 acres of non-isolated wetlands, 2.240 acres of isolated wetlands, and 6,067 linear feet of permanent, intermittent, and ephemeral streams. The applicant's proposed minimal degradation alternative, if approved, would impact 4.756 acres of non-isolated wetlands, 0.220 acres of isolated wetlands, and 3,234 linear feet of permanent, intermittent, and ephemeral streams. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Mill Run. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting April 15, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on May 15, 2006. Comments received after this date may not be considered as part of the official record.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**Date of Public Notice: April 22, 2006**

**Erie County**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING  
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit for the discharge from the proposed Pheasant Cove Subdivision Wastewater Treatment Facility. Public notice is also given that Ohio EPA-DSW has received an application for Permit to Install (PTI) for the construction of the proposed wastewater treatment facility. The NPDES and PTI applications were submitted by the Pheasant Cove Subdivision Homeowners Association, 850 McKee Trail, Hinckley Township, Ohio 44322.

The Pheasant Cove Subdivision preferred wastewater disposal alternative submitted for approval is proposed to treat 8000 gallons per day of domestic wastewaters. The disposal system is proposed to be located on the north side of Woodford Road, 500 feet east of McGettigan Lane, Kelleys Island, Erie County. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Lake Erie.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio, (330) 963-1200. An Ohio EPA public hearing on the proposed project has been scheduled for 3:00 P.M. on June 6, 2006, at the Kelleys Island Town Hall, 120 Division Street, Kelleys Island, Ohio 44322. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on June 13, 2006. Comments received after this date may not be considered as part of the official record.

**Guernsey County**

**PUBLIC NOTICE  
OHIO EPA APPROVES AMENDED CLOSURE PLAN  
AK STEEL**

On April 19, 2006, Ohio EPA approved an amended closure plan for the AK Steel Asset Management Company, for the former drum storage units located at 520 North Second Street, Cambridge, Ohio. The EPA I.D. number for this facility is OHD058842501.

Pursuant to Ohio Revised Code rule 3745-66-11 &12, the facility's amended closure plan submitted on February 6, 2006, was approved, with modifications, as outlined in the Director's April 19, 2006 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE  
OHIO EPA ISSUES FINAL HAZARDOUS WASTE RENEWAL PERMIT TO  
KLOR KLEEN, INC.**

On April 17, 2006, Ohio EPA issued a final renewal Hazardous Waste Facility Installation and Operation Permit (Permit) to Klor Kleen, Inc. for its facility at 3118 Spring Grove Avenue, Cincinnati, Ohio 45225. The EPA Identification Number for this facility is OHD980821862.

**Why does Klor Kleen, Inc. need a Permit?**

Klor Kleen, Inc. is engaged primarily in the storage of hazardous waste on an epoxy-coated concrete pad. Klor Kleen, Inc. wishes to continue to store hazardous waste in containers. The final renewal Permit contains the conditions under which the facility must operate. To issue this final renewal Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards. The renewal Permit allows Klor Kleen, Inc. to continue to operate a hazardous waste container storage unit in the designated area, and will require Klor Kleen, Inc. to investigate and, if necessary, clean up any contamination from hazardous wastes or constituents that may be at the facility.

**Can I appeal this permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this Permit, you have the right to appeal this permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than May 19, 2006. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code § §3745.04 and 3745.07, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Joseph P. Koncelik, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Stark County**

**PUBLIC NOTICE  
REQUEST TO CHANGE SCRAP TIRE STORAGE LOCATION**

Notice is hereby given on April 19, 2006, that the director of Ohio EPA hereby approves a request submitted by Liberty Tire Services of Ohio, LLC (Liberty) authorizing them to store all scrap tires in the locations and configurations provided in the plan drawings submitted on February 9, 2006, as part of this request. The Facility is located at 14864 Lincoln Street, S.E., Minerva, OH 44657, Stark County. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621.

**PUBLIC NOTICE**  
**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT**  
**DELPHI AUTOMOTIVE SYSTEMS-WARREN**

On April 18, 2006, Ohio EPA issued a final class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Delphi Automotive Systems L.L.C., for its facility at North River Road at Larchmont, Warren, Ohio 44486. The EPA Identification Number for this facility is OHD000817346.

**Why is Delphi Automotive Systems L.L.C. modifying its Permit?**

Delphi Automotive Systems L.L.C., (Delphi) manufactures electrical harnesses for the automotive industry and currently must have a permit to perform post-closure activities. Delphi wishes to update the post-closure cost estimate, financial assurance mechanism, post closure plan and corrective action program. This final modified permit will allow Delphi to make the requested changes. To issue this final Permit modification, Ohio EPA determined that the modification application is complete and meets appropriate standards.

**Can I appeal this final Permit modification?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final Permit modification, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than **May 22, 2006**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. You must file your appeal, according to Ohio Revised Code § 3745.04, with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Joseph P. Koncelik, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.