

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
INITIAL CERTIFICATION OF ENVIRONMENTAL PROFESSIONAL
UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on May 30, 2006, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued an initial "certified professional" certification to: **Mr. Michael T. Coonfare, CP 298**. The issuance of the certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

National Pollutant Discharge Elimination System (NPDES) Program

**PUBLIC NOTICE
OF
DRAFT GENERAL PERMIT FOR
TEMPORARY DISCHARGES**

Ohio Environmental Protection Agency
Division of Surface Water, Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. : 06-06-015
Date of Public Notice: June 8, 2006

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft general permit authorization to discharge wastewater from temporary discharges.

Temporary discharges, may be associated with some type of facility or site cleanup, or one-time emergency discharge due to unusual or short-term circumstances, or discharges from a pilot project or test facility. The type of pollutants found in temporary discharges may be quite variable due to the differences in projects. Also, flow rates could be quite different depending on the size of the project. The concentration of the discharges must be *de minimus*, defined as less than ten percent of the waste load allocation for all applicable pollutants. In addition, temporary discharges are defined as facilities or projects that discharge for a time period not to exceed 60 days.

This permit would be a new general permit, and will be subject to the requirements of Ohio's anti-degradation rule (Ohio Administrative Code 3745-1-05). The general permit is proposed for a duration of five years.

Copies of the draft general NPDES permit and the associated fact sheet and documentation can be obtained on the Ohio EPA-DSW web page at www.epa.state.oh.us/dsw/permits/gpfact.html or by contacting one of the following Ohio EPA district offices:

Southeast District Office	(740) 385-8501
Southwest District Office	(937) 285-6357
Northwest District Office	(419) 352-8461
Northeast District Office	(330) 963-1200
Central District Office	(614) 728-3778

In accordance with OAC3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this draft general permit. Comments received shall be considered by the Director before the draft permit is issued as final. Persons wishing to be on the Ohio EPA's interested parties mailing list for this project or wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA's Division of Surface Water, Attention: Mike McCullough / Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049. Comments must be received by June 29, 2006. Comments received after this date may not be considered as part of the official record.

Statewide

Public Notice

The Following Permit Is Being Issued as a Final Action on June 1, 2006. Final Actions Are Actions of the Director Which Are Effective upon Issuance or a Stated Effective Date. Pursuant to Ohio Revised Code Section 3745.04, a Final Action May Be Appealed to the Environmental Review Appeals Commission (Erac) (Formerly Known as the Environmental Board of Review) by Filing an Appeal Within 30 Days of Notice of the Final Action. Pursuant to Ohio Revised Code Section 3745.07, a Final Action Issuing a Permit Which Is Not Preceded by a Proposed Action, May Be Appealed to the Erac by Filing an Appeal Within 30 Days of Issuance of the Final Action. Erac Appeals must Be Filed With: Environmental Review Appeals Commission, 236 East Town Street, Room 300, Columbus, Ohio 43215. A Copy of the Appeal must Be Served on the Director Within 3 Days after Filing the Appeal with Erac.

Final Issuance of Npdes General Permit:

Storm Water Associated with Industrial Activity

Statewide

Oh

Issue Date 6/01/06

Ohio Npdes Permit No: Ohr000004

This Final Action Was Not Preceded by a Proposed Action
Are Is Appealable to Erac

The Permit Is a Renewal of Ohr000003. The Full Text of the Permit Can Be Viewed over the Internet at "[Http://www.epa.state.oh.us/dsw](http://www.epa.state.oh.us/dsw)" or Copies Can Be Obtained by Calling John Morrison at (614)644-2259.

Date of Public Notice: June 7, 2006

Clark County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to fill 0.54 acres of category 2 isolated wetland to develop an auction facility. The application was submitted by the Ritchie Brothers Auctioneers, 6500 River Rd, Richmond, BC, Canada, V6X4G5. The project is located southwest of Interstate 70 and State Rd 54. The Ohio EPA Number for this project is 062597.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting June 7, 2006, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

**PUBLIC NOTICE
OHIO EPA RECEIVES NEW HAZARDOUS WASTE
CLOSURE PLAN FROM CLOW WATER SYSTEMS**

On May 2, 2006, Ohio EPA received a new hazardous waste closure plan from the Clow Water Systems Company located at 2266 South Sixth Street, Coshocton, Ohio 43812-6001. The EPA Identification Number for this facility is OHD004294849.

Why is Clow Water Systems Company submitting this New Closure Plan?

In response to Ohio EPA, Clow Water Systems Company submitted this new closure plan. This plan describes the methods by which Clow will provide closure of the facility's pipe rack storage unit. It lists the hazardous waste to be removed, recommends that decontamination of the waste bunker area should be performed which eliminates soil sampling; describes the hand auger and/or Geoprobe method of soil boring in the pipe rack area, developed remediation standards, discusses sampling results; and discusses the human health risk assessment. Also included is the closure methodology and certification process.

When and how do I submit written comments about this Amended Closure Plan?

You can submit written comments anytime between May 30 and June 29, 2006. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the closure plan at the following locations:

Ohio EPA, Southeast District Office, 2195 Front Street, Logan, Ohio 43138, tel: (740) 385-8501; and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, tel: (614) 644-2977.

PUBLIC NOTICE
OHIO EPA RECEIVES HAZARDOUS WASTE CLOSURE PLAN

On August 5, 2005, Ohio EPA received a hazardous waste closure plan from Columbus Steel Drum Company concerning a hazardous waste storage pad located at 1385 Blatt Boulevard, Blacklick, Ohio 43004. The EPA Identification Number for this facility is OHD004291654.

Why is Columbus Steel Drum Company submitting this Closure Plan?

As a result of a Consent Order and Final Judgement, Columbus Steel Drum Company submitted this closure plan. The plan describes the closure procedure including concrete cleaning, soil analysis and equipment decontamination; and a time frame for closure. The sampling plan and analytical methods are outlined, and if necessary, repeated decontamination and rinsate sampling will be collected until the area is considered clean. Soil samples will be collected around the perimeter of the drum storage pad. Ten (10) sampling locations spaced between 14 feet and 16 feet around the perimeter of the pad are planned. Other sections include a closure inspection and certification, and a closure cost estimate.

When and how do I submit written comments about the Closure Plan?

You can submit written comments anytime between June 5, 2006 and July 5, 2006. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Ohio EPA, Central District Office, 122 South Front Street, Columbus, Ohio 43215, tel: (614) 728-3778,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

Date of Public Notice: May 29, 2006

Lake County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for filling 0.68 acres of isolated wetlands to construct Quail Hollow planned unit development. The application was submitted by the Quail Hollow Development LLC, 3030 LBJ Freeway, Suite 600, Dallas, TX 75234-7703. The project is located on South Forest Drive, Concord Township. The Ohio EPA Number for this project is 062598

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting May 29, 2006, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

Date of Public Notice: May 29, 2006

Lake County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to develop a residential subdivision and commercial use on approximately 740 acres of undeveloped land adjacent to the Quail Hollow Country Club. The application was submitted by Quail Hollow Development Inc., 3030 Ibj Freeway, Suite 600, Dallas, Texas 75234-7703. The project is bordered on the north by Concord-Hambden Road, on the east by Painesville-Ravenna Road, on the south by Girdled Road, and on the west by Crile Road in Concord Township, Lake County, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is 94-501-10(3). The Ohio EPA ID Number for this project is 062598.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would fill 7.39 of wetlands. The applicant's proposed minimal degradation alternative, if approved, would fill 3.3 acres of wetlands. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of four unnamed tributaries to Gordon and Ellis Creeks which are in the Grand River Watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting May 29, 2006 copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing or 3) submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: May 26, 2006

Lorain County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATIONS AND PUBLIC HEARING**

Public Notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the construction of a concrete block seawall capped with a reinforced concrete slab (Elevation = 578.0'+ (IGLD 1985)) along approximately 95 linear feet (LF) of shoreline, a steel crib pier, and a detached modular concrete breakwater (to be constructed from concrete modules already existing at the site). The application was submitted by Kathleen M. Miller 32280 Woodfield Drive, Avon Lake, Ohio 44012. The project is located at 32878 Lake Road, Avon Lake, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is 2006-00363(0). The Ohio EPA ID Number for this project is 052496.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result a total of 40 cy of concrete seawall blocks and 32 cy of concrete rubble and stone seawall backfill along 128 linear feet of seawall, and 90 cy of stone filled crib pier along 40 LF of pier centerline to be placed below the plane of ordinary high water (OHW = 573.4 feet IGLD 1985) and above existing grade. The proposed project will occupy a total of 1875+ sf of lands presently lying below the plane of OHW.

The applicant's proposed minimal degradation alternative, if approved, would result a total of 15 cy of concrete seawall blocks and 5 cy of concrete rubble and stone seawall backfill along 95 linear feet of seawall, and 38 cy of stone filled crib pier along 30 LF of pier centerline to be placed below the plane of ordinary high water (OHW = 573.4 feet IGLD 1985) and above existing grade. The proposed project will occupy a total of 1330+ sf of lands presently lying below the plane of OHW.

The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting May 26, 2006 copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (419) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality at 6:30 p.m. on July 13, 2006 at the Avon Lake Public Library, 32649 Electric Boulevard, Avon Lake, Ohio 44012. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and given written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of the Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on July 20, 2006. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on July 20, 2006.