

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on June 7, 2006, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
INITIAL CERTIFICATION OF ENVIRONMENTAL PROFESSIONAL
UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on June 5, 2006, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued an initial "certified professional" certification to: **Mr. William R. Lyman, CP 299**. The issuance of the certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
INITIAL CERTIFICATION OF ENVIRONMENTAL PROFESSIONAL
UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on June 7, 2006, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued an initial "certified professional" certification to: **Mr. John Tiffany, CP 300**. The issuance of the certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT ASSISTANCE
TO THE TATE MONROE WATER ASSOCIATION, INC.**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to the Tate Monroe Water Association for the following water treatment system activities: installation of a collector well, and construction of a water treatment plant and storage facility.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the Tate Monroe Water Association, Inc. from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6109.22 (N) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Paula Reed at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE
OHIO EPA ISSUES STATEMENT OF BASIS FOR PREFERRED
WASTE REMEDIATION**

On June 8, 2006, Ohio EPA issued a Statement of Basis to BFI Energy Systems of Boston, Inc., (BFI) dba Ecological Services, Inc., for the property located at 6201 South Pleasant Drive, East Palestine, Ohio 44413. The EPA Identification Number for this facility is OHD980795264.

Why does BFI need a Statement of Basis?

BFI Energy Systems of Boston, Inc. has assumed clean-up responsibilities at the Ecological Services, Inc. facility and voluntarily agreed to address its corrective action obligations. The Statement of Basis (S B) identifies Ohio EPA's preferred remedies, explains the reasons for the selection of the remedies, solicits public review and comments and provides information on how the public can be involved in the remedy selection process. The S B allows BFI to institute corrective action activities at the designated areas when a final decision is issued.

How can I tell Ohio EPA what I think about this Statement of Basis?

You can submit written comments anytime between **June 9, 2006**, and **July 24, 2006**. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us

When and where will Ohio EPA hold a public meeting?

You may request Ohio EPA to hold a public meeting for the Statement of Basis. You should send your request to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us If the request is granted, Ohio EPA will announce the time and location of the public meeting.

Where can I review the Statement of Basis?

You can review this document at one of the following locations:

East Palestine Memorial Public Library, 309 North Market Street, East Palestine, Ohio 44413, tel.: (330) 426-3778;

Ohio EPA - Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087-1969,
(330) 425-9171, and;

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2917.

What will Ohio EPA do with the comments?

After carefully considering public comments, Ohio EPA will reconsider the S B, making any necessary changes, and issue a final decision. Ohio EPA will issue a "response to public comments," specifying any changes made to the S B. If you commented on the S B, Ohio EPA will send you copies of the "response to public comments" and the final decision.

Date of Public Notice: June 6, 2006

**PUBLIC NOTICE
ISSUANCE OF DRAFT NPDES PERMIT
AND PUBLIC HEARING**

Notice is hereby given that on June 6, 2006, the Director of the Environmental Protection Agency will issue a draft National Pollutant Discharge Elimination System (NPDES) permit (4IN00196) to ASA Bloomingburg, LLC, 4311 Oak Lawn Avenue, Suite 650, Dallas Texas 75219, for the proposed discharge of cooling water blowdown, reverse osmosis reject water and water softener generation water associated with the production of fuel grade undenatured ethanol from the facility located at 4201 State Route 238 NE, Union Township, Fayette County, Ohio. "Draft Actions" are written statements of the Director's intent with respect to the issuance, denial, etc. of a permit, license, order, etc. Interested persons may submit written comments regarding draft actions.

The discharges from the facility, if approved, would result in degradation to, or lowering of, the water quality of the East Fork of Paint Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the draft action is issued as final. A public hearing has been scheduled for 6:30 P.M. on July 20, 2006 at the Center for Economic Opportunity, Upstairs Meeting Room, 101 E. East Street, Washington Court House, Ohio 43160. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft permit. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43126-1049 by the close of business on July 27, 2006. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES application, draft permit and technical support information may be reviewed and/or copies made at Ohio EPA's Central District Office, 122 South Front Street, 5th Floor, Columbus, Ohio 43215 by first calling (614)728-3778 to make an appointment.

FRANKLIN COUNTY

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **SIDWELL MATERIALS 3456 CAT Generator (0660960045)****

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Diesel Generator permitted under PTI 06-07856 issued on September 20, 2005. The air contaminant source is currently located at State Route 821 and State Route 339, and is authorized to move to 2650 Old Dublin Rd., Hilliard, OH upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Michael Carper, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.
Phone: (740) 385-8501.

FRANKLIN COUNTY

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **SIDWELL MATERIALS 350 TPH IROCK 220 Crushing Plant**
(0660950024)**

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Diesel Generator permitted under PTI 17-1583 issued on December 3, 1998. The air contaminant source is currently located at the intersection of State Route 821 and State Route 339, Macksburg, Ohio, and is authorized to move to 2650 Old Dublin Rd., Hilliard, Ohio upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Michael Carper, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.
Phone: (740) 385-8501.

FRANKLIN COUNTY

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **SIDWELL MATERIALS IROC CRUSHER (0660950007)****

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Crushing Plant permitted under PTI 06-07702 issued on April 19, 2005 . The air contaminant source is currently located at 5441 Casey Road, Mechanicburg, Ohio, and is authorized to move 6189 Westerville Road, Westerville, Ohio upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Michael Carper, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.
Phone: (740) 385-8501.

FRANKLIN COUNTY

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **SIDWELL MATERIALS 3406 CAT Generator(0660960023)****

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Crushing Plant permitted under PTI 06-07790 issued on June 16, 2005. The air contaminant source is currently located at 4620 Limestone Valley Road, Ohio, and is authorized to move to 6189 Westerville Road, Westerville, Ohio upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Michael Carper, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.
Phone: (740) 385-8501.

JEFFERSON COUNTY

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **ANTHONY MINING COMPANY (0641950021)****

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of portable crusher permitted under PTI 06-5944 issued on October 20, 1999. The air contaminant source is currently located at SR 209, Jackson Township, OH 43725, and is authorized to move to Mader Road, German Township, Jefferson County, OH 43976 upon the issuance of this notice. .

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.

Joe Laughery
Southeast District Office
Division of Air Pollution Control
2195 Front Street
Logan, Ohio 43138-8687
740 380 5234

Date of Public Notice: June 6, 2006

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project proposing to replace the State Route 168 bridge over the Cuyahoga River. The Ohio Department of Transportation is proposing to widen the bridge structure by 9.4 feet and reconstruct the abutments and approach slabs. Due to the roadway improvements, 0.11 acre of high quality (Category 3) Federal jurisdictional wetlands will be impacted and 36 Cubic Yards of clean non-erodible fill will be temporarily placed in the River to facilitate construction access. The application was submitted by the Ohio Department of Transportation. The project is located near the Village of Burton, Geauga County, Ohio. The Huntington District of the U.S. Army Corps of Engineers Number for this project is 2006-00306. The Ohio EPA ID Number for this project is 062611.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would involve impacts to one wetland for a total of 0.11 acre. The applicant's proposed minimal degradation alternative, if approved, involve impacts to one wetland for a total of 0.09 acre. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Cuyahoga (HUC #04100002) watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting June 6, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on July 20, 2006, at 6:30 PM. The meeting location is the Burton Public Library, 14588 West Park St., Burton, OH 44021.

All interested parties are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project or submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on July 21, 2006. Comments received after this date may not be accepted as part of the official record.

Date of Public Notice: June 5, 2006

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to place fill material into waters of the U.S. in conjunction with surface coal mining activities to extract coal at the Patton-Mader Surface Mining Area. The application was submitted by Anthony Mining Company, Inc., P.O. Box 1298, Steubenville, Ohio 43952. The project is located within the watershed of North Branch Cross Creek in Sections 7, 12 and 13 of German Township, Harrison County, Ohio. The Pittsburgh District of the U.S. Army Corps of Engineers Number for this project is 200501248. The Ohio EPA ID Number for this project is 062616.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact \pm 7,427 linear feet of stream channel, 0.73 acre of wetlands and 0.18 acre of open pit impoundments. The applicant's proposed minimal degradation alternative, if approved, would impact \pm 4,702 linear feet of stream channel, 0.15 acre of wetlands and 0.18 acre of open pit impoundments. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of unnamed tributaries to North Branch Cross Creek in the Ohio River Watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting June 5, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND
TO THE CITY OF WILLOUGHBY HILLS**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the City of Willoughby Hills, for the following water quality improvement activities: construction of the City of Willoughby Hills' Woodlands Sanitary Sewer Project.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the City of Willoughby Hills from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Judy Mentzer at the above address or by calling (614) 644-2798.

Date of Public Notice: May 29, 2006

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to demolish two existing fixed steel docks at the old travellift area and rehabilitate the existing timber and concrete bulkhead which is collapsing along the river bank of the property. The application was submitted by American Metal Chemical Corporation, 835 West Smith Road, Medina, Ohio 44256. The project is located at 200 East 9th Street, Lorain, Lorain County, Ohio. The Buffalo District of the U.S. Army Corps of Engineers' number for this application is 98-502-0026(3). The Ohio EPA ID Number for this project is 062547.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would remove two existing fixed steel piers and rehabilitate approximately 180 linear feet of existing timber crib and deteriorated sheet pile bulkhead with a new steel sheet pile bulkhead. Total gravel fill of 310 cubic yards below OHW will be installed behind the new bulkhead and 35 cubic yards of ODOT "C" stone will be placed below the OHW for fish habitat mitigation. The applicant's proposed minimal degradation alternative, if approved, would remove two existing fixed steel piers and rehabilitate approximately 160 linear feet of existing timber crib bulkhead with a new steel sheet pile bulkhead. Total gravel fill of 105 cubic yards below OHW will be installed behind the new bulkhead and 31 cubic yards of ODOT "C" stone will be placed below OHW for fish habitat mitigation. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning May 29, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-

1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on July 13, 2006 at 5:30 p.m. at the Avon Lake Public Library, 32649 Electric Boulevard, Avon Lake, Ohio 44012. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on July 20, 2006. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Public Notice: May 29, 2006

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to rehabilitate a 97 linear foot and a 58 linear foot existing concrete groin with new 3-5 ton armor stone and construction of 105 linear feet of new armor stone revetment with precast concrete steps. The application was submitted by Gregory J. and Gail A. Hamilton, 32157 Teasel Court, Avon Lake, Ohio 44012. The project is located at 4270 Edgewater Drive, Vermilion, Lorain County, Ohio. The Buffalo District of the U.S. Army Corps of Engineers' Public Notice Number for this application is 2006-00628(0). The Ohio EPA ID Number for this project is 062549.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would rehabilitate a 97 linear foot and a 58 linear foot existing concrete groin with new 3-5 ton armor stone with a 1.5:1 slope on the east side of the east groin and a 2:1 slope on the west side of the west groin and 52 linear feet of new armor stone; total of 604 cubic yards of fill below OHW. The applicant's proposed minimal degradation alternative, if approved, would rehabilitate a 97 linear foot and 58 linear foot existing concrete groin with new 3-5 ton armor stone with a 1.5:1 slope on all sides and 52 linear feet of new armor stone revetment; total of 387 cubic yards of fill below OHW. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning May 29, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on July 13, 2006 at 6:30 p.m. at the Avon Lake Public Library, 32649 Electric Boulevard, Avon Lake, Ohio 44012. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on July 20, 2006. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

LORAIN COUNTY

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT SOURCE
FOR Great Lakes Crushing Ltd., (0243011330)**

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of a Portable Crusher and Screening Plant permitted under PTI 02-14132, issued on Nov. 12, 2000. The air contaminant source is currently located at 8530 N. Boyle Parkway, Twinsburg, OH, and is authorized to move to 930 Miller Road, Avon, OH, upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Dennis Bush, Ohio EPA Northeast District Office, 2110 East Aurora Road, Twinsburg, OH 44087.
Phone: (330) 963-1223.

MUSKINGHAM COUNTY

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **SIDWELL MATERIALS ELJAY HORIZONTAL SCREENER
(0660950016)****

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Crushing Plant permitted under PTI 06-08029 issued on April 27, 2006. The air contaminant source is currently located at 42600 Deersville Ridge Road, Cadiz, Ohio, and is authorized to move to Saltillo Road, a quarter mile south of the intersection of State Route 22 and Saltillo Road, East Fultonham, Ohio upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Michael Carper, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.
Phone: (740) 385-8501.

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE
TO SANDUSKY COUNTY**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to Sandusky County for the following water quality improvement activities: to design a wastewater project which will include a lift station, a force main and gravity sewer system on Longanbach Road, Edwards Drive, and along State Route 6.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Sandusky County from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

This final action of the Director may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 and 6111.036 (P) of the Ohio Revised Code. The appeal must be in writing and shall set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Brian Enck at the above address or by calling (614) 644-3651.

Date of Public Notice: June 14, 2006

**Wayne, Stark, Holmes and
Tuscarawas Counties**

**OHIO ENVIRONMENTAL PROTECTION AGENCY
PUBLIC NOTICE
SUGAR CREEK WATERSHED
TOTAL MAXIMUM DAILY LOAD REPORT**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is providing for public review and comment the Sugar Creek Watershed Total Maximum Daily Load Report (TMDL) Document. Ohio EPA developed the Document in fulfillment of Section 303(d) of the Clean Water Act which requires the identification of impaired waterbodies for which technology based effluent limitations are not stringent enough to achieve applicable water quality standards and to develop Total Maximum Daily Loads for such waters. The Document addresses impairments in Sugar Creek watershed which appear on the Ohio 2006 303(d) list (assessment units 05040001 100, 110, and 120). The impaired waters are located in the Counties of Wayne, Stark, Holmes and Tuscarawas.

All interested persons wishing to submit comments for Ohio EPA's consideration may do so in writing to Ohio EPA, Northeast District Office, 2110 Aurora Road, Twinsburg, OH 44087, Attn: Paul Anderson, or by email to paul.anderson@epa.state.oh.us by the close of business, July 17, 2006. Comments received after this date may be considered as time and circumstances permit. After consideration of comments, Ohio EPA will submit the Document to the United States Environmental Protection Agency (USEPA) for approval.

To obtain a copy of the Document or other information, or to arrange to inspect Agency files or records pertaining to the Document, or to request notice of when Ohio EPA submits the Document to USEPA, please contact Paul Anderson at the address above or by calling (330) 963-1228. The Document will be posted (on or before June 14, 2006) to the Ohio EPA Division of Surface Water Web site <http://www.epa.state.oh.us/dsw/index.html>.