

**PUBLIC NOTICE
FINAL ISSUANCE OF AN AMENDED CERTIFICATE
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on October 16, 2006, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**State of Ohio
Environmental Protection Agency
Notice of Adoption of Rules**

Notice is hereby given that the Director of Environmental Protection, under the authority of Ohio Revised Code Section 3704.036(B) has adopted amended rules 3745-79-01 to 3745-79-03 of the Ohio Administrative Code ("OAC"), "Small Business Technical Assistance Program." These rules outline the requirements of the small business technical assistance program required under Section 507 of the Clean Air Act Amendments of 1990.

The primary purpose of this rulemaking is to conform with current Legislative Service Commission rule format and rule processing protocols.

Pursuant to Section 121.39 of the Ohio Revised Code, DAPC is required to consult with interested parties affected by the rules before the division formally adopts them. On August 9, 2006 the proposed rules went out for a 30 day review by interested parties. Pursuant to Section 119.03 of the Ohio Revised Code, a public hearing on the proposed rule changes was conducted on Thursday, September 14, 2006 in Columbus, Ohio. There were no comments received during the comment period or at the hearing. The Director's order of adoption was issued on October 17, 2006. The effective date of these rules is October 27, 2006.

To request a copy of these rules, obtain further information, or inspect or request copies of agency files and records pertaining to the proceeding contact Rick Carleski, Ohio EPA, Division of Air Pollution Control, Lazarus Government Center, PO Box 1049, Columbus, Ohio 43216-1049 or call Rick Carleski at 614-728-1742. The rules are available on the Web page for electronic downloading. The URL is:
<http://www.epa.state.oh.us/dapc/regs/regs.html>.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission ("ERAC") pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215. Copies of the appeal must be served upon the Director of the Ohio EPA within three (3) days of filing with ERAC. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA also requests that a copy of the appeal be served upon the Environmental Enforcement Section of the Ohio Attorney General's Office.

**BEFORE THE
OHIO ENVIRONMENTAL PROTECTION AGENCY**

**Public Notice
Proposed Rulemaking Governing
Wastewater Discharge Permits**

Notice is hereby given that the Director of Environmental Protection, under the authority of Sections 6111.03, 6111.031 and 6111.13 of the Ohio Revised Code and in accordance with Chapter 119 of the Revised Code, proposes to adopt the following rule of the Ohio Administrative Code (OAC):

Rule	Title	Action
3745-33-07	Establishing permit conditions.	Amend

OAC Chapter 3745-33 contains the administrative and technical requirements for writing and obtaining National Pollutant Discharge Elimination System (NPDES) permits from Ohio EPA. OAC rule 3745-33-07 covers procedures for deciding when limits to protect water quality standards are needed for chemicals and toxicity. The rule also contains variance provisions for cases where meeting water quality-based effluent limits would cause substantial and widespread economic impact. OAC rule 3745-33-07 is proposed to be amended to clarify language related to variances from water quality standards (OAC Chapter 3745-1) and to change the procedures for renewing mercury variances.

The public comment period will run until **5:00 p.m. on November 17, 2006**. A public hearing on this proposed rule will be held to consider public comments in accordance with Section 119.03 of the Ohio Revised Code. This hearing will be held in **Room C at the Ohio EPA Central Office, 122 South Front Street, Columbus, Ohio at 2:30 p.m. on November 16, 2006**.

To facilitate the scheduling of oral presentations, persons intending to give testimony at the hearing should notify the Ohio EPA Public Interest Center, P.O. Box 1049, Columbus, Ohio 43216-1049, (614) 644-2160. Prior registration will ensure that registrants are heard ahead of those individuals who register at the hearing. Oral testimony may be limited to five minutes, depending on the number of persons testifying. All interested persons are entitled to attend or be represented and to present oral and/or written comments concerning the proposed rule.

Written testimony should be sent to the attention of Eric Nygaard at the Ohio EPA Division of Surface Water, P.O. Box 1049, Columbus Ohio 43216-1049. Written comments may also be submitted to the Hearing Officer at the public hearing. Written testimony will receive the same consideration as oral testimony. All testimony received at the hearing or by **5:00 p.m. on November 17, 2006**, will be considered by Ohio EPA prior to final action on this rulemaking. Written comments submitted after this date may be considered as time and circumstances permit.

Questions regarding this rule package should be directed to Eric Nygaard, at the Division of Surface Water, at (614) 644-2024 or via email at eric.nygaard@epa.state.oh.us.

To receive a copy of the proposed rule, please contact Eric Nygaard. In addition, the proposed rule is available for review at any Ohio EPA district office and at the Ohio EPA central office. The proposed rule is also accessible on the Division of Surface Water Web page at www.epa.state.oh.us/dsw.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on October 17, 2006, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following: **Janet H. Dean CP221, Paul L. Freedman CP107, Larry S. Graves CP163, Steven M. Gross CP192, Brian H. Hackett CP279, Jeffrey P. Hullinger CP214, Thomas J. Mignery CP125, Milind K. Pradhan CP108, Larry S. Smith CP133, Kevin D. Svitana CP247.**

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Ashland County

**PUBLIC NOTICE
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
OHIO DEPARTMENT OF TRANSPORTATION**

On October 12, 2006, Ohio EPA issued final Findings and Orders to the Ohio Department of Transportation (ODOT) for its facility located at 906 North Clark Street, Ashland, Ohio. This facility is a small quantity generator of hazardous waste. The EPA I.D. number for this facility is OHD987049608.

ODOT must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE
APPROVAL OF AN APPLICATION
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT FINANCIAL ASSISTANCE
TO THE BUCKEYE WATER DISTRICT**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to the Buckeye Water District, for the following water treatment system activities: the construction of raw water facilities.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the Buckeye Water District from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Judy Mentzer at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE
APPROVAL OF APPLICATION
FOR SUPPLEMENTAL ASSISTANCE FROM
THE WATER POLLUTION CONTROL LOAN FUND
TO THE CITY OF COLUMBUS**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for supplemental assistance from the Water Pollution Control Loan Fund (WPCLF) to the City of Columbus, for the following water quality improvement activity: supplemental funding for engineering and construction costs due to construction delays.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the City of Columbus from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Kevin G. Spurbeck, Project Coordinator at the above address or by calling (614) 644-2798.

Date of Public Notice: October 14, 2006

Lorain County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the construction of a boat launch ramp, protective jetties and breakwater, detached breakwaters, and a concrete seawall and cap. The application was submitted by the City of Sheffield Lake, 609 Harris Road, Sheffield Lake, Ohio 44054. The project is located at the intersection of Lake Breeze and Lake Roads, City of Sheffield Lake, Lorain County, Ohio. The Buffalo District of the U.S. Army Corps of Engineer's Public Notice Number for this application is 2005-01386(0). The Ohio EPA ID Number for this project is 062947.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in the following quantities to be placed below the plane of ordinary high water (OHW = 573.4 feet IGLD 1985) and above existing grade: Breakwaters/jetties: 5560 cy of armor stone (2780 cy for large jetty/breakwater; 1100 cy for small jetty; 1680 cy for detached breakwaters) and 3250 cy of underlayer/core stone. Launch ramp (concrete and hard fill): 245 cy Seawall: 152 cy of concrete blocks and 110 cy of hard fill.

The applicant's proposed minimal degradation alternative, if approved, would result in the following quantities to be placed below the plane of ordinary high water (OHW = 573.4 feet IGLD 1985) and above existing grade: Breakwaters/jetties: 5000 cy of armor stone (2780 cy for large jetty/breakwater; 1100 cy for small jetty; 1120 cy for detached breakwaters) and 2920 cy of underlayer/core stone. Launch ramp (concrete and hard fill): 245 cy Seawall: 152 cy of concrete blocks and 110 cy of hard fill. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting October 14, 2006 copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, 122 South Front Street,

Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on November 28, 2006 at 5:30 p.m. at the Avon Lake Public Library, 32649 Electric Blvd., Avon Lake, Ohio. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on December 5, 2006. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Public Notice: October 15, 2006

Lorain County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project called Commerce Drive Extension. The application was submitted by Village of Grafton, 960 Main Street, Grafton, Ohio 44044. The project is located west of State Route 57, south of Commerce Drive and north of railroad tracks, Village of Grafton, Lorain County. The Buffalo District Corps of Engineers Public Notice Number for this project is 2005-00957(0). The Ohio EPA ID Number for this project is 052254.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would fill 2.49 acres of wetland. The applicant's proposed minimal degradation alternative, if approved, would fill 1.39 acres and cross 1,155 linear feet of wetland (0.66 acres of impact). The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of unnamed wetlands within the headwaters of Robson Ditch (all within the East Branch Black River Drainage Basin). Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-105, apply or may be granted.

Starting October 15, 2006, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on November 28, 2006 at 6:30 p.m. at Avon Lake Public Library, 32649 Electric Boulevard, Avon Lake, Ohio 44012. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on December 5, 2006. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or requests to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

Lorain County

**PUBLIC NOTICE
OHIO EPA ISSUES FINAL ENVIRONMENTAL COVENANTS TO
DEGUSSA INITIATORS, INC**

On October 16, 2006, Ohio EPA issued Environmental Covenants to Degussa Initiators, Inc. for its facility located at 555 Garden Street, Elyria, Ohio 44035. Degussa Initiators, Inc. is a permitted hazardous waste facility and is required to implement corrective action activities at the site. The EPA I.D. number for this facility is OHD046202602.

Degussa Initiators, Inc. must achieve compliance with 5301.80 and 5301.92 of the Ohio Revised Code which restricts the use of its property to limited industrial activities as outlined in the covenants. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

PUBLIC NOTICE
OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN

On October 11, 2006, Ohio EPA received a new hazardous waste closure plan from XXKem for its container storage, tank storage, waste pile, surface impoundment, and landfill disposal units located at 4015 Stickney Avenue, Toledo, Ohio. The EPA Identification Number for this facility is OHD980586804.

Why is XXKem submitting this New Closure Plan?

At the request of Ohio EPA, XXKem submitted this new closure plan. This new closure plan was prepared for the City of Toledo which describes area geology and hydrology, closure performance standards, and detailed descriptions of identifiable areas. Also, a schedule of closure, air emissions, wastewater, and waste materials, personnel health & safety and decontamination efforts are discussed in detail. Finally, closure activities, including soil borings, up gradient and down gradient monitoring wells, to name a few, are provided in this new closure plan.

When and how do I submit written comments about this New Closure Plan?

You can submit written comments anytime between October 20 and November 20, 2006. Send your comments to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the New Closure Plan?

You can review the New Closure Plan at the following locations:

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461, and;

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street, Columbus, Ohio 43215, (614) 644-2977.

Mercer County

**PUBLIC NOTICE
OHIO EPA APPROVES POST-CLOSURE PLAN FOR
FOR RECOVERY INDUSTRIES, INC.**

On October 16, 2006, Ohio EPA approved an amended post-closure plan for Fort Recovery Industries, Inc. (Fort Recovery) located at 2440 State Route 49, Fort Recovery, Ohio. The EPA I.D. number for this facility is OHD005046149.

Pursuant to Ohio Revised Code rule 3745-66-11, Fort Recovery's amended closure plan submitted on August 3, 2006, was approved as outlined in the Director's October 16, 2006 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Date of Public Notice: October 25, 2006

Morrow County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit for the discharge from the proposed Village of Johnsville collection and treatment system. Public notice is also given that Ohio EPA-DSW has received an application for a Permit to Install (PTI) for the construction of the proposed collection and treatment system. The NPDES and PTI applications were submitted by the Morrow County Commissioners, 7 West High Street, Mt. Gilead, Ohio 43338.

The Village of Johnsville wastewater treatment facility is proposed to treat an average 40,000 gallons per day of domestic wastewaters. The wastewater treatment facility is proposed to be located on the west side of Old State Route 42 at Bridge, north of State Route 42 and East State Route 314, Perry Township, Morrow County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Cedar Fork, tributary to Clear Fork Mohican River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Cedar Fork, tributary to Clear Fork Mohican River. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Central District Office, 122 South Front Street 5th Floor, Columbus, Ohio, (614) 728-3778. An Ohio EPA public hearing on the proposed project has been scheduled for 6:30 P.M. on December 11, 2006, at the Community Services Building, Entrance B, Room 154, 619 West Marion Road, Mt. Gilead, Ohio 43338. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on December 18, 2006. Comments received after this date may not be considered as part of the official record.

Muskingum County

**PUBLIC NOTICE
APPROVAL OF AN APPLICATION
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT FINANCIAL ASSISTANCE
TO MUSKINGUM COUNTY**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to Muskingum County for the following water treatment system activities: extension of public water service to the Dillon Hills area of Nashport in Muskingum County.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Muskingum County from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Roland J. Roberts at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE
APPROVAL OF AN APPLICATION
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT FINANCIAL ASSISTANCE
TO THE VILLAGE OF VAN WERT**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to the Village of Middle Point, for the following water treatment system activities: the construction of an elevated water storage tank and installation of new water lines to the new tank.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Village of Middle Point from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 122 South Front Street, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Mary Mariani, Project Coordinator at the above address or by calling (614) 644-2798.

Ohio EPA PA No. 03-16742

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
122 South Front Street
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 06-10-061
Date of Issue of Public Notice: October 27, 2006

Name and Address of Applicant: Mayor and Council, Village of Montpelier, 211 North Jonesville Street,
Montpelier, OH 43543, Williams County

Name and Address of Facility Where Discharge Occurs: Village of Montpelier, 231 Creek Boulevard, Montpelier, Ohio 43543

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Combined Sewer System Long-Term Control Plan for the Village of Montpelier. The plan is for the complete separation of the sewer system by installing new sanitary sewers and using the existing combined sewers as storm sewers. The estimated cost of the plan is \$5,784,195. The plan will be implemented in six phases, beginning in 2007 and ending in 2025. A compliance schedule in the Village's NPDES permit, Ohio EPA permit number 2PD00003, will require implementation of the plan.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice.

Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 122 South Front Street, P.O. Box 1049, Columbus, Ohio 43216 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, PO Box 486, Bowling Green, Ohio 43402. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402, by first calling, (419) 352-8461 to make an appointment.