

**PUBLIC NOTICE
FINAL ISSUANCE OF AN AMENDED CERTIFICATE
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on October 30, 2006, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 11/1/2006.

For information regarding these final actions, contact Glenn Luksik, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

FIRST	LAST	CITY	STATE
SAM	BELL	CLEVELAND HEIGHTS	OH

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 11/1/2006.

For information regarding these final actions, contact David Alspaugh, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
PORTAGE	PIERCE MOTORS, LLC	LIMAVILLE	OH

Date of Public Notice: November 10, 2006

Clermont County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to fill 0.62 acres of isolated Category 1 wetland to develop a commercial center. The application was submitted by Select Strategies LLC, 7250 Beachmont Avenue, Cincinnati, Ohio 45230. The project is located at Amelia-Olive Branch Road and State Route 125, Pierce Township, Clermont County, Ohio. The Ohio EPA Number for this project is 062614 and is associated with additional impacts being reviewed under the Army Corps Public Notice 200600532 and Ohio EPA 401 project # 062613.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting November 10, 2006, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

Date of Public Notice:

Coshocton County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the initial issuance of a National Pollutant Discharge Elimination System (NPDES) permit for the discharge from the proposed Fresno Wastewater Collection and Treatment System. Public notice is also given that Ohio EPA-DSW has received an application for a Permit to Install (PTI) for the construction of the proposed collection and treatment system. The NPDES and PTI applications were submitted by the Coshocton County Commissioners, 349 ½ Main Street, Coshocton, Ohio 43812.

The Coshocton County Commissioners propose to install gravity sewers, grinder pumps, and force mains to serve the unincorporated area of Fresno. The collection system will transport the sewage to a commercial biological trickling filter sewage treatment plant proposed to be located on White Eyes Township Road 1045, White Eyes Township, Coshocton County, Ohio. The proposed discharges are to White Eyes Creek approximately three miles upstream of the Tuscarawas River.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of White Eyes Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending NPDES and PTI applications are available for review at Ohio EPA's Southeast District Office, 2195 Front Street, Logan, Ohio 43138 (740) 385-8501. An Ohio EPA public hearing on the proposed project has been scheduled for 6:30 P.M. on January 11, 2007, at the Fresno Elementary School, 26366 County Road 171, Fresno, Ohio 43824. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on January 18, 2007. Comments received after this date may not be considered as part of the official record.

Date of Public Notice: November 10, 2006

Cuyahoga County

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct 149 linear feet of rock fill at a 2:1 slope along the bank of the Chagrin River in Riverside Park. The application was submitted by the Chief Administrative Officer of Chagrin Falls, 21 W. Washington Street, Chagrin Falls, Ohio 44022. The project is located downtown Chagrin Falls, east of North Main Street. The Buffalo District of the U.S. Army Corps of Engineers Number for this project is 2005-02336-0. The Ohio EPA ID Number for this project is 052392.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct 149 linear feet of rock fill (Type B boulders) that will extend from the existing bank's concrete slab at a 2:1 slope into the Chagrin River. The base will be keyed into the river bottom and fabric will be used to prevent scouring of sub-grade silt. The applicant's proposed minimal degradation alternative, if approved, consists of grading the riverbank above the ordinary high water mark (OHWM) to a 20% slope for 10'; creating a 10' wide flat area blending into existing grades. The proposed non-degradation alternative, if approved, would have no direct impacts on the river from construction but will allow erosion to continue along the bank of the existing structure.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Chagrin River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting November 10, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in

reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE
Ohio EPA Finalizes Decision Document for
Georgia Pacific Resins, Inc., Columbus, Ohio

On October 31, 2006, Ohio EPA finalized the Decision Document identifying the selected alternative to remediate contamination at the Georgia Pacific Resins, Inc. located at 1975 Watkins Road in Columbus, Ohio (Franklin County).

The site produces synthetic resins using formaldehyde, methyl alcohol (methanol) and phenol. Georgia Pacific Resins, Inc. entered into an administrative consent order with Ohio EPA on December 22, 1994 to investigate contamination at the site. On September 10, 1997, a batch reactor exploded and released a “partially polymerized resin” mixture into the nearby environment. This explosion occurred during the remedial investigation under the consent order, and the subsequent emergency response activities addressed some of the earlier spill/release issues identified in the investigation. The potential for a discharge of contaminants from the continued operation of the unlined, two million gallon wastewater biological pretreatment pond (bio-pond) remains a significant concern.

The selected alternative includes:

Institutional Controls:

Recording an environmental covenant to prohibit excavation in, and construction on, the closed landfill.

Engineering Controls:

Maintaining the bio-pond’s artificial cap.

Maintaining the closed landfill’s soil and vegetative cover.

Maintaining two recovery trenches and water collection sumps.

Maintaining security measures equivalent that restrict unauthorized public access.

Bio-pond Decommissioning:

Decommissioning the bio-pond when it is no longer needed for the plant’s manufacturing operation in accordance with the Ohio EPA approved decommissioning plan.

Operation and Maintenance (O&M) Plan:

Submitting an O&M plan for approval by Ohio EPA that includes the closed landfill, the recovery trenches and collection sumps, bio-pond maintenance, and the periodic sampling of six ground water monitoring wells.

On January 26, 2006, Ohio EPA issued a Preferred Plan that outlined Ohio EPA’s preferred alternative to remediate contamination at the facility. A public meeting was held March 14, 2006, during which public comments on the Preferred Plan were accepted. In addition, written comments on the Preferred Plan were accepted through April 24, 2006.

The comments received by Ohio EPA during the public comment period are addressed in the Responsiveness Summary attached to the Decision Document.

A copy of the Decision Document and related documents are available from the Columbus Metropolitan Library Branch, located at 3540 South High Street, Columbus 43207; the Ohio EPA, Central District Office, located at 122 South Front Street, Columbus, 43215 by calling (614) 728-3898 to set up an appointment; or via the Internet at <http://www.epa.state.oh.us/cdo/documents/GeorgiaPacificDecDoc.html>.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the Environmental Review Appeals Commission 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Date of Public Notice: October 10, 2006

Franklin and Licking Counties

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DWS) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for construction of the proposed Shops at Broad Street mixed-use retail development project. The application was submitted by Giltz & Associates, 4825 Munsen Street NW, Canton, Ohio 44718. The project is located at the intersection of East Broad Street and Waggoner Road in Reynoldsburg, Franklin County, Ohio. The Huntington District Corps of Engineers Public Notice Number for the project is 200600218. The Ohio EPA ID Number for the project is (SWIMS ID 062931).

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would permanently impact 1.44 acres of four jurisdictional wetlands in conjunction with site development associated with building pads and parking areas. The proposed minimal alternative would permanently impact 0.83 acres of four jurisdictional wetlands in conjunction with site development. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state. In the case of all proposed alternatives, temporary impacts to 55 linear feet of stream for construction of sanitary sewer and potable water lines is proposed. Utility access is required for any site development.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Blacklick Creek. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outline by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of the OHIO EPA.

Starting October 10, 2006, copies of the application for the certification and technical support information may be inspected of Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on November 9, 2006. Comments received after this date may not be considered as part of the official record.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to OHIO EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049 Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

Notice is hereby given that on October 30, 2006, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit to WomenSafe, Inc., P.O. Box 656, Chardon, Ohio 44024. The permit was issued for a project to construct a women's shelter. The project is located at 12041 Ravenna Road, Munson Township, Geauga County, Ohio. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with Environmental Review Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557.

Date of Public Notice: October 23, 2006

Hocking and Athens Counties

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2) AND 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received applications for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) and a Section 401 water quality certification for a project to relocate existing State Route 33 on a new alignment. The applications were submitted by the Ohio Department of Transportation. The project is located near Nelsonville, Ohio. The Ohio EPA Public Notice Numbers for this project are SWIMS #062971 for the 401 water quality certification and SWIMS # 062972 for the Isolated Wetland Permit (Level 2).

In accordance with Ohio Revised Code (ORC) Section 6111.026 (F), the applicant has requested that the Isolated Wetland Permit (Level 2) public comment period and public hearing, coincide with the time periods for the Section 401 water quality certification.

The review of the Isolated Wetland Permit (Level 2) application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with ORC Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

The review of the Section 401 water quality certification application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Administrative Code (OAC) Chapters 3745-1 and 3745-32, and other applicable provisions of state law. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. Other alternatives as proposed by the applicant resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 42,837 linear feet of streams and 7.0 acres of wetland. The applicant's proposed minimal degradation alternative, if approved, would impact 32,617 linear feet of streams and 4.69 acres of wetlands. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

For the Section 401 water quality certification application, no exclusions or waivers, as outlined in OAC 3745-1-05 (D), the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Beginning October 23, 2006, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio

43216-1049 by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

The Ohio EPA and United States Corps of Engineers will hold a joint agency public hearing relative to issues of lower water quality on Tuesday, December 12, 2006. The public hearing will be held at the Auditorium in Light Hall on Hocking College Campus in Nelsonville, Ohio. In the event of inclement weather, this location has also been reserved for Thursday, December 14, 2006. The public hearing is scheduled to start at 6:30 pm and continue until 8:00 pm.

All interested persons are entitled to attend or be represented at the public hearing and provide oral testimony or written comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Persons wishing to submit written comments on the project or appear on Ohio EPA's interested parties mailing list should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049, by the close of business on December 19, 2006. Comments received after this date may not be considered as part of the official record.

Jefferson County

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **S&S AGGREGATES PORTABLE CRUSHING AND SCREENING
PLANT #17 (0660010247)****

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Crushing and Screening Plant permitted under PTI 06-07167 issued on May 8, 2003 and PTI 06-06930 issued on November 5, 2002 . The air contaminant source is currently located at 2408 South Section Line Road, Delaware, Ohio, and is authorized to move to 306 County Road 7E, Brilliant, Ohio upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Michael Carper, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.
Phone: (740) 380-5299.

Licking County

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **SIDWELL MATERIALS METSO NORDBERG CONE CRUHSER**
(0660950019)**

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Crushing Plant permitted under PTI 06-08092 issued on June 15, 2006 . The air contaminant source is currently located at 5441 Casey Rd., Mechanicsburg, Ohio, and is authorized to move to 6824 Mt. Vernon Road, Newark, Ohio upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Michael Carper, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.
Phone: (740) 380-5299.

Licking County

**PUBLIC NOTICE
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT
SOURCE FOR **SIDWELL MATERIALS 3456 CAT Generator 2 (0660960046)****

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the Portable Diesel Generator permitted under PTI 06-07863 issued on September 8, 2005. The air contaminant source is currently located at 5441 Casey Rd., Mechanicsburg, Ohio, and is authorized to move to 6824 Mt. Vernon Road, Newark, Ohio upon the issuance of this notice.

You are hereby notified that this action by the Director is final and may be appealed to the Ohio Environmental Review Appeals Commission pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed within thirty (30) days after the notice of the Directors action. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.
Bruce Weinberg, Ohio EPA Southeast District Office, 2195 Front St., Logan, OH 43138.
Phone: (740) 385-8501.

PUBLIC NOTICE
OHIO EPA ISSUES DRAFT HAZARDOUS WASTE PERMIT MODIFICATION

On November 1, 2006, Ohio EPA issued a draft class 3 hazardous waste facility installation and operation permit (Permit) modification to Safety-Kleen Systems, Inc., Hebron Recycle Center, for its facility at 581 Milliken Drive SE, Hebron, Ohio 43025. The EPA Identification Number for this facility is OHD980587364.

Why does Safety-Kleen Systems, Inc. need a Permit modification?

Safety-Kleen Systems, Inc. (Safety-Kleen) recycles a variety of spent solvents and solvent-contaminated waste waters for beneficial reuse/recovery. Safety-Kleen stores these solvents and waste waters in tanks and containers prior to recycling. Safety-Kleen wishes to 1) increase the container and tank storage capacity by 818,440 gallons, and add 25 waste codes to the list of waste codes the facility is permitted to receive; and, 2) permit Tanks 97 and 98 as treatment tanks for fuel blending spent solvents. The draft Permit modification contains the conditions under which the facility must operate if the Permit receives final approval. To issue this draft Permit modification, Ohio EPA determined that the Permit application is complete and meets appropriate standards. Details about this draft action can be viewed on Ohio EPA's website under Stakeholders Involvement at <http://web.epa.state.oh.us/dhwm/>

When and where will Ohio EPA hold a Public Meeting?

You may request Ohio EPA to hold a public meeting for this draft permit modification. You should send your request to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2917, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us If the request is granted, Ohio EPA will announce the time and location of the public meeting.

When and how do I submit written comments?

You can submit written comments anytime between November 2, 2006 and December 18, 2006. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2917, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us

Where can I review the Permit modification package?

You can review this at one of the following locations:

Newark Public Library, Hebron Branch, 116 East Main Street, Hebron, Ohio 43025, tel: (740) 928-3923;

Ohio EPA -Central District Office, 122 South Front Street, Columbus, Ohio 43215, (614) 728-3778; and,

Ohio EPA, Division of Hazardous Waste Management, 122 South Front Street,
Columbus, Ohio 43215,
(614) 644-2917.

What will Ohio EPA do with the comments?

After carefully considering public comments, Ohio EPA will reconsider the draft Permit modification, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit. If you commented on the draft Permit, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.

Lorain County

**PUBLIC NOTICE
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
CHEMTRON CORPORATION**

On October 27, 2006, Ohio EPA issued final Findings and Orders to Chemtron Corporation for its facility located at 35850 Schnieder Court , Avon, Ohio 44011. This facility is a small quantity generator of hazardous waste and transported such waste to Vexor Technology in Medina, Ohio. The EPA I.D. number for this facility is OHD066060609.

Chemtron Corporation must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Montgomery County

PUBLIC NOTICE

Notice is hereby given that on October 30, 2006, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit to Miami Valley Hospital, One Wyoming Street, Dayton, Ohio 45409. The permit was issued for a project to construct the Miami Valley Hospital - South Dayton Campus, a multi-story health care and medical office complex. The project is located south of Interstate 675, north of Clio Road and west of Wilmington Pike in Centerville, Montgomery County, Ohio. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with Environmental Review Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557.

PUBLIC NOTICE

**Ohio EPA Issues Draft Amended Decision Document for
Glacier Vandervell, Caldwell, Ohio;
Public Meeting to be held**

On October 20, 2006, Ohio EPA issued a Draft Amended Decision Document concerning the Glacier Vandervell, Inc. (GVI) facility located at 17226 County Road 57 in Caldwell, Ohio (Noble County).

The GVI site has operated since 1952 and manufactures a variety of small machined parts, including metal bushings and washers. The facility currently operates under the name of Dana-Glacier Vandervell Inc. Historic operations at the site resulted in the contamination of soils, groundwater, and wetland sediments with metals and industrial solvents.

The Draft Amended Decision Document summarizes the history of the site and the investigation of contamination at the site, provides an analysis of the feasibility of remedial alternatives, and outlines Ohio EPA's amended alternative for remediation. The amended alternative includes:

- Excavation and on-site consolidation of contaminated soils and sediments beneath an impervious cap;
- Monitoring of off-site sediments to detect potential increases in site-related contaminants arising from construction of the remedy;
- Activity and use limitations, and engineering controls to address soils beneath the building and loading dock area. The facility structure and loading dock will serve as temporary engineering controls to prevent infiltration of precipitation and leaching of contaminants to groundwater. If the facility structure and/or loading dock are removed at a future time, Ohio EPA may require a Focused Feasibility Study to evaluate capping and other remediation technologies or actions that are expected to achieve remedial action objectives. At that time, and absent Ohio EPA approval of another remediation technology, the second phase of the remedy will be implemented to consolidate the underlying soils beneath an impervious cap;
- Reduction of groundwater contamination in primary source areas through expanded groundwater recovery and treatment;
- Activity and use limitations to prevent the potable use of site groundwater;
- Implementation of an expanded groundwater monitoring plan to assess natural attenuation processes and to provide sufficient monitoring to ensure the protection of potential off-site receptors.

Ohio EPA will hold a public meeting on December 7, 2006, to answer questions and to accept comments on the Draft Amended Decision Document. The public meeting will begin at 6:30 p.m. at the Noble County Health Department, 44069 State Rte. 821, Caldwell, Ohio. The public meeting will begin with an information session during which

Ohio EPA will present a summary of the Draft Amended Decision Document and answer questions. After the information session the public can submit oral or written comments for the record regarding the Draft Amended Decision Document.

In addition, Ohio EPA will accept written comments through December 15, 2006. Anyone may submit written comments on the Draft Amended Decision Document by writing to: Kevin O'Hara - Site Coordinator, Ohio EPA, Southeast District Office, 2195 Front Street, Logan, Ohio 43138. Comments can also be faxed to Kevin O'Hara at (740) 385-6490 or e-mailed to him at kevin.ohara@epa.state.oh.us Ohio EPA will consider all comments before taking a final action.

The Draft Amended Decision Document is available for review at the Caldwell Public Library located at 517 Spruce Street in Caldwell. The Draft Amended Decision Document and related documents are also available for review at Ohio EPA's Southeast District Office by calling (740) 385-8501 for an appointment.

PUBLIC NOTICE

Notice is hereby given that on November 3, 2006, the Director of the Environmental Protection Agency issued an Isolated Wetlands Permit to Forty Eight Land Company LLC, 8180 Corporate Drive, Suite 204, Cincinnati, Ohio 45242. The permit was issued for a project to construct the River's Bend Town Center. The project is 6493 State Route 48, Hamilton Township, Warren County, Ohio. This permit was issued as a final action, and may be appealed to the Environmental Review Appeals Commission (ERAC), pursuant to Chapter 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with Environmental Review Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43266-0557.