

PUBLIC NOTICE

PUBLIC HEARING OHIO ENVIRONMENTAL PROTECTION AGENCY CANCELLATION AND RESCHEDULED HEARING ON ISSUANCE OF DRAFT PERMIT TO INSTALL TO WASHINGTON ENVIRONMENTAL LTD.

Public notice is hereby given that the Ohio Environmental Protection Agency (EPA) has issued, on January 9, 2007, a second draft action of Permit to Install (PTI) application number 01-12041 to Washington Environmental Ltd., located at State Route 61 and County Road 29, Edison, Ohio (the original draft was issued on November 8, 2006).

This draft permit proposes to allow for the installation of material handling for railcar unloading of construction and demolition debris and subsequent loading of materials into trucks to transport to the working face of the landfill. All the unloading operations are to take place in a permanent total enclosure with a control efficiency of 85%. The only emissions from this operation will be particulate. Morrow County is in attainment for PE.

The increase in particulate emissions (PE), in tons per year (TPY), due to the proposed installation is as listed below:

<u>Pollutant</u>	<u>TPY</u>
PE	0.19

CANCELLATION OF HEARING

A public hearing and information session on the draft air permit was published in the Morrow County Sentinel on January 31, 2007, indicating that a hearing would be held on March 6, 2007, at the Community Services Building, Entrance B conference room, 619 W. Marion Road, Mt. Gilead, Ohio 43338 and that a Public Information Session would commence at 6:30 p.m. with the hearing to follow immediately to accept comments on the draft permit. This serves as notice that the March 6 information session and hearing has been rescheduled as follows;

RESCHEDULED HEARING INFORMATION

A public hearing and information session on the draft air permit identified above will be held on Thursday, April 12, 2007, the information session will commence at 6:30 p.m. with the hearing to follow immediately to accept comments on the draft permit. The public information session will be held at the Northmor Junior/Senior High School Cafeteria, 5353 County Road 29, Galion, OH 44833. A presiding officer will be present and may limit oral testimony to ensure that all parties are heard.

All interested persons are entitled to attend or be represented and give written or oral comments on the draft permit at the hearing. Written comments on the draft permit must be received by the close of business on April 18, 2007. This date extends the original

comment period. Comments received after this date will not be considered to be a part of the official record. Written comments may be submitted at the hearing or sent to: Jennifer Carlin, Central District Office, P.O. Box 1049, Columbus, Ohio 43216-1049

Copies of the draft permit application and technical support information may be reviewed and/or copies made by first calling to make an appointment with Jennifer Carlin of the Central District Office at the above address during normal business hours. Telephone number: (614) 728-3778.

Belmont and Harrison Counties

Date of Public Notice: February 26, 2007

PUBLIC NOTICE NOTICE OF RECEIPT OF 401 APPLICATION

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Action Section 401 certification for a project to mine coal conventional surface and highwall mining methods on a 1264-acre site in Wheeling Township, Belmont County, Shortcreek Township, Harrison County, Ohio. The application was submitted by Cravat Coal Company, 40580 Cadiz-Piedmont Road, Cadiz, Ohio 43907. The project is located along Cox Run east and west of Wheeling Township Road 408 and Patton Run south of Harrison County Road 36. The Ohio Department of Natural Resources, Division of Mineral Resources Management application number for this project is 10357. The Pittsburgh District Corps of Engineers Public Notice Number for this project is 200500956. The Ohio EPA ID Number for this project is 062963.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would be to impact 11,890 linear feet of intermittent and perennial streams and 1.33 acres of wetlands. The applicant's proposed minimal degradation alternative, if approved, would impact 6,404 linear feet of jurisdictional streams and 0.79 acre of jurisdictional wetlands. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of the water quality of unnamed tributaries of Cox Run and Patton Run and of Cox Run and Patton Run in the Wheeling Creek watershed (HUC 05030106 040 050), which flows into the Ohio River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 with OAC 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting February 26, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Columbus, Ohio by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on March 26, 2007. Comments received after this date may not be considered as part of the official record.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING
HURON HARBOR**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 Certification for a U.S. Army Corps of Engineers (USACE) dredging project located in Huron Harbor. The application was submitted by the USACE, Buffalo District. The project is located within the limits of the authorized Lake Approach and Entrance Channels in Huron Harbor. The USACE, Buffalo District Public Notice number for this project is 07-04. The Ohio EPA ID Number for this project is 073069.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, will be to dredge an estimated 580,000 cubic yards of material from Huron Harbor in 2007, with placement of the material at the existing authorized open-lake area in Lake Erie. The applicant's proposed minimal degradation alternative, if approved, will be to dredge an estimated 300,000 cubic yards from Huron Harbor in 2007, with placement of the material at the open-lake area. Dredging shall not occur during Lake Erie storm events. In addition, the dredging will occur between July 1 and 30 November in an effort to minimize any potential impacts to fish spawning activities. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Huron Harbor and Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting February 15, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on April 3, 2007 at 6:30 p.m. at the Huron Municipal Building (Rear Entrance), 417 Main Street, Huron, Ohio 44839. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project and all persons who do so may, at the discretion of the presiding officer, be questioned by others present. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business April 10, 2007. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on April 10, 2007.

Date of Public Notice: February 24, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a proposed project on Lot Five of the Gateway Business Park. The application was submitted by First Industrial Realty Trust, Inc. The project is located on North Meadows Drive, Grove City Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 199600538-1. The Ohio EPA ID Number for this project is 073045.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 0.19 acres of Category 1 wetlands and 25 linear feet of an unnamed tributary to Grant Run. The applicant's proposed minimal degradation alternative, if approved, would impact 0.03 acres of Category 1 wetlands and 25 linear feet of an unnamed tributary to Grant Run. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of 0.19 acres of Category 1 wetlands and 25 linear feet of an unnamed tributary of Grant Run. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting February 24, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Date of Public Notice: February 22, 2007

**Public Notice
Notice of Receipt of 401 Application**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to expand the existing Holmes Rental Station facility south of Millersburg. The application was submitted by Holmes Rental Station, 2465 State Route 39, Sugar Creek, Ohio 44681. The project is located on State Route 83 south of Millersburg, Hardy Township, Holmes County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 1999-00748-1. The Ohio EPA ID Number for this project is 062976.

As required by the Antidegradation Rule, rule 3745 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would fill about 0.40 acre of emergent wetland. The applicant's proposed minimal degradation alternative, if approved, would fill about 0.1 acre of emergent wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Killbuck Creek watershed. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting February 22, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing this application should do so in writing to Ohio EPA-DES, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

NOTICE OF ADJUDICATION HEARING

In the Matter of:

JMW TRUCKING, INC.,

Ohio EPA Case No. 06-AI-004

Pursuant to the adjudication hearing request submitted by JMW Trucking, Inc. (JMW), the Ohio Environmental Protection Agency (Ohio EPA) has scheduled an adjudication hearing. The hearing concerns the proposed denial of JMW's PTI Application No. 15-01603 requesting to increase the C&DD material processing limit from 100,000 tons/year to 400,000 tons/year at JMW's facility at 1800 Allen Avenue, Canton, Ohio. The hearing is scheduled as follows:

March 27, 2007 - 9:00 a.m.
Ohio EPA Offices, 6th Floor Conference Center
Lazarus Government Center
50 West Town Street
Columbus, Ohio 43215

Adjudication hearing dates are subject to change without further public notice. Interested persons should contact W. Samuel Wilson, Esq., Adjudication Hearing Officer, at (614) 644-3037 to confirm that the hearing will proceed as presently scheduled.

Date of Public Notice: February 20, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATIONS**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct the Herrington Place residential community. Specifically, on this 125-acre project site, up to 337 residential homesites will be constructed along with associated roads and infrastructure to serve residents in the Village of Reminderville and surrounding communities. The application was submitted by Reminderville Investment Company, LLC, 6150 Park Square Drive, Suite A, Lorain, Ohio 44053. The project is located at Glenwood Boulevard between Nautilus Trail and Maryland Avenue in the Village of Reminderville, Summit County, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is 2006-00697 (2). The Ohio EPA ID Number for this project is 063013.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 8.027 acres of non-isolated wetlands and 1,205.56 linear feet of permanent, intermittent, and ephemeral streams to construct 337 residential homesites, roadways, and associated infrastructure. The applicant's proposed minimal degradation alternative, if approved, would impact 4.345 acres of non-isolated wetlands and 1,228.64 linear feet of perennial, intermittent, and ephemeral streams to construct 268 residential homesites, roadways and associated infrastructure. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Pond Brook in the Cuyahoga River Watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting February 20, 2007 copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122

South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

**OHIO EPA APPROVES AMENDED POST-CLOSURE PLAN FOR
EVERGREEN RECYCLING**

On February 16, 2007, Ohio EPA approved an amended closure plan for Evergreen Recycling and Disposal Facility located at 2625 East Broadway, Northwood, Ohio. The EPA I.D. number for this facility is OHD068111327.

Pursuant to Ohio Revised Code rule 3745-66-18 and 3745-54 & 55, the facility's amended post-closure plan submitted on December 11, 2006 was approved as outlined in the Director's February 16, 2007 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.