

PUBLIC NOTICE

FINAL ISSUANCE OF RENEWAL CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on April 16, 2007, the director of Ohio EPA issued an infectious waste generator certificate to Marshfield Clinic, 1000 N Oak Ave, Marshfield WI 54449, Reg. No.: 00-G-01050. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on April 16, 2007, the director of Ohio EPA issued an amended infectious waste generator certificate to DaVita Inc, 5200 Virginia Way, Brentwood TN 37027, ID No.: 00-G-01073. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 10, 2007 the director of Ohio EPA issued seven certificates of registration as transporter of scrap tires to Tire Town Inc., 401 S 2nd St., Leavenworth, KS 66048. This action is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

PUBLIC NOTICE

ISSUANCE OF SCRAP TIRE TRANSPORTER REGISTRATION

Notice is hereby given that on April 16, 2007, the director of Ohio EPA issued two certificates of registration as transporter of scrap tires to Friendly Tire Inc., 812 Providence Blvd., Clarksville, TN 37040. This action is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**Division of Surface Water
Credible Data (Volunteer Monitoring) Program
Qualified Date Collector Approvals
All Effective 4/16/07**

Name Organization	Level / Specialty	Expiration Date
John Rhoades Northeast Ohio Regional Sewer Dist.	Level 3 / Fish Community Biology & QHEI	4/15/09
Ben McCament Ohio University, Voinovich Center	Level 3 / Stream Habitat Assessment (QHEI)	4/15/09
Rebecca Black Monday Creek Restoration Project	Level 3 / Chemical Water Quality Assessment	4/15/09
Michael Hughes Ohio University, Voinovich Center	Level 3/ Chemical Water Quality Assessment	4/15/09
Keith Carr Hull & Assoc.	Level 3/ Chemical Water Quality Assessment	4/15/09
Anthony Schoenlein Hamilton Co. General Health Dist.	Level 2 / Stream Habitat Assessment (QHEI)	4/15/12
Matthew Lemaster Hamilton Co. General Health Dist.	Level 2 / Stream Habitat Assessment (QHEI)	4/15/12
Monica Rakovan Butler Co. Stream Team	Level 2 / Chemical Water Quality Assessment	4/15/12
Ronald Dorski Friends of Pipe Creek	Level 1	NA
Anne Stearns NCWQR, Heidelberg College	Level 3/ Chemical Water Quality Assessment	4/15/09
Aaron Roerdink NCWQR, Heidelberg College	Level 3/ Chemical Water Quality Assessment	4/15/09
R. Peter Richards NCWQR, Heidelberg College	Level 3/ Chemical Water Quality Assessment	4/15/09
Richard Schran Greene Co. Sanitary Engineering	Level 3/ Chemical Water Quality Assessment	4/15/09
Dorothy Ewing NCWQR, Heidelberg College	Level 3/ Chemical Water Quality Assessment	4/15/09

Barbara Merryfield NCWQR, Heidelberg College	Level 3/ Chemical Water Quality Assessment	4/15/09
Jack Kramer NCWQR, Heidelberg College	Level 3/ Chemical Water Quality Assessment	4/15/09
Nicole Jordan EnviroScience, Inc	Level 2	4/15/12

Date of Public Notice: April 26, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to provide bank and channel stability on the Little Miami River within the City of Milford. The application was submitted by the City of Milford, 745 Center Street, Milford, Ohio 45150. The project is located at 105 Water Street in the City of Milford, Clermont County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 200600615 (LMR). The Ohio EPA ID Number for this project is 062638.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct a 650 foot long stone dike. The applicant's proposed minimal degradation alternative, if approved, would stabilize 650 feet of stream by constructing a newly shaped stream bank using bio-engineering techniques. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Little Miami River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of the Ohio EPA.

Starting April 26, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DWS, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on June 7, 2007 at 7:00 p.m. at the City of Milford Council Chambers,

745 Center Street, Milford, Ohio 45150. The public meeting will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of the Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on June 14, 2007. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for the Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on June 14, 2007.

Date of Public Notice: April 20, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a technology/industrial development. The application was submitted by the City of Strongsville, 16099 Foltz Industrial Parkway, Strongsville, Ohio 44149. The project is located at the south end of Foltz Parkway, north of Boston Road, and east of Marks Road, City of Strongsville, Cuyahoga County, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is 2003-02303(1). The Ohio EPA ID Number for this project is 063006.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in impacts to 5.472 acres of wetland and 2,906.23 feet of stream. The applicant's proposed minimal degradation alternative, if approved, would result in impacts to 3.491 acres of wetland and 552.97 feet of stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Rocky River watershed (04110001). Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting April 20, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in

reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
CANCELLATION AND RESCHEDULED HEARING ON
ISSUANCE OF DRAFT PERMIT TO INSTALL TO
WASHINGTON ENVIRONMENTAL LTD.**

Public notice is hereby given that the Ohio Environmental Protection Agency (EPA) has extended the comment period for the January 9, 2007 draft Permit-to-Install (PTI) application number 01-12041 to Washington Environmental Ltd., located at State Route 61 and County Road 29, Edison, Ohio. This draft permit proposes to allow for the installation of material handling for railcar unloading of construction and demolition debris and subsequent loading of materials into trucks to transport to the working face of the landfill. A public hearing and information session on the draft air permit was held on Thursday, April 12, 2007 to accept comments on the draft permit. During the public hearing, a few people requested additional time to prepare and submit comments. Accordingly, Ohio EPA has decided to extend the comment period from April 18, 2007 to May 10, 2007. Written comments on the draft permit must be received by the close of business on May 10, 2007. Comments received after this date will not be considered to be a part of the official record. Written comments may be submitted at the hearing or sent to: Jennifer Carlin, Central District Office, P.O. Box 1049, Columbus, Ohio 43216-1049

Copies of the draft permit application and technical support information may be reviewed and/or copies made by first calling to make an appointment with Jennifer Carlin of the Central District Office at the above address during normal business hours. Telephone number: (614) 728-3778.

PUBLIC NOTICE

**OHIO EPA APPROVES CLOSURE PLAN FOR
OHIO BRASS PROPERTY**

On April 17, 2007, Ohio EPA approved a closure plan for a container storage area at the former Ohio Brass property located at 380 North Main Street, Mansfield, Ohio. The EPA I.D. number for this facility is OHD004159083.

Pursuant to Ohio Revised Code rule 3745-66-11, the facility's closure plan submitted on January 9, 2007 was approved as outlined in the Director's April 17, 2007 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Date of Public Notice: April 5, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct an Upground Raw Water Reservoir No. 3 that will cover approximately 62 acres. The Reservoir will provide needed additional water storage capacity for the City of Van Wert. The application was submitted by The City of Van Wert, Ohio. The project is located at the northeast corner of the intersection of State Route 127 and Peter Collins Road, approximately 1.25 miles south of the City of Van Wert, Ohio. The Buffalo District Corps of Engineers public notice number for this project is 2006-2388-14. The Ohio EPA ID Number for this project is 073053.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would require the relocation of approximately 1900 lineal feet of Corathers Ditch, a channelized, intermittent agricultural drainage, and culvertizing approximately 175 feet of Corathers Ditch for an access road. The applicant's proposed minimal degradation alternative, if approved, would require the relocation of approximately 800 lineal feet of Corathers Ditch, a channelized, intermittent agricultural drainage, and culvertizing approximately 175 feet of Corathers Ditch for an access road. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Corathers Ditch, Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting April 7, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing this application should do so in writing to Ohio EAP-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.