

PUBLIC NOTICE

FINAL ISSUANCE OF CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on June 22, 2007, the director of Ohio EPA issued an infectious waste transporter certificate to Healthcare Waste Solutions Inc of NKY, 7453 Empire Dr Ste 120, Florence, KY 41042, ID No.: 00-T-00301. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**NOTICE OF ADOPTION OF RULES
OHIO ENVIRONMENTAL PROTECTION AGENCY**

Rules Governing

Infectious Waste

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has final filed the following rules of the Ohio Administrative Code:

3744-26-36	Registration requirements for generators and transporters of infectious waste.	Rescind
3744-26-37	Registration requirements for generators and transporters of infectious waste.	New
3745-27-37	Infectious waste treatment facility permit to install application.	Amendment
3744-26-38	Alternative infectious waste treatment technology approval process.	Amendment
3745-27-39	Final closure of infectious waste treatment facilities.	Amendment

The Director's order of adoption was issued on June 25, 2007. These adopted rules will become effective on July 5, 2007.

The Director's action in this matter is pursuant to the procedural requirements of Ohio Revised Code Chapter 119 and is based upon the record of the public hearing conducted by Ohio EPA on April 10, 2007, and comments received during the public comment period.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Sections 3743.021 and 3734. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. The Ohio EPA is located at 50 West Town Street, Suite 700., Columbus, OH, 43215.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
SUSPENSION LABORATORY CERTIFICATION UNDER OHIO'S VOLUNTARY
ACTION PROGRAM**

Notice is hereby given that June 25, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to Advanced Analytics Laboratories, Inc. ("Advanced"), of 1025 Concord Avenue, Columbus, Ohio, to suspend its certification under Ohio's Voluntary Action Program to perform analyses for the Volatile Organic Compounds by method 8260A. Since the laboratory's certification included just the aforementioned parameter group and method, Advanced's certification is suspended under the Voluntary Action Program. This suspension is limited to the certified laboratory's performance of work under the Voluntary Action Program.

The issuance of the suspension and revised certificate is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Suite 222, Columbus, OH 43215.

If you would like to review a copy of any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONALS UNDER OHIO'S VOLUNTARY
ACTION PROGRAM**

Notice is hereby given that on June 18, 2007, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following Certified Professionals: Thomas Barzyk (CP288), Thomas P. Clark (CP210), Nichole E. Lashley (CP302), Julianne M. Schucker (CP258), Troy L. Schultz (CP244), Douglas P. Klicman (CP269), Gary A. Fishburn (CP160), John C. Tiffany (CP300), Michael J. Luessen (CP267), Paul P. Gallagher (CP270), Michael T. Coonfare (CP298), Ronald F. Roelker (CP157), Laura F. Funk (CP286), Scott K. Fennell (CP203), Michael J. Fisher (CP296), Richard J. DeLuca, Jr. (CP285), David M. Peterson (CP297), and Charles R. Bishop (CP253).

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
SUFFICIENT EVIDENCE DETERMINATION
UNDER OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on June 15, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a letter which determines that D.S. OH Limited Partnership has demonstrated sufficient evidence of entry and participation in the Voluntary Action Program for the former Midwest Rubber Property located at 745 Norton Avenue, Summit County, Ohio.

You are hereby notified that the issuance of a sufficient evidence letter is a final action of the Director and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the Environmental Review Appeals Commission 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the letter, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Statewide

**Ohio Environmental Protection Agency
P U B L I C N O T I C E
Final Intended Use Plan and Management Plan
For the Drinking Water Assistance Fund
For Program Year 2008**

Public notice is hereby given that the Director of the Ohio Environmental Protection Agency issued a final action effective June 22, 2007, adopting the Intended Use Plan and the Management Plan for the Drinking Water Assistance Fund which has been authorized by Ohio Revised Code section 6109.22 and Section 1452 of the Safe Drinking Water Act. This action may be appealed, in writing, within thirty (30) days of this notice, to the Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Notice of any appeal shall be filed with the Director within three (3) days. This notice of appeal shall be sent to: Division of Drinking and Ground Waters, Ohio Environmental Protection Agency, P.O. Box 1049, Columbus, Ohio 43216-1049. Consult ORC Chapter 3745 and OAC Chapters 3745-47 and 3746-05 for requirements.

Copies of the Final Intended Use Plan and Management Plan are available from the Division of Drinking and Ground Waters, upon request, and also through the Internet at <http://www.epa.state.oh.us/ddagw/dwaf.html>.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
TOXCO, INC.**

On June 25, 2007, Ohio EPA issued final Findings and Orders to Toxco, Inc. for its facility located at 265 Quarry Road, Lancaster, Ohio 43130. This facility is a large generator of hazardous waste. The EPA I.D. number for this facility is OHD071654958.

Toxco, Inc. must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Date of Public Notice: June 25, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to develop a 67 acre town center retail area including 30 acres of greenspace and on-site stream mitigation. The application was submitted by Silverman and Company, Inc., 9545 Kenwood Road, Suite 401, Cincinnati, Ohio 45242. The project is located south of Harrison Pike between Filview Circle and Lee Court, Green Township, Hamilton County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2007-100-GMR. The Ohio EPA ID Number for this project is 073143.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would fill and culvert 1,752 feet of ephemeral stream and 3,765 feet of intermittent stream. The applicant's proposed minimal degradation alternative, if approved, would fill approximately 1,752 feet of ephemeral stream and 2,933 feet of intermittent stream and relocate 2,600 feet of stream corridor on-site. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Taylor Creek in the Great Miami Watershed. The review the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with OAC Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05(D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting June 25, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite

700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Ohio EPA PTI No. 575880

Ohio Environmental Protection Agency Draft Permit to Install

PUBLIC NOTICE

Draft Permit to Install for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 07-07-009
Date of Issue of Public Notice: July 5, 2007

Name and Address of Applicant: First Energy Generation Corporation, P.O. Box 176,
Stratton, Ohio 43961

Project: Addition of a wet limestone flue gas desulfurization system to treat the flue gas from the W.H. Sammis power plant facility complex on State Route 7, Saline Township, Jefferson County, Ohio

Receiving Water: Ohio River

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has issued a draft permit-to-install (PTI) for the construction of the wastewater treatment works/disposal system for the above referenced project. Ohio EPA has made a determination that the wastewater discharge from this proposed facility would result in degradation to or lowering of the water quality of the Ohio River. After considering the technical, economic, and social aspects of this project, the Director of the Ohio EPA has decided to make the preliminary determination to allow this degradation. However, the chemical-specific water quality standards developed to protect aquatic life and human health, set forth in Ohio Administrative Code (OAC) 3745-1, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the permit is issued as final. Any person may submit written comments on the draft

permit and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft permit or permits prior to final issuance of the permit or permits. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216. Comments received after this date may not be considered by the Director before issuing the final permit.

Copies of the draft Permit to Install and technical support information may be reviewed and/or copies made at the Ohio EPA Central Office, 50 West Town Street, Suite 700, Columbus, Ohio 43216, by first calling 614-644-2001 to make an appointment.

PUBLIC NOTICE

OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN

On June 21, 2007, Ohio EPA received a new hazardous waste closure plan from XXKem for its landfill disposal unit located at 4015 Stickney Avenue, Toledo, Ohio 43608. The EPA Identification Number for this facility is OHD980586804.

Why is XXKem submitting this New Closure Plan?

At the request of Ohio EPA, XXKem submitted this new closure plan. This new closure plan was prepared for the City of Toledo which will facilitate the redevelopment of the portion of the former XXKem site which is outside of the Stickney Landfill cap including construction of the vehicle load-out facility and preparing a Groundwater Monitoring Plan. This landfill closure plan also includes a discussion for the beneficial post-closure reuse of the property.

When and how do I submit written comments about this New Closure Plan?

You can submit written comments anytime between June 29 and July 30, 2007. Send your comments to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the New Closure Plan?

You can review the New Closure Plan at the following locations:

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461, and;

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, (614) 644-2977.

Date of Public Notice: June 25, 2007

**PUBLIC NOTICE
ISSUANCE OF DRAFT NPDES PERMIT
AND PUBLIC HEARING
(REVISED)**

Notice is hereby given that on June 25, 2007, the Director of the Environmental Protection Agency will issue a draft National Pollutant Discharge Elimination System (NPDES) permit (21F00025) to Marion Ethanol, LLC, 2209 East 57th Street North, Sioux Falls, South Dakota, 57104, for the discharge from the proposed drymill ethanol production facility in the northwest, northeast and southeast 1/4 section 8 of Marion Township, Marion County, Ohio. "Draft Actions" are written statements of the Director's intent with respect to the issuance, denial, etc. of a permit, license, order, etc. Interested persons may submit written comments regarding draft actions.

The discharges from the facility, if approved, would result in degradation to, or lowering of, the water quality of Rock Swale Ditch. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the draft action is issued as final. A public hearing has been scheduled for 6:30 P.M. on August 8, 2007 at the Harding High School Cafetorium, 1500 Harding Highway East, Marion, Ohio 43302. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft permit. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43126-1049 by the close of business on August 15, 2007. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES application, draft permit and technical support information may be reviewed and/or copies made at Ohio EPA's Northwest District Office, 347 North

Dunbridge Road, Bowling Green, Ohio 43402, Columbus, Ohio 43215 by first calling (419)352-8461 to make an appointment.

PUBLIC NOTICE

**OHIO EPA RECEIVES AMENDED CLOSURE PLAN
DANA CORPORATION**

On June 21, 2007, Ohio EPA received an amended closure plan from Dana Corporation's Boston Weatherhead Division for the hazardous waste TCE storage area pad located at 5278 U.S. Route 24, Antwerp Ohio 45813. The EPA Identification Number for this facility is OHD005039730.

Why is the Dana Corporation submitting this Closure Plan?

At the request of Ohio EPA, Dana Corporation submitted this closure plan. The purpose of this closure plan is to align the post closure plan approach of Ohio EPA and the Corrective Action approach of US EPA. No other hazardous waste units that are subject to a hazardous waste permit remain at the site.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between July 4 and August 3, 2007. Send your comments to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the closure plan and related material at the following locations:

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461, and;

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, tel: (614) 644-2977.

Ohio EPA PA No. 541648

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 07-07-020
Date of Issue of Public Notice: July 6, 2007

Name and Address of Applicant: Mayor and Council, Village of Woodville, 530 Lime Street,
Woodville, OH 43469

Name and Address of Facility Where Discharge Occurs: Village of Woodville WWTP, Port
Clinton Road, Woodville, OH 43469, Sandusky County

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Combined Sewer System Long-Term Control Plan for the Village of Woodville. The plan is to eliminate all combined sewer overflows by sewer separation. New sanitary sewers will be constructed, and the existing combined sewers will be converted to storm sewers. In some areas that currently have separate sanitary sewers, new storm sewers may be constructed. As part of the plan, all house laterals will be replaced. The estimated cost of the project is \$4,716,079 (\$6,066,080 including house lateral replacement). The project will be implemented in three phases over a 10 year period. The Village's NPDES permit, Ohio EPA permit number 2PB00052, is being modified to include a compliance schedule for implementation of the approved plan. The NPDES permit modification (2PB00052*ID) is being released for public notice concurrently with this draft plan approval.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public

hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, PO Box 466, Bowling Green, OH 43402. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402, by first calling, (419) 352-8461 to make an appointment.

Date of Public Notice: June 26, 2007

**PUBLIC NOTICE
ISSUANCE OF DRAFT NPDES PERMIT
AND PUBLIC HEARING**

Notice is hereby given that on June 26, 2007, the Director of the Environmental Protection Agency will issue a draft National Pollutant Discharge Elimination System (NPDES) permit (21F00005) to Fostoria Ethanol, LLC / Broin Management, LLC, 2209 East 57th Steet North, Sioux Falls, South Dakota 57104, for the discharge from the proposed drymill ethanol production facility in Jackson Township, Seneca County, Ohio. "Draft Actions" are written statements of the Director's intent with respect to the issuance, denial, etc. of a permit, license, order, etc. Interested persons may submit written comments regarding draft actions.

The discharges from the facility, if approved, would result in degradation to, or lowering of, the water quality of a drainage ditch to Muskellunge Creek. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the draft action is issued as final. A public hearing has been scheduled for 6:30 P.M. on August 9, 2007 at the Fostoria High School, 1001 Park Avenue, Fostoria, Ohio 44830. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the draft permit. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43126-1049 by the close of business on August 16, 2007. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES application, draft permit and technical support information may be reviewed and/or copies made at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, Columbus, Ohio 43215 by first calling (419)352-8461 to make an appointment.