

PUBLIC NOTICE

FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on July 27, 2007, the director of Ohio EPA issued an amended infectious waste generator certificate to DaVita Inc, 5200 Virginia Way, Brentwood, TN 37027, ID No.: 00-G-01073. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on July 31, 2007, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following: **Atul Pandey CP224, Dennis E. Schucker CP272, William R. Rish CP140, Matthew A. Cousino CP277, Jeffrey D. DeLaet CP257, Keith B. Egan CP259, John T. Garvey CP118, Julie K. Hewlett CP111, Michael J. Momenee CP236 and Terry E. Stransky CP262.** The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 8/31/2007.

For information regarding these final actions, contact David Alspaugh, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
CUYAHOGA	RUSH HOUR AUTO REPAIR	CLEVELAND	OH
CUYAHOGA	FIRESTONE TIRE & SERVICE	CLEVELAND	OH

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 08/01/2007.

For information regarding these final actions, contact David Alspaugh, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

FIRST	LAST	CITY	STATE
DEAN	ZABALA	CLEVELAND	OH
BRYCE	RIHA	PAINESVILLE TWP	OH

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
LABORATORY NAME CHANGE
UNDER THE VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on August 1, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a revised laboratory certification to TestAmerica Laboratories, Inc. ("TestAmerica") of 4101 Shuffel Drive, NW, North Canton, Ohio, formerly, STL-North Canton. The certification assigned to TestAmerica remains CL0024.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
LABORATORY NAME CHANGE
UNDER THE VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on August 1, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a revised laboratory certification to TestAmerica Laboratories, Inc. ("TestAmerica") of 5815 Middlebrook Pike, Knoxville, Tennessee, formerly, STL-Knoxville. The certification assigned to TestAmerica remains CL0059.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

OHIO EPA ISSUES DRAFT MODIFIED HAZARDOUS WASTE PERMIT

On August 1, 2007, Ohio EPA issued a draft modified hazardous waste facility installation and operation permit (Hazardous Waste Permit) to BP Products North America (BP Products) for its facility at 1150 South Metcalf Street, Lima, Ohio 45804. The EPA Identification Number for this facility is OHD005051826.

Why does BP Products need this permit modification?

BP Products is a permitted hazardous waste facility which manufactures gasoline, low sulfur diesel fuel, aviation gasoline, turbine fuels, asphalt, coke, liquified petroleum gas (LPG), propylene, carbon dioxide, and sulfur. BP Products wishes to change one of the two permitted owners and operators from Premcor Refining Group, Inc. to Lima Refining Company. To issue this draft Permit modification, Ohio EPA determined that the Hazardous Waste Permit application is complete and meets appropriate standards. The draft Hazardous Waste Permit modification contains the conditions under which the facility must operate. If issued, it will allow BP Products to make the requested changes. It will also require the company to continue to investigate and, if necessary, clean up any contamination of hazardous waste or constituents from waste management units that may be at the facility. Details about this draft action can be viewed on Ohio EPA's website under Stakeholders Involvement at <http://web.epa.state.oh.us/dhwm/>

How can I tell Ohio EPA what I think about this draft modified Permit?

You can submit written comments anytime between August 2, 2007, and September 17, 2007. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

When and where will Ohio EPA hold a Public Meeting?

You may request Ohio EPA to hold a public meeting for this draft permit modification. You should send your request to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us. If the request is granted, Ohio EPA will announce the time and location of the public meeting.

Where can I review the Permit Application and draft modified Permit?

You can review these at one of the following locations:

Lima Public Library, Main Branch, 650 West Market Street, Lima, Ohio 45802, (419) 228-5113;

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402,
(419) 352-8461; and,

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, (614) 644-2917.

What will Ohio EPA do with the comments?

After carefully considering public comments, Ohio EPA will reconsider the draft modified Permit, making any necessary changes, and issue or deny the final modified Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft modified Permit. If you commented on the draft modified Permit, Ohio EPA will send you a copy of the "response to public comments" and the final permit decision.

PUBLIC NOTICE

OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE POST CLOSURE PLAN

On July 20, 2007, Ohio EPA received an amended hazardous waste post closure plan from the Ohio Department of Natural Resources (ODNR) for its landfill unit located on the south side of Cowan Lake near Wilmington, Ohio 45177. The EPA Identification Number for this facility is OHD986967719.

Why is ODNR submitting this Closure Plan?

At the request of Ohio EPA, ODNR submitted this amended post closure plan. This document represents the operation and maintenance plan for the Cowan Lake Former Wood Treating Facility. The plan's purpose is to ensure that the former wood treatment plant asphalt cover system and associated appurtenances continue to meet and maintain closure standards for protecting human health and the environment. The plan identifies various engineering controls at the site; ground water monitoring; inspections; and the inspection and maintenance schedule.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between August 2 and September 4, 2007. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Ohio EPA, Southwest District Office, 401 East Fifth Street, Dayton, Ohio 45402, tel: (937) 285-6357, and;

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215 (614) 644-2977.

PUBLIC NOTICE

**OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN
FROM CLOW WATER SYSTEMS**

On July 25, 2007, Ohio EPA received a new hazardous waste closure plan from the Clow Water Systems Company located at 2266 South Sixth Street, Coshocton, Ohio 43812. The EPA Identification Number for this facility is OHD004294849.

Why is Clow Water Systems Company submitting this New Closure Plan?

In response to Ohio EPA's request, Clow Water Systems Company submitted this new closure plan. This plan describes the methods by which Clow will provide closure of the roll-off box located in the facility's storage area. It lists the hazardous waste to be removed; discusses decontamination procedures while making note of asphalt crack evaluation of the storage area; and discusses the sampling and analysis procedure to be taken if cracks are detected. Other topics include personnel health and safety; and closure schedule and cost estimate.

When and how do I submit written comments about this New Closure Plan?

You can submit written comments anytime between August 1 and August 31, 2007. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?

You can review the closure plan at the following locations:

Ohio EPA, Southeast District Office, 2195 Front Street, Logan, Ohio 43138, tel: (740) 385-8501; and,

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, tel: (614) 644-2977.

Date of Public Notice: July 13, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a 32-acre commercial development project which includes a 132,000 square foot retail center and an additional 38,000 square feet of restaurants, offices and other retail facilities. The application was submitted by Royalton Place, 14300 Ridge Road, Suite 100, North Royalton, Ohio 44133. The project is located the northeast quadrant of Royalton Road and York Road in North Royalton, Cuyahoga County, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is 2005-1960(4). The Ohio EPA ID Number for this project is 073116.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would allow impacts to 7.32 acres of non-isolated, mostly forested, Category 2 wetlands and 2,003 linear feet of streams (1,813 linear feet of intermittent streams and 190 linear feet of ephemeral streams). The applicant's proposed minimal degradation alternative would allow impacts to 4.48 acres of non-isolated, mostly forested, Category 2 wetlands and 1,599 linear feet of streams (1,522 linear feet of intermittent streams and 77 linear feet of ephemeral streams). To minimize impacts to aquatic life and wildlife, the remaining on-site wetlands, streams, and upland buffers will be preserved and protected. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of streams within the Black/Rocky Rivers watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting July 13, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Suite 700 Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on September 5, 2007. Comments received after this date may not be considered as part of the official record.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 no later than September 5, 2007.

Date of Public Notice: August 10, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project at the City of Columbus, Southerly Wastewater Treatment Plant, that will construct a relocated outfall consisting of an effluent conduit and energy dissipater structure that will discharge treated wastewater effluent into a constructed outlet channel that will flow into the Scioto River. The application was submitted by the City of Columbus, Division of Sewerage and Drainage, 1250 Fairwood Avenue, Columbus, OH 43206. The project is located at 6977 South High Street in Hamilton Township, Franklin County, approximately 4.5 miles south of I-270. The project is part of Columbus' efforts to reduce sanitary sewer overflow and combined sewer overflow as required by consent orders with Ohio EPA. The Ohio EPA ID Number for this project is 073137.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct an outlet channel with 100-foot work limits on the north and south sides of the structure. Approximately 134 linear feet of stream will be permanently impacted by rock placement and outlet channel construction and 200 linear feet of stream will be temporarily impacted for construction access within the work limits. The applicant's proposed minimal degradation alternative, if approved, would construct an outlet channel with 50-foot work limits on the north and south sides of the structure. Approximately 134 linear feet of stream will be permanently impacted by rock placement and outlet channel construction and 50 linear feet of stream will be temporarily impacted for construction access within the work limits. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Scioto River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting August 10, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on September 25, 2007 at 6:30 p.m. at the Hamilton Township Community Center, 6400 Lockbourne Road, Lockbourne, Ohio 43137. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on October 2, 2007. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or requests to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.