PUBLIC NOTICE

DIRECTOR'S FINAL FINDINGS AND ORDERS
Countywide Recycling and Disposal Facility

Notice is hereby given that on September 25, 2007, Ohio Environmental Protection Agency (OEPA) issued Director's Final Findings and Orders (Orders) to Republic Services of Ohio II, LLC dba Countywide Recycling and Disposal Facility, 110 S.E. 6th Street, Ft. Lauderdale, FL 33301 ("Respondent"). The Respondent is the "owner" and/or "operator" of the Countywide Recycling and Disposal Facility ("Facility") located at 3619 Gracemont Street SE, East Sparta, Stark County, Ohio 44626. These Orders modify the March 2007 Orders, replacing Order 2B. These Orders are subject to all applicable rules, regulations and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of $70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Cuyahoga County

Date of Public Notice: September 28, 2007

PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the construction of a shore-connected armor stone breakwater along approximately 775 feet of 860 feet of total subject-property shoreline. The application was submitted by the Bay Park Beach Association, c/o Mr. James Marconi, 24915 Lakeview Drive, Bay Village, Ohio 44140 . The project is located along the lake Erie shoreline between Kenmore Drive and Rockledge Drive in Bay Village, Ohio. The Buffalo District of the U.S. Army Corps of Engineers Public Notice Number for this application is 1996-4737. The Ohio EPA ID Number for this project is 073100.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in a total of 915 cy of armor stone, 740 cy of stone and/or rubble underlayer materials, and 42 cy of timber cribbing and stone crib fill to be placed below the plane of ordinary high water (OHW = 573.4 feet IGLD 1985) and above existing grade.

The applicant's proposed minimal degradation alternative, if approved, would result in a total of 915 cy of armor stone, 740 cy of stone and/or rubble underlayer materials to be placed below the plane of OHW and above existing grade.

The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting September 28, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, 122 South Front Street, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on November 14, 2007 at 6:30 p.m. at Bay Village Branch Library, 502 Cahoon Road, Bay Village, Ohio 44140. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on November 21, 2007. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

Delaware County

Date of Public Notice: September 17, 2007

PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct an extension of a residential subdivision and attendant features on a 50-acre site. Homerock LLC, 750 Northlawn Drive Columbus, Ohio 43214 submitted the application. The project is located east of Braumiller Road and north of Cheshire Road in Delaware County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 200300379. The Ohio EPA ID Number for this project is 062978.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicants' proposed preferred alternative, if approved, would fill 0.5 acre of wetlands in addition to 0.68 acre of after the fact impacts for a total impact acreage of 1.18. The applicant proposes to avoid 1.04 acres of wetlands. To satisfy the mitigation requirement, Homerock proposes to purchase 3.3 acres of mitigation credit at the Little Scioto Wetland Mitigation Bank in Marion, Ohio. The site and the Little Scioto Wetlands Mitigation Bank are both located in the same watershed (0506001 cataloging unit watershed) as defined in OAC 3745-1-54(F)(2). The remaining on-site wetlands will be placed into a preservation easement that will be recorded on the final plat for the site.

The applicants' proposed minimal degradation alternative, if approved, would fill 0.27 acres of jurisdictional wetlands in addition to 0.68 acre of after the fact impact for a total impact acreage of 0.95. The applicant proposes to avoid 1.28 acres of wetlands. To satisfy the mitigation requirement, Homerock would propose to purchase 2.8 acres of mitigation credit at the Little Scioto Wetland Mitigation Bank. The remaining on-site wetlands would be placed into a preservation easement.

The applicants' proposed non-degradation alternative, if approved, would restore the 0.68 acre of impact to wetlands on site.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality in the Olentangy River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be

conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-01-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting (September 1, 2007), copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Erie County

PUBLIC NOTICE

OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE CLOSURE PLAN NASA GLENN RESEARCH CENTER

On April 20, 2007, hio EPA Northwest District Office received an amended hazardous waste closure plan from the NASA Glenn Research Center for its Reactor Area (Building 1131) located at 6100 Columbus Avenue, Sandusky, Ohio 44870. The EPA Identification Number for this facility is OH3800015379.

Why is NASA Glenn Research Center submitting this Amended Closure Plan?
In response to Ohio EPA, NASA Glenn Research Center submitted this amended closure plan. The purpose of this plan is to incorporate investigation results, Human Health Risk Assessment findings, and remedial recommendations with the existing project work plan for ongoing site monitoring and sampling to create one closure document for the Reactor Area site.

When and how do I submit written comments about this Amended Closure Plan?
You can submit written comments anytime between October 2, 2007 and October 31, 2007. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail: dhwmcomments@epa.state.oh.us.

Where can I review the Closure Plan?
You can review the closure plan at the following locations:

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402-9398, tel: (419) 352-8461; and,

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, tel: (614) 644-2977.

Hamilton County

Date of Public Notice: September 29, 2007

PUBLIC NOTICE
OF RESCHEDULED PUBLIC HEARING FOR SECTION 401 CERTIFICATION

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) is reviewing an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to develop a 67 acre town center retail area including 30 acres of greenspace and on-site stream mitigation. The application was submitted by Silverman and Company, Inc., 9545 Kenwood Road, Suite 401, Cincinnati, Ohio 45242. The project is located south of Harrison Pike between Filview Circle and Lee Court in Green Township, Hamilton County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2007-100-GMR. The Ohio EPA ID Number for this project is 073143.

Discharges from the activity, if approved, would result in minimal degradation to, or lowering of, the water quality of Taylor Creek in the Great Miami Watershed. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting September 29, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Ohio EPA has rescheduled the public information session and public hearing relative to issues of lower water quality to 6:30 p.m. on November 15, 2007 at the Nathanael Green Lodge, 6394 Wesselman Road, Cincinnati, Ohio 45248. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Persons wishing to be on Ohio EPA's interested parties mailing list for

this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on November 22, 2007. Comments received after this date may not be considered as part of the official record of the hearing.

Ottawa County

PUBLIC NOTICE

Ohio EPA Approves Authorization to Drill at the Water Works Park Property, Port Clinton, Ohio

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has issued as a final action an authorization to Floyd Browne Group, on behalf of the City of Port Clinton, under Ohio Administrative Code § 3745-27-13 to engage in drilling and excavating activities at a former solid/hazardous waste disposal area known as Water Works Park. Water Works Park is located at 219 East Perry Street, Port Clinton, OH 43452. The City of Port Clinton's request for authorization is required since the area is considered a former waste disposal area. The activities will support the City's plans to remediate and redevelop the property. The site activities will include the installation of twenty-five (25) soil borings and thirteen (13) monitoring wells to collect environmental samples over approximately 13 acres of the property.

The effective date of this action is September 26, 2007. The action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of $70 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street; Room 222
Columbus, Ohio 43215

The authorization request and related materials are available for review at Ohio EPA's Northwest District Office by calling (419)352-8461 for an appointment.

Summit County

Date of Public Notice: October 2, 2007

PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT APPLICATION (LEVEL 2)

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project that involves the provision of a diamond interchange on State Route 8 at Seasons Road, west of the City of Stow in Summit County, Ohio. The project also will include widening and turn lanes on the existing Seasons Road. The application was submitted by the Ohio Department of Transportation (ODOT), 1980 West Broad Street, Columbus, Ohio 43223. The ODOT project identification is SUM-8-10.66, PID 11661. The Ohio EPA Number for the project is 073214.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting October 2, 2007, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio 43215, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

Tuscarawas County

Date of Public Notice: September 28, 2007

PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a modification to a project previously certified that provided 3,065 linear feet of streambank stabilization along the east bank Buckhorn Creek. This application proposes an additional 200 linear feet of armor stone on both the east and west banks of Buckhorn Creek. The application was submitted by the Ohio & Erie Canalway Coalition, 520 South Main Street, Suite 2452, Akron, Ohio 44311. The project is located along Buckhorn Creek just downstream of the Beagle Club Road crossing, in Salem Township. The Huntington District of the U.S. Army Corps of Engineers project number for this project is 200501204. The Ohio EPA ID number for this project is 073220.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Buckhorn Creek in the Tuscarawas River watershed (HUC 05040001 180 050). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting September 28, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits

Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.