

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on October 15, 2007, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF RENEWAL CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on October 15, 2007, the director of Ohio EPA issued an infectious waste generator certificate to Extendicare Health Services Inc, 111 W Michigan St, Milwaukee, WI 53203, Reg. No.: 00-G-01092. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**NOTICE OF ADOPTION OF RULES  
OHIO ENVIRONMENTAL PROTECTION AGENCY**

**Rules Governing**

**Scrap Tires**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has final filed the following rules of the Ohio Administrative Code:

<u>Rule #</u>	<u>Title:</u>
3745-27-01	Definitions.
3745-27-02	Permit to install.
3745-27-15	Financial assurance for solid waste facility and scrap tire transporter closure.
3745-27-19	Operational criteria for a sanitary landfill facility.
3745-27-54	Registration requirement for scrap tire transporters annual registration certificate.
3745-27-55	Criteria for approval, denial, suspension, or revocation of an annual registration certificate for a scrap tire transporter.
3745-27-56	Standards for transporters of scrap tires.
3745-27-57	Shipping paper system for scrap tires.
3745-27-60	General storage and handling of scrap tires.
3745-27-61	Registration requirements for scrap tire collection, class II scrap tire storage, and class II scrap tire recovery facilities.
3745-27-62	Criteria for approval of application for a registration certificate or for a permit to install for a scrap tire facility.
3745-27-63	Class I scrap tire storage facility or class I scrap tire recovery facility permit to install application.
3745-27-65	Operation of scrap tire collection, storage, or recovery facilities.
3745-27-66	Closure of scrap tire collection, storage, or recovery facilities.
3745-27-67	Mobile scrap tire recovery facility registration and operation.
3745-27-78	Beneficial use of scrap tires.
3745-27-79	Soil, surface water, and ground water contamination characterization and remediation caused by open burning of scrap tires.
3745-27-99	Requirements for professional engineer certification of plans, specifications, and information.

The Director's order of adoption was issued on October 18, 2007.

These adopted rules will become effective on November 1, 2007.

The Director's action in this matter is pursuant to the procedural requirements of Ohio Revised Code Chapter 119 and is based upon the record of the public hearing conducted

by Ohio EPA on September 13, 2007, and comments received during the public comment period.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. The Ohio EPA is located at 50 West Town Street, Suite 700., Columbus, OH, 43215.

**NOTICE OF ADOPTION OF RULES  
OHIO ENVIRONMENTAL PROTECTION AGENCY**

**Rules Governing**

**Ground Water Monitoring Fees**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) has final filed the following rule of the Ohio Administrative Code:

<u>Rule #</u>	<u>Title:</u>
3744-519-50	Ground water monitoring fee.

The Director's order of adoption was issued on October 18, 2007.

This adopted rule will become effective on November 1, 2007.

The Director's action in this matter is pursuant to the procedural requirements of Ohio Revised Code Chapter 119 and is based upon the record of the public hearing conducted by Ohio EPA on September 12, 2007, and comments received during the public comment period.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215. The Ohio EPA is located at 50 West Town Street, Suite 700., Columbus, OH, 43215.

**PUBLIC NOTICE**  
**OHIO ENVIRONMENTAL PROTECTION AGENCY**  
**SUSPENSION AND MODIFICATION OF LABORATORY CERTIFICATION**  
**UNDER THE VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on October 12, 2007, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to CompuChem of 501 Madison Ave., Cary, North Carolina, that suspend the laboratory's certification under Ohio's Voluntary Action Program to perform analyses for Total Petroleum Hydrocarbons, Diesel Range Organics by methods 8015B and 8015A-modified. The Director has also granted CompuChem's requests to remove certification for Total Petroleum Hydrocarbons by method 418.1.

CompuChem has been issued a revised laboratory certificate which reflects the suspension and supplemental certification. CompuChem may perform analyses only for those analytes, parameter groups, and methods identified in its revised certificate.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE**

The following permit is being issued on October 15, 2007 as a final action with an effective date of January 13, 2008. Final actions are actions of the Director which are effective upon issuance or a stated effective date. Pursuant to Ohio Revised Code Section 3745.04, a Final Action may be appealed to the Environmental Review Appeals Commission (ERAC) filing an appeal within 30 days of notice of the final action. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Final Issuance of NPDES General Permit:

General Permit Authorization to Discharge Storm Water Associated with Industrial Activity from Marinas under The National Pollutant Discharge Elimination System

Issue Date:           October 15, 2007  
Effective Date:       January 13, 2008  
Ohio NPDES General Permit Number OHRM00001

This Final Action Was Not Preceded by a Proposed Action and Is Appealable to ERAC.

The full text of the permit and other guidance documents can be viewed over the Internet at [http://www.epa.state.oh.us/dsw/permits/GP\\_Marinas.html](http://www.epa.state.oh.us/dsw/permits/GP_Marinas.html) or by calling Jason Fyffe at (614) 728-1793.

**PUBLIC NOTICE**

The following permit is being issued on October 12, 2007 as a final action with an effective date of November 1, 2007. Final actions are actions of the Director which are effective upon issuance or a stated effective date. Pursuant to Ohio Revised Code Section 3745.04, a Final Action may be appealed to the Environmental Review Appeals Commission (ERAC) filing an appeal within 30 days of notice of the final action. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Final Issuance of NPDES General Permit:

General Permit Authorization to Discharge Hydrostatic Test Water under the National Pollutant Discharge Elimination System

Issue Date: October 12, 2007

Effective Date: November 1, 2007

Ohio NPDES General Permit Number OHH000001

This Final Action Was Not Preceded by a Proposed Action and Is Appealable to ERAC.

The full text of the permit and other guidance documents can be viewed over the Internet at <http://www.epa.state.oh.us/dsw/permits/GPHydrostaticTestWater.html> or by calling Raj Chakrabarti at (614) 644-2027.

**PUBLIC NOTICE  
APPROVAL OF AN APPLICATION  
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT FINANCIAL ASSISTANCE  
TO THE VILLAGE OF BLUFFTON**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to the Village of Bluffton for the following water treatment system activity: the construction of a 16" water line, pumping station and appurtances.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Bluffton from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 50 West Town Street, Suite 700, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Mary Mariani, Project Coordinator at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE**

**DIRECTOR'S FINAL FINDINGS AND ORDERS**

**PROPOSED DENIAL**

Notice is hereby given that on October 16, 2007, the director of Ohio EPA issues Final Findings and Orders to A&L Salvage, LLC (A&L), Dominion Tower, Suite 3100, 625 Liberty Avenue, Pittsburgh, PA 15222. A&L Salvage Construction and Demolition Debris (C&DD) Landfill (Facility) is located at 11225 State Route 45, Elkrun and Center Townships, Columbiana County, Ohio. These Final Findings and Orders are issued proposing denial of the 2007 C&DD license for the Facility. Pursuant to OAC Rules 3745-400-12(A)(4) and (B)(5), A&L shall immediately cease acceptance of C&DD at the Facility and shall commence final closure activities in accordance with the applicable provisions of OAC Rules 3745-400-12(E) through (I), and Director's Final Findings & Orders dated March 1, 2005. This proposed denial is subject to all rules, regulations and specified conditions. This order of denial is issued as a proposed action and will be issued as a final action unless an objector files a request for an adjudication hearing within thirty (30) days of the date of issuance of this order. The request for a hearing shall be in writing and shall specify the issues of fact and law to be contested. Request for a hearing shall be sent to the Ohio EPA, Hearing Clerk, P.O. Box 1049, Columbus, Ohio 43216-1049. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**PUBLIC NOTICE**

**OHIO EPA ISSUES TEMPORARY AUTHORIZATION  
TO HUKILL CHEMICAL CORPORATION**

On October 4, 2007, Ohio EPA issued a temporary authorization to Hukill Chemical Corporation (Hukill) for its facility at 7013 Krick Road, Bedford, Ohio 44146. The EPA Identification Number for this facility is OHD001926740.

**Why does Hukill need this temporary authorization?**

Hukill is a chemical distribution center, a solvent recovery facility, and a hazardous waste fuel blender that stores hazardous waste in containers and tanks. Hukill is requesting a temporary authorization to store containers of hazardous waste in an unpermitted portion of the facility prior to issuance of a modified permit. The temporary authorization is necessary to prevent disruption of ongoing waste management activities. This action allows Hukill to make the requested changes.

**Can I appeal this temporary authorization?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final temporary authorization, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than November 5, 2007. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: **Environmental Review Appeals Commission**, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: **Chris Korleski, Director of Ohio EPA**, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Date of Public Notice: October 22, 2007**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to extend Sawmill Parkway. The application was submitted by Village Communities, 470 Olde Worthington Road, Westerville, Ohio, 43082. The project extends north from Home Road and is located in Liberty Township, Delaware County, Ohio. The Huntington District Corps of Engineers Project Number for this project is 200501432. The Ohio EPA ID Number for this project is 062935.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would obtain authorization for 321 linear feet of after the fact impacts to a perennial stream associated with a road crossing. Mitigation will consist of a 50-foot wide riparian corridor preservation area along 2702 linear feet of a perennial stream and 283 linear feet of an ephemeral stream. The mitigation plan has been accepted by the U.S. Army Corps of Engineers (Corps) through the issuance of an after the fact Nationwide Permit 14. In addition, the Corps issued a Nationwide Permit 39 authorization on March 16, 2007 for proposed impacts associated with Heathers at Golf Village.

The applicant's proposed minimal degradation alternative has been completed. The temporary construction crossing associated with the Sawmill Parkway extension was removed and the banks were restored to preconstruction grade.

The applicant's proposed non-degradation alternative, if approved, would require restoration of 321 linear feet of stream bed below Sawmill Parkway.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality in the Olentangy River watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-01-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting October 22, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**PUBLIC NOTICE**

**DIRECTOR'S FINAL FINDINGS & ORDERS**

Notice is hereby given that on October 12, 2007, the director of Ohio EPA issued Final Findings and Orders to Pine Grove Regional Landfill, 5131 Drinkle Road, SW, Amanda, OH 43102, regarding the disposal of contaminated soils that were generated during construction of the Alum Creek Bike Path in Franklin County, Ohio. Pursuant to ORC Section 3734.57(D)(8), the contaminated soils are hereby exempted from the \$3.50 per ton state solid waste disposal fee levied pursuant to ORC Section 3734.57(A) and also exempted from the \$4.00 per ton out-of-district disposal fee levied by the Coshocton-Fairfield-Licking-Perry Solid Waste Management District pursuant to ORC Section 3734.57(B). Pursuant to ORC Section 3734.573(N), the contaminated soils are hereby exempted from the \$5.00 per ton generation fee levied by the Solid Waste Authority of Central Ohio pursuant to ORC Section 3734.573. These Final Findings & Orders are subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**PUBLIC NOTICE  
APPROVAL OF AN APPLICATION  
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT FINANCIAL ASSISTANCE  
TO THE VILLAGE OF BALTIMORE**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to the Village of Baltimore, for the following water treatment system activity: formulating a comprehensive water master plan.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the Village of Baltimore from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 50 West Town Street, Suite 700, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Larry Benintend at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE**

**DIRECTOR'S FINAL FINDINGS & ORDERS**  
ORC 3734.02(G) Exemption

Pursuant to ORC Sections 3734.02(G), notice is hereby given that on October 12, 2007, the director of Ohio EPA issued Final Findings and Orders to Republic Services, Inc. ("Republic"), 5131 Drinkle Road SW, Amanda, OH 43102, regarding Reynolds Avenue Transfer Facility, located at 821 Reynolds Avenue, Columbus, Ohio which is owned by Republic Services of Ohio IV and Pine Grove Regional Landfill, located at 5131 Drinkle Road SW, Amanda, Ohio which is owned and operated by Republic Services of Ohio III, LLC. These orders alter the requirements that govern how Republic is to assess, collect, and remit fees on loads of mixed solid waste and construction and demolition debris that are transported from the Reynolds Avenue Transfer Facility to the Pine Grove Regional Landfill. These orders allow Republic to assess, collect, and remit all applicable fees at the Reynolds Avenue Transfer Facility rather than collect a portion of the fees at the transfer facility and a portion of the fees at the landfill facility. The orders further specify the conditions under which this method of assessing, collecting, and remitting fees must occur. This exemption is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**PUBLIC NOTICE  
APPROVAL OF APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND  
TO COLUMBUS**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to Columbus, for the following water quality improvement activities: Construction of the Skimmings Concentrator System Improvements at the Jackson Pike Wastewater Treatment Plant.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Columbus from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 50 West Town Street, Suite 700, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Kevin G. Spurbeck at the above address or by calling (614) 644-2798.

**Date of Public Notice: October 24, 2007**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND ISOLATED WETLAND PERMIT  
APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification and Isolated Wetland Permit for a project to construct a flue gas desulfurization (FGD) system to reduce air emissions of sulfur dioxide from the Kyger Creek Generating Station. As part of the FGD project a solid waste landfill and associated facilities and infrastructure will be constructed for transport and disposal of the gypsum by-product generated by the FGD system. The application was submitted by Ohio Valley Electric Corporation, PO Box 81, Gallipolis, OH 45631-0028. The project is located about 2 miles west of Kyger Creek Generating Station near Shaver Rd. The Huntington District Corps of Engineers Public Notice Number for this project is 200100545-2. The Ohio EPA ID Number for this 401 project is 073169 and isolated level 2 is 073168.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in the fill of 2.83 acres of federal jurisdictional wetland and 2.76 acres of isolated wetland for a total of 5.59 acres of wetland and 9,342 feet of intermittent and ephemeral streams. The applicant's proposed minimal degradation alternative, if approved, would fill 4.16 acres of wetlands and 8,570 l.f of stream, but would need to be expanded later, filling additional wetlands and streams. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of wetlands and unnamed tributaries of Little Kyger Creek. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

In addition to the above discharges, the applicant also proposes a floodway mitigation project that will include excavation of 15,550 cubic yards of material below the ordinary

high water mark of the Ohio River to comply with FEMA regulations regarding previously installed mooring cells in the Ohio River.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting October 24, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on November 23, 2007. Comments received after this date may not be considered as part of the official record. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT**

On October 16, 2007, Ohio EPA issued a final Class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Environmental Enterprises, Inc. for its facility at 4650 Spring Grove Avenue, Cincinnati, Ohio 45232. The EPA Identification Number for this facility is OHD083377010.

**Why is Environmental Enterprises, Inc. modifying its Permit?**

Environmental Enterprises, Inc. (EEI) is permitted to store hazardous waste in containers and tanks at its facility. EEI wants to modify its hazardous waste permit by adding four hazardous waste container storage units. The change will not result in an increase in volume of the facility's current permitted container storage capacity. This final modified permit will allow EEI to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

**Can I appeal this final modified Permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than **November 16, 2007**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Chris Korleski, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE  
APPROVAL OF FACILITIES PLAN AND APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND ASSISTANCE  
TO THE LAWRENCE COUNTY COMMISSIONERS**

The Director of the Ohio Environmental Protection Agency is providing notice of actions to approve a facilities plan and to approve an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the Lawrence County Commissioners, for the following water quality improvement activity(ies): this project consists of the construction of an expansion and upgrade to the existing wastewater treatment plant facility to a MBR treatment facility.

These approvals are based upon the Ohio EPA staff's recommendations following reviews conducted under applicable requirements of the facilities planning materials and of the assistance application materials and any other information regarding the proposed activities. The approval of the application and all financial assistance provided to the Lawrence County Commissioners from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 50 West Town Street, Suite 700, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Tracy Harrison Bruny at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT**

On October 18, 2007, Ohio EPA issued a final Class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Ross Incineration Services, Inc. for its facility at 36790 Giles Road, Grafton, Ohio 44044. The EPA Identification Number for this facility is OHD048415665.

**Why is Ross Incineration Services, Inc. modifying its Permit?**

Ross Incineration Services, Inc. (Ross) is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. Ross Incineration Services, Inc. wishes to add twelve (12) waste codes to its hazardous waste permit. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

**Can I appeal this final modified Permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than **November 19, 2007**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Chris Korleski, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Date of Public Notice: October 16, 2007**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to repair and renovate the docking and moorings to accommodate large capacity lake carriers. The application was submitted by Kraft Foods û Global, Inc., Toledo Flour Mill Plant, 2221 Front Street, Toledo, OH 43605-1231. The project is located at 2221 Front Street, Toledo, Ohio on the Maumee River. The Buffalo District Corps of Engineers Public Notice Number for this project is 2006-1770. The Ohio EPA ID Number for this project is 073199.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would install 960 feet of sheet pile bulkhead, fill 1.44 acres of river bottom and eliminate 580 feet of natural shoreline. The applicant's proposed minimal degradation alternative, if approved, would remove 170 cubic yards of rip-rap from below the Ordinary High Water Mark (OHWM), install 440 feet of new sheet piling against existing concrete walls, install two dolphins adjacent to the harbor line, install a 20-foot square foundation at the end of the new sheet piling, and place 940 cubic yards of fill below the OHWM. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Maumee River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting October 16, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Public Notice: October 26, 2007**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT  
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to impact 1.09 acres of Category 1 isolated wetlands to construct commercial/industrial facilities and attendant features (access roads and parking areas). The application was submitted by the MTB Development Corp, LLC, 6740-B Avery Muirfield Road, Dublin, Ohio 43017. The project is located north of State Route 40, South of I-70 and State Route 29 and east of Byerly Road, in West Jefferson, Madison County, Ohio. The Ohio EPA Number for this project is 062958.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem, will be considered by Ohio EPA during the review process.

Starting October 26, 2007, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

**PUBLIC NOTICE  
APPROVAL OF APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND  
TO THE CITY OF STRUTHERS**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the City of Struthers, for the following water quality improvement activities: Design of a belt press for the City of Struthers.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the City of Struthers from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 50 West Town Street, Suite 700, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Judy Mentzer at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE  
APPROVAL OF AN APPLICATION  
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT FINANCIAL ASSISTANCE  
TO THE CITY OF CELINA**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to the City of Celina for the following water treatment system activities: the addition of granulated activated carbon (GAC) filter facilities to the existing water treatment plant.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Celina from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 50 West Town Street, Suite 700, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Mary Mariani, Project Coordinator at the above address or by calling (614) 644-2798.

**Date of Public Notice: October 25, 2007**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to repair the eroding river bank and protect underground wastewater pipes. The application was submitted by Tri Cities Authority, 3777 Old Needmore Road, Dayton, Ohio 45424. The project is located approximately 2500 feet upstream of the Needmore Road bridge over the Great Miami River, Mad River Township, Montgomery County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is 2007-148-GMR. The Ohio EPA ID Number for this project is 073099.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would be to build a floodwall to protect the bank, impacting 330 linear feet of the Great Miami River. The applicant's proposed minimal degradation alternative, if approved, would to reinforce the bank with rip-rap and planting of native species, impacting 330 linear feet of the Great Miami River. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, may result in degradation to, or lowering of, the water quality of Great Miami River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a possible lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting October 25, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on December 10, 2007 at 6:30 p.m. at Huber Heights Fire Department Training Room, 7008 Brandt Pike, Huber Heights, Ohio 45424. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on December 17, 2007. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or requests to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL HAZARDOUS WASTE FACILITY INSTALLATION AND  
OPERATION PERMIT FOR  
LAFARGE NORTH AMERICA - PAULDING PLANT**

On October 2, 2007, Ohio EPA issued a final Hazardous Waste Facility Installation and Operation Permit (Permit) for Lafarge North America - Paulding Plant (Lafarge) for its facility located at 11435 County Road 176, Paulding, Ohio 45879. The EPA Identification Number for this facility is OHD987048733.

**Why does Lafarge need a Permit?**

On January 7, 2005, Lafarge qualified for permit by rule status for its facility in Paulding, Ohio. The Lafarge facility operates two cement kilns that burn hazardous waste under the boiler and industrial furnace rules. To burn the hazardous wastes in the cement kilns, Lafarge needs a Permit. The final Permit contains the conditions under which the facility must operate. To issue this Permit, Ohio EPA determined that the Part B permit application is complete and complies with appropriate standards and that the applicant has exhibited sufficient reliability, expertise and competency to operate a hazardous waste facility. The final Permit will allow Lafarge to burn hazardous waste in the designated areas at the facility. Details about this final action can be viewed on Ohio EPA's website under Stakeholders Involvement at <http://web.epa.state.oh.us/dhwm/>.

**Can I appeal this final Permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than November 1, 2007. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later

than three (3) days after you file it with ERAC: **Chris Korleski, Director of Ohio EPA**, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE  
APPROVAL OF AN APPLICATION  
FOR WATER SUPPLY REVOLVING LOAN ACCOUNT FINANCIAL ASSISTANCE  
TO THE VILLAGE OF OTTAWA**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Supply Revolving Loan Account (WSRLA) financial assistance to the Village of Ottawa for the following water treatment system activity: the construction of a regional water line to the Village of Bluffton.

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to Ottawa from the WSRLA is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 50 West Town Street, Suite 700, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Mary Mariani, Project Coordinator at the above address or by calling (614) 644-2798.

**PUBLIC NOTICE  
APPROVAL OF APPLICATION  
FOR WATER POLLUTION CONTROL LOAN FUND  
TO THE VILLAGE OF WOODVILLE**

The Director of the Ohio Environmental Protection Agency is providing notice of the approval of an application for Water Pollution Control Loan Fund (WPCLF) financial assistance to the Village of Woodville, for the following water quality improvement activities: development of the plan to eliminate all the combined sewer overflows in the Village

This approval is based upon the Ohio EPA staff's recommendations following a review conducted under applicable requirements of the assistance application materials and any other information regarding the proposed activities. This approval and all financial assistance provided to the Village of Woodville from the WPCLF is conditioned upon successful completion, operation, and maintenance of the eligible activities.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

Copies of the assistance agreement and associated Environmental Assessment documents are available by calling (614) 644-2798. Also, copies are available by writing to: Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, 50 West Town Street, Suite 700, P. O. Box 1049, Columbus, OH 43216-1049.

Questions regarding the project should be directed to Brian Enck at the above address or by calling (614) 644-3651.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT TO  
SUNOCO CHEMICALS-HAVERHILL**

On October 9, 2007, Ohio EPA issued a final Class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Sunoco Chemicals-Haverhill for its facility at 1019 Haverhill-Ohio Furnace Road, Haverhill, Ohio 45636. The EPA Identification Number for this facility is OHD005108477.

**Why is Sunoco Chemicals-Haverhill modifying its Permit?**

Sunoco Chemicals-Haverhill (Sunoco) is a chemical production facility that produces phenol and acetone from cumene. Wastes from the production of these chemicals are stored in three permitted tanks prior to being used as a fuel in Sunoco's boilers. Sunoco wishes to update the facility's Part B application, including replacement of outdated information. This final modified permit will allow Sunoco to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards.

**Can I appeal this final modified Permit?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final modified Permit, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than November 12, 2007. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Chris Korleski, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE**

**Modification to October 1, 2007 Letter  
Installation Of Firebreak As Interim Fire Suppression Measure**

Notice is hereby given that on October 15, 2007, Ohio EPA submits a letter to Republic Services, Inc., Suite 2700, 110 S. E. 6<sup>th</sup> Street, Fort Lauderdale, FL 33301, in regards to Countywide Recycling and Disposal Facility (Countywide). The Director of Ohio EPA hereby modifies the requirements of the October 1, 2007 letter. Countywide is located at 3619 Gracemont Ave. S.W., East Sparta, Stark County, Ohio 44626. Pursuant to Section V., Paragraph No. 9 of the March 28, 2007 Director's Final Findings and Orders, the Director of Ohio EPA has adjusted the timeframes and the specifications of the cell 8B construction and filling plan as specified in the October 1, 2007 letter selecting an interim remedial action. This action is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**Date of Public Notice: October 18, 2007**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project that involves construction of a new Meijer grocery and home goods store and associated access roads and parking lots. The application was submitted by Meijer Stores Limited Partnership. The project is located at the northeast quadrant of the intersection of State Route 31 and Echo Drive in Marysville, Union County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2007-205-SCR. The Ohio EPA ID Number for this project is 073207.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 0.47 acres of a Category 1 wetland and 998 linear feet of an intermittent stream. The applicant's proposed minimal degradation alternative, if approved, would impact 0.47 acres of a Category 1 wetland and 550 linear feet of an intermittent stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary of Infirmary Ditch. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting October 18, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Notice: October 26, 2007**

**PUBLIC NOTICE  
NOTICE OF PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has scheduled a brief information session and public hearing on the draft Permit to Install (PTI) for the installation of sanitary sewers for Five Point, Hull Prairie and West River Roads in Middletown Township, Wood County, Ohio. The PTI application was submitted by Northwestern Water and Sewer District, 12560 Middleton Pike, Bowling Green, Ohio 43402.

The public hearing has been scheduled for 6:30 P.M. on December 5, 2007 at the Perrysburg High School Commons, 13385 Roachton Road, Perrysburg, Ohio 43551.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the draft permit. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on December 12, 2007. Comments received after this date may not be considered as part of the official record of this hearing.