

PUBLIC NOTICE

FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on November 23, 2007, the director of Ohio EPA issued an amended infectious waste generator certificate to DaVita Inc, 5200 Virginia Way, Brentwood TN 37027, ID No.: 00-G-01073. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on November 28, 2007, the director of Ohio EPA issued an amended infectious waste generator certificate to The Little Clinic of Ohio LLC, 8 Cadillac Dr Ste 250, Brentwood TN 37027, ID No.: 00-G-01474. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**State of Ohio
Environmental Protection Agency
Notice of Adoption of Rules**

Notice is hereby given that the Director of Environmental Protection, under the authority of Ohio Revised Code Section 3704.03 has adopted amended rule 3745-18-82 of the Administrative Code

The primary purpose of this rulemaking is to correct an emission rate for a unit at the Canton Drop Forge facility, specifically, revise the sulfur dioxide emission rate for boiler number 1 from 5.0 pounds of sulfur dioxide to per MM Btu actual heat input to 2.5 pounds of sulfur dioxide per MM Btu actual heat input.

A 30 day public comment period was held, ending on October 11, 2007. Additionally, a public hearing on the proposed amendments was held on October 11, 2007 in Columbus, Ohio. There were no comments received during the comment period or at the hearing and no changes were made to the proposed rules as a result of public comment. The Director's order of adoption was issued on Wednesday, November 28, 2007. The effective date of these rules is Saturday, December 8, 2007.

To request a copy of these rules, obtain further information, or inspect or request copies of agency files and records pertaining to the proceeding contact Mr. Bill Spires, Ohio EPA, Division of Air Pollution Control, Lazarus Government Center, PO Box 1049, Columbus, Ohio 43216-1049 or call Mr. Spires at 614-644-3618. This rule is available on the Web page for electronic downloading. The URL is: <http://www.epa.state.oh.us/dapc/regs/regs.html#Sulfur%20Dioxide%20Regulations>.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (ERAC) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with ERAC within thirty (30) days after notice of the Director's action, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215. Copies of the appeal must be served upon the Director of the Ohio EPA within three (3) days of filing with ERAC. Ohio EPA also requests that a copy of the appeal be served upon the Environmental Enforcement Section of the Ohio Attorney General's Office.

Public Notice
Ohio Environmental Protection Agency
Proposed amendment of
Ohio Administrative Code (OAC) rules 3745-24-01,
3745-24-03, 3745-78-01 and 3745-78-02.

Notice is hereby given that the Ohio Environmental Protection Agency, Division of Air Pollution Control (DAPC) proposes to amend Ohio Administrative Code (OAC) rules 3745-24-01 and 3745-78-01; Definitions; 3745-24-03, Deadlines for submission of the emission statements; and 3745-78-02, Fee emission reports. The amendments are being proposed to extend the filing deadline for fee emission reports and emissions statements during the calendar year 2008. This change is necessary due to implementation of a new electronic reporting system in development by DAPC.

Pursuant to Section 121.39 of the Ohio Revised Code, DAPC was required to consult with interested parties affected by the rules before the division formally adopts them. On October 31, 2007, these rules went out for a 15 day review by interested parties.

Pursuant to Section 119.03 of the Ohio Revised Code, a public hearing on these rule changes will be conducted on Monday, January 7, 2008 at 11:00 AM, in Conference Room D on the 6th Floor at Ohio EPA, Lazarus Government Center, 50 W. Town Street, Suite 700, Columbus, Ohio.

Pursuant to Part D of Title I of the Clean Air Act, Ohio EPA is required to establish a state implementation plan (SIP) for the attainment and maintenance of the national ambient air quality standards (NAAQS). The above mentioned rules are a part of Ohio(s) SIP and the proposed amendments will be submitted to USEPA as a modification of the SIP. The above mentioned hearing shall be considered the public hearing for the SIP submittal.

All interested persons are entitled to attend or be represented at the hearing and give written or oral comments on these rule changes. All oral comments presented at the hearing, and all written statements submitted at the hearing or by the close of business on Monday, January 7, 2008, will be considered by Ohio EPA prior to final action on this rule. Written statements submitted after January 7, 2008, may be considered as time and circumstances permit, but will not be part of the official record of the hearing.

These rules are available on the Web page for electronic downloading by clicking on "regulations" under the "topics" drop-down box. The URL is: <http://www.epa.state.oh.us/dapc/regs/regs.html>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about these rules should be directed to Jennifer Hunter at Ohio EPA, (614) 644-3696, jennifer.hunter@epa.state.oh.us, or mailed to Jennifer Hunter, Ohio EPA, Division Air Pollution Control, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049. Persons submitting comments electronically are encouraged to follow-up with a hard copy via regular mail.

PUBLIC NOTICE

Demolizer™ Infectious Waste Treatment Technology OAC 3745-27-38 Approval

Notice is hereby given that on November 28, 2007, the director of Ohio EPA, pursuant to OAC Rule 3745-27-38 and based upon the submitted documents, granted a statewide approval of the Demolizer™ Infectious Waste Treatment Technology as an alternative method for treatment of infectious waste, provided each statewide installation conforms with all specified conditions. The request was submitted by Biomedical Technology Solutions, Inc., 9800 Mt. Pyramid Court, Suite 350, Englewood, CO 80112. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Person's wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

Public Notice Date: by December 3, 2007

Public Notice
Draft Water Pollution Control Loan Fund Program Management Plan and
Draft Water Pollution Control Loan Fund Project Priority List
For Program Year 2008

Notice is hereby given that the Ohio Environmental Protection Agency will conduct a public meeting concerning the November 28, 2007 issuance of a draft action by the Director, that when finalized will adopt the Program Management Plan for the Water Pollution Control Loan Fund for program year 2008. The WPCLF Program Plan includes the Water Pollution Control Loan Fund Project Priority List and information regarding the intended uses for the Water Pollution Control Loan Fund, under authority of Ohio Revised Code 6111.036.

The public meeting will be held on Friday, January 4, 2008, at 10:30 a.m. in Ohio EPA's central office in Conference Room A on the 6th Floor of the Lazarus Government Center located at 50 West Town Street, Columbus, Ohio. This site meets the requirements of the Americans with Disabilities Act. An interpreter or other necessary accommodations may be provided if requested at least (7) days in advance of the meeting.

A copy of the full text will be available for public viewing in the following Ohio EPA offices: Division of Environmental and Financial Assistance, Lazarus Government Center, 50 West Town Street, Columbus, Ohio 43215; Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087; Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402; Southeast District Office, 2195 Front Street, Logan, Ohio 43138; and, Southwest District Office, 401 E. Fifth Street, Dayton, Ohio 45402.

The documents are also available through the internet at:
<http://www.epa.state.oh.us/defa/>

Written comments will be accepted through the end of the day on Friday, January 4, 2008. Comments should be sent to Becky Hegyi, Ohio Environmental Protection Agency, Division of Environmental and Financial Assistance, P.O. Box 1049, Lazarus Government Center, Columbus, Ohio 43215-1049, or may be sent via E-Mail to becky.hegyi@epa.state.oh.us, or by fax to Becky Hegyi at (614)644-3687. For further information regarding this meeting you may contact the Division of Environmental and Financial Assistance at (614)644-2798.

Statewide

Ohio Environmental Protection Agency

PUBLIC NOTICE

Updated Project Priority List and Intended Project List

For The Drinking Water Assistance Fund

For Program Year 2008

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Drinking and Ground Waters (DDAGW) has issued the Draft Updated Project Priority List and Intended Project List for the Drinking Water Assistance Fund, which has been authorized by Ohio Revised Code section 6109.22 and Section 1452 of the Safe Drinking Water Act.

Copies of the DRAFT updated project priority list and intended projects list are available from the Division of Drinking and Ground Waters upon request, through the Internet at <http://www.epa.state.oh.us/ddagw/dwaf.html> or by writing to:

Ohio EPA
Lazarus Government Center
Attention: Flo Sellu, DDAGW
P. O. Box 1049
Columbus, Ohio 43216-1049

Written comments should be submitted to:

Ohio EPA
Lazarus Government Center
Attention: Stacy Barna, DDAGW
P. O. Box 1049
Columbus, Ohio 43216-1049
E-mail address: stacy.barna@epa.state.oh.us

Written comments must be received on or before December 28, 2007.

Date of Public Notice: November 16, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a proposed mining site on approximately 670 acres in Steubenville and Wells Townships, Jefferson County, Ohio. The application was submitted by Ohio American Energy, Incorporated, 153 Highway 7 South, Powhatan Point, Ohio 43942. The project is located south of Route 151, east of County Road 19, and west of State Route 7. The Pittsburgh District Corps of Engineers Public Notice Number for this project is 2006-1226. The Ohio EPA ID Number for this project is 073203.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in impacts to 7.194 acres of Category One and Two wetlands and 25,784 linear feet of perennial, intermittent, and ephemeral stream. The applicant's proposed minimal degradation alternative, if approved, would result in filling of 7.034 acres of Category One and Two wetlands and 24,214 linear feet of perennial, intermittent, and ephemeral stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of wetlands and streams in McKims Run and Tarrs Run. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting November 16, 2007, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Written comments must be received by the Ohio-EPA-DSW, Attention: Permits Processing

Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on December 16, 2007. Comments received after this date may not be considered. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Ohio EPA PA No. 03-18110

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 07-12-002
Date of Issue of Public Notice: December 5, 2007

Name and Address of Applicant: City of Clyde; 222 North Main Street; Clyde, Ohio, 43410.

Name and Address of Facility Where Discharge Occurs: Clyde Wastewater Treatment Plant; 749 West McPherson Highway; Clyde, Ohio, 43410.

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the "Combined Sewer Collection System Long-Term Control Plan" for the City of Clyde. Under the plan, the City will conduct additional sewer separation by installing new sanitary sewers in the combined system. When all of the separation projects included in the plan are complete, the City will conduct a study to determine if construction of an equalization basin is necessary. The separation projects are to begin immediately and be completed during 2012 at an approximate cost of \$3,000,000. If an equalization is needed, it will be completed by 2015 at an approximate cost of \$1,500,000. The City's NPDES permit, Ohio EPA permit number 2PD00004, is being modified to include a compliance schedule for implementation of the approved plan. The NPDES permit modification is being released for public notice concurrently with this draft plan approval.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public

hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43402 by first calling, (419) 352-8461, to make an appointment.

Ohio EPA PA No. 03-18079

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 07-12-013
Date of Issue of Public Notice: December 7, 2007

Name and Address of Applicant: Village of Green Springs; 120 Catherine Street; Green Springs, Ohio, 44836.

Name and Address of Facility Where Discharge Occurs: Green Springs Wastewater Treatment Plant; West Maple Lane; Green Springs, OH, 44836.

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the "Combined Sewer Collection System Long-Term Control Plan (October 2005 Revision, Poggemeyer Design Group, Inc.) and Addendum GS-C (August 2007; GGJ, Inc.)" for the Village of Green Springs. Under the plan, the Village will provide partial sewer separation while cross connections and down spouts are removed. The existing wastewater plant will be modified with a new screening device prior to discharge via pump station to the City of Clyde sewerage system. The existing lagoon will be converted to an equalization basin. The estimated cost to implement the approved plan is \$4,900,000. Implementation will be in 12 phases. The first phase will begin immediately, with construction of the final phase completed approximately six years after approval of the plan. The Villages's NPDES permit, Ohio EPA permit number 2PB00026, is being modified to include a compliance schedule for implementation of the approved plan. The NPDES permit modification is being released for public notice concurrently with this draft plan approval.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43202. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, OH 43042, by first calling, (419) 352-8461 to make an appointment.

Date of Public Notice: November 21, 2007

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to develop single-family residential properties and a recreation center along 3 residential streets. The application was submitted by Ohio Vedic Homes LLC, 611 Market Avenue, Canton, Ohio 44702-2113. The project is located at 6350 Lake O'Springs Avenue NW, Jackson Township, Ohio 44718. The Huntington District of the U.S. Army Corps of Engineers (ACOE) Number for this project is 2000-01059-TUS. The Ohio EPA ID Number for this project is 073160.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 1.7325 acres (ACOE Public Notice states 1.84 acres of impacts) of an on-site lake called Lake O'Springs to construct 26 single-family homes and a recreation center. The applicant's proposed minimal degradation alternative, if approved, would impact 0.4616 acres of Lake O'Springs to construct 23 single-family homes and a recreation center. The applicant's proposed non-degradation alternative for 17 single-family homes, if approved, would have no direct impacts on water resources on the site.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake O'Springs, a man-made lake that drains into Sippo Creek. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting November 21, 2007, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50

West Town Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
CARAUSTAR MILL GROUP**

On November 20, 2007, Ohio EPA issued final Findings and Orders to Caraustar Mill Group for its facility located at 100 Industrial Avenue, Rittman, Ohio 44270. This facility recycles waste paper into paperboard for cartons. The EPA I.D. number for this facility is OHR000016257.

Caraustar Mill Group must achieve compliance with Chapter 3752 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines the waiver in connection with the temporary discontinuance of regulated operations. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.