

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
General Investment Funds Real Estate Holding Co.,
Pneumo Abex Corp. and PepsiAmericas, Inc.
for Cleveland Pneumatic Tool Company Property

Notice is hereby given that on January 28, 2008, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to General Investment Funds Real Estate Holding Company ("GIFREHC"), Pneumo Abex Corp., and PepsiAmericas, Inc. (collectively the "Volunteers"), for the property identified as the Cleveland Pneumatic Tool Company property (the "Property").

The Volunteers conducted a voluntary action of the approximately 7.4 acre-Property located at 3781 East 77th Street, Cleveland, Cuyahoga County, Ohio. A no further action letter was submitted on September 28, 2007 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of the Volunteers by Mr. Christian Lavalley, a Certified Professional (No. CP264), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to ORC 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE

**OHIO EPA APPROVES CLOSURE PLAN FOR
CITY OF ATHENS**

On January 30, 2008, Ohio EPA approved an amended closure plan for the City of Athens Service Garage's drain well and former paint shop area located at 387 West State Street in Athens, Ohio. The EPA I.D. number for this facility is OHD987002052.

Pursuant to Ohio Administrative Code rule 3745-66-11 & 12, the facility's amended closure plan submitted on July 25, 2007 was approved with modifications as outlined in the Director's January 30, 2008 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Public Notice
Proposed Denial of Permit to Install Application 14-05982 to Modify Permit to
Install 18-080 for Miller Breweries East Inc.

Public notice is hereby given that on **February 1, 2008** the Director of the Ohio Environmental Protection Agency has issued a proposed action denying a request to modify Permit To Install (PTI) 18-080 originally issued September 13, 1979, and modified July 26, 1982, under Permit to Install Application 14-05982.

Miller Breweries East Inc. operates a commercial brewery facility for the brewing and packaging of beer located in Butler County at 2525 Wayne Madison Road, Trenton, Ohio. The brewery was constructed under the requirements of Prevention of Significant Deterioration (PSD) for emissions of nitrogen oxides, sulfur dioxide, and total suspended particulate, including the application of Best Available Control Technology (BACT), as specified in PTI 18-080.

On August 23, 2007, Miller Breweries East submitted a request for a permit modification to replace a foam suppression particulate control system on their coal handling operations with use of total and/or partial enclosures to control particulate emissions. The foam suppression system requirement was specified in PTI No. 18-080 as BACT, which demonstrated that installing such control equipment was technically feasible and economically reasonable. Ohio Administrative Code (OAC) rule 3745-31-15 (C) requires BACT to be applied. Information contained in the US EPA BACT/LAER Clearinghouse database and information supplied by the applicant does not support the use of total and/or partial enclosures as BACT for the control of particulate emissions from coal handling operations. Therefore, the Director has proposed to deny the modification request to remove the foam suppression control requirement from the permit.

This denial is issued as a proposed action, pursuant to Ohio Revised Code Section 3745.07. The signed Order of the Director will become final on **March 3, 2008** unless Miller Breweries East or a citizen objector files an appeal requesting an adjudication hearing within thirty (30) days of the date of issuance, as provided by Section 3745.07 of the Ohio Revised Code. Requests for hearings shall be in writing and shall specify the issues of fact and law to be contested. Requests for hearings shall be sent to the Hearing Clerk, Ohio EPA, P.O. Box 1049, Lazarus Government Center, Columbus, Ohio, 43216-1049.

PUBLIC NOTICE

OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT

On January 30, 2008, Ohio EPA issued a final class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Von Roll America, Inc. for its facility at 1250 St. George Street, East Liverpool, Ohio 43920-3400. The EPA Identification Number for this facility is OHD980613541.

Why is Von Roll America, Inc. modifying its Permit?

Von Roll America, Inc. is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. Von Roll America, Inc. requests to add a new compressed gas waste stream to their permit. The compressed gas mixture will be accepted, staged and treated through the incineration system. This final modified permit will allow Von Roll America, Inc. to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

Can I appeal this final modified Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this final modified Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than **March 1, 2008**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: **Environmental Review Appeals Commission**, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: **Chris Korleski, Director of Ohio EPA**, P.O. Box 1049, Columbus, Ohio 43216-1049.

Columbiana and Jefferson Counties

Date of Public Notice: January 25, 2008

PUBLIC NOTICE NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project involving the transformation of coal and other biomass to liquid fuel via a coal gasification process. Once constructed, the plant will produce an estimated 52,000 barrels per day of liquid fuel. The combustion gas and steam produced by the coal gasification process will be utilized at an onsite cogeneration plant that will produce enough electric power to operate the plant as well as an electric surplus which will be exported to the adjacent power grid. The application was submitted by Ohio River Clean Fuels, LLC. The project is located at Sixteen School Road, west of Ohio State Route 7, south of Wellsville in Columbiana County, and extending south into Jefferson County. The Pittsburgh District Corps of Engineers Public Notice Number for this project is 08-01. The Ohio EPA ID Number for this project is 083293.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), a total of 8 off-site and 7 on-site alternatives have been submitted for the project. The applicant's preferred alternative, which is listed in the application as the Minimal Degradation Alternative, if approved, proposes impacts to 24 streams with combined impacts to 8,745 linear feet of streams (of which 2,258 feet are isolated) - 2,749 linear feet of perennial streams, 4,296 linear feet of intermittent streams, and 1,701 linear feet of ephemeral streams, 12 non-forested wetlands with combined impacts to 1.71 acres of wetlands (of which 1.52 acres are isolated) - 1.45 acres of Category 2 wetlands and 0.26 acres of Category 1 wetlands, and 0.29 acres of 2 open water ponds. Mitigating for these impacts will be the rehabilitation and protection of Rocky Run and a portion of its tributaries totaling approximately 13,118 linear feet, along with the onsite creation of a 2.75-acre wetland, incorporating a small open water portion to offset impacts to the onsite ponds. Mitigation on Rocky Run will involve exclusion fencing, flood plain seeding/planting, vernal pool enhancement, wetland enhancement, and sediment trap/wetland creation areas along Rocky Run. All mitigation projects will be performed onsite. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The applicant developed a total of seven on-site alternatives, starting with the Maximum

Degradation Alternative (proposed impacts to 14,537 linear feet of streams, 1.92 acres of wetlands, and 1.08 acres of ponds) and ending with their design of the Minimum Degradation Alternative/Preferred Site Plan. The other five alternatives represent varying amounts of impacts to surface water resources; in a trend to reduce impacts from the Original Site Plan before finalizing the Minimum Degradation Alternative/Preferred Site Plan.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of unnamed tributaries to Rocky Run and the Ohio River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting January 25, 2008, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001 or online at www.epa.state.oh.us/dsw/permits/OhioRiverCleanFuels.html. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on April 17, 2008 at 6:00 p.m. at Wellsville High School located at 929 Center Street, Wellsville, OH 43968. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on April 24, 2008. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or requests to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
BRANDEN-SUTPHIN INK COMPANY**

On January 23, 2008, Ohio EPA issued final Findings and Orders to the Branden-Sutphin Ink Company for its facility located at 3650 East 93rd Street, Cleveland, Ohio 44105. This facility caused the transportation of hazardous waste to a facility unpermitted to treat such waste. The U.S. EPA I.D. number for this facility is OHD004198933.

Branden-Sutphin Ink Company must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

Date of Public Notice: February 7, 2008

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit (2PC00001). The application was submitted by the Erie County Department of Environmental Services, P.O. Box 469, Huron, Ohio 44839.

The Erie County Department of Environmental Services is requesting to incorporate Mercury variance final effluent limits at the Huron Basin Wastewater Treatment Plant located at 554 River Road, Huron, Erie County, Ohio. The proposed discharges are to the Huron River to Lake Erie.

Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of the Huron River to Lake Erie. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1, will not be exceeded. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality.

Copies of the pending NPDES application are available for review at Ohio EPA's Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, (419) 352-8461. An Ohio EPA public hearing on the proposed project has been scheduled for 6:30 p.m. on March 25, 2008, at the Huron City Council Chambers, 417 Main Street, Huron, Ohio 44839. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information

that will be considered by the director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on April 1 , 2008. Comments received after this date may not be considered as part of the official record.

Date of Public Notice: January 29, 2008

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project that includes the construction of a set of marine ways at a new barge construction and repair facility in Lawrence County, Ohio. These marine ways will provide access to the Ohio River, to lower barges into the river from the facility. This facility is being constructed on an 18-acre tract of land on the right-descending bank of the Ohio River (river milepost 320.3) about 4 miles north (downstream) of South Point, Lawrence County, Ohio. The application was submitted by McGinnis, Incorporated, of South Point, Ohio. The Huntington, West Virginia, District Corps of Engineers Public Notice Number for this project is 2002-1390-OHR. The Ohio EPA ID Number for this project is 073201

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would entail the construction of a set of concrete marine ways that would fill in 0.7 acres in the Ohio River. The minimal degradation alternative includes the emplacement of a series of pilings through the sediments on the bottom of the Ohio River and into the underlying bedrock. A metal framework will be constructed on the pilings, on which carriage dolly tracks will be attached. The framework and tracks will be positioned in the water column of the river, such that these features will not touch the river bottom. Barges will be moved into the river on the carriages. The only contact between the marine ways and the river bottom will be the pilings, which amount to a cumulative total area of 150 square ft spread over a total area of 30,000 square ft. A non-degradation alternative would require that the marine ways not be constructed. McGinnis, Inc. seeks authorization of the minimal degradation alternative.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting January 29, 2008, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA'S consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

Date of Public Notice: February 7, 2008

**PUBLIC NOTICE
NOTICE OF RECEIPT OF ISOLATED WETLAND PERMIT
APPLICATION (LEVEL 2)**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, an Isolated Wetland Permit (Level 2) for a project to construct 2 warehouse type structures and associated attendant features, including ingress /egress driveways, heavy truck loading areas, roads, stormwater management system, utilities and parking. The application was submitted by ProLogis, 4545 Airport Way, Denver, CO 80239. The project is located at 11819 National Road, Etna Township, Licking County, Ohio. The Ohio EPA Number for this project is 073269.

The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Ohio Revised Code (ORC) Sections 6111.02 to 6111.028 and other applicable provisions of state laws. Other alternatives as proposed by the applicant resulting in less adverse impact to the isolated wetland ecosystem will be considered by Ohio EPA during the review process.

Starting February 7, 2008, copies of the application and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 20 days of the date of this public notice.

**Ohio EPA PA No. 06-279 PW
Ohio Environmental Protection Agency Draft Plan Approval**

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 08-02-016
Date of Issue of Public Notice: February 6, 2008

Name and Address of Applicant: Mr. Darrin Carpenter, Village Administrator, PO Box 307,
Malta, Ohio 43758, Morgan County

Name and Address of Facility Where Discharge Occurs: Village of McConnelsville WWTP,
State Route 376, McConnelsville, Ohio, 43756

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Combined Sewer Overflow Long-Term Control Plan Sanitary Sewer Separation for the Village of Malta. The plan is for elimination of all eight (8) remaining combined sewer overflow locations by constructing a new separated collection system. The estimated cost of the plan is \$2,605,486. Construction of the project is to be completed by March 1, 2018. The Combined Sewer Overflow Long-Term Control Plan Sanitary Sewer Separation, which was received by Ohio EPA on January 23, 2006 in accordance with requirements contained in NPDES permit number 0PA00095*CD, contains an implementation schedule that will be included in the Village's NPDES permit upon renewal.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In

appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, PO Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Southeast District Office, 2195 Front Street, Logan, OH 43138. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH 43138, by first calling, (740) 385-8501 to make an appointment.

Date of Public Notice: January 29, 2008

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project that includes construction of a 480 x 800 feet manufacturing facility and a 120 x 300 feet office building as additions to the existing manufacturing facility. The application was submitted by Gorman-Rupp Company, 305 Bowman Street, Mansfield, OH 44901. The project is located at the southwest quadrant of State Route 13 and South Airport Road in Mansfield, Ohio 44903. The Huntington District Corps of Engineers Public Notice Number for this project is 2007-44-MUS. The Ohio EPA ID Number for this project is 073131.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in impacts to 1,280 linear of Modified Class II intermittent stream, 1,320 linear feet of Class I ephemeral stream and 0.07 acres Category 1 emergent fringe wetland. The applicant's proposed minimal degradation alternative, if approved, would result in impacts to 900 linear of Modified Class II intermittent stream and 300 linear feet of Class I ephemeral stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of one (1) emergent fringe wetland and four (4) unnamed tributaries of Rocky Fork in the Mohican Watershed. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting January 29, 2008, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite

700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
QUAKER CHEMICAL CORP**

On January 25, 2008, Ohio EPA issued final Findings and Orders to Quaker Chemical Corporation for its facility located at 3431 Yankee Road, Middletown, Ohio 45044. This facility is a large quantity generator of hazardous waste and stored such waste without a permit for greater than ninety (90) days. The U.S. EPA I.D. number for this facility is OHD101486116

Quaker Chemical Corporation must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.