

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on March 12, 2008, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on March 12, 2008; the director of Ohio EPA issued an amended infectious waste transporter certificate to Medical Waste Recovery Inc, 2069 Fletcher Ave, Fort Lee, NJ 07024, Reg. No. 00-T-00302. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL OF LABORATORY CERTIFICATION UNDER OHIO'S VOLUNTARY  
ACTION PROGRAM**

Notice is hereby given that on March 7, 2008, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a renewal of laboratory certification to GEOAnalytical, Inc., of 9263 Ravenna Road, Twinsburg, Ohio. The certification number assigned to GEOAnalytical, Inc., remains CL0008.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL OF LABORATORY CERTIFICATION UNDER OHIO'S VOLUNTARY  
ACTION PROGRAM**

Notice is hereby given that on March 7, 2008, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a renewal of laboratory certification to TestAmerica Laboratories, Inc. ("TestAmerica"), of 4101 Shuffel Drive, NW, North Canton, Ohio. The certification number assigned to TestAmerica remains CL0024.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**Date of Public Notice: March 14, 2008**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to place fill materials into waters of the United States in conjunction with surface mining activities to extract limestone at the IM-2299(Shugert) mine site. The application was submitted by Egypt Valley Stone LLC, P.O. Box 188, Morristown, Ohio 43759. The project is located at Section 3, T-9, R-6 of Kirkwood Township and Section 33, T-9, R-6 of Union Township, Belmont County, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2007-46-TUS. The Ohio EPA ID Number for this project is 083323.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 0.20 acres of jurisdictional wetland. The applicant's proposed minimal degradation alternative, if approved, would also impact 0.20 acres of jurisdictional wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary of Stillwater Creek. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting March 14, 2008, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO  
CLEAN HARBORS ENVIRONMENTAL SERVICES**

On March 10, 2008, Ohio EPA issued final Findings and Orders to Clean Harbors Environmental Services, Inc. its facility located at 12900 Rockefeller Avenue, in Cleveland, Ohio. This facility was a large quantity generator of hazardous waste and caused the transportation of such waste to an unpermitted disposal facility. The EPA I.D. number for this facility is OHD000724153.

Clean Harbors Environmental Services, Inc. must achieve compliance with Chapter 3734 of the Ohio Revised Code and all corresponding regulations according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO  
CLEAN WATER, LTD**

On March 7, 2008, Ohio EPA issued final Findings and Orders to Clean Water, LTD. This company is the prospective owner and operator of a permitted hazardous waste facility located at 300 Cherokee Drive, in Dayton, Ohio currently owned by Permafix of Ohio, Inc. The EPA I.D. number for this facility is OHD005041132.

Clean Water, LTD is exempt from the requirement to file a disclosure statement at least 180 days prior to the date of the proposed change in ownership of the facility. Clean Water, LTD shall comply with all other applicable requirements of Ohio Revised Code Chapter 3734. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**Ohio EPA PA No. 06-282**

**Ohio Environmental Protection Agency Draft Plan Approval**

**PUBLIC NOTICE**

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
50 West Town Street, Suite 700  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 08-03-051  
Date of Issue of Public Notice: March 19, 2008

Name and Address of Applicant: Mr. John A. Wells, Mayor, 9 West Main Street,  
McConnelsville, Ohio 43656, Morgan County

Name and Address of Facility Where Discharge Occurs: Village of McConnelsville WWTP,  
State Route 376, McConnelsville, Ohio, 43756

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Long Term Control Plan for Combined Sewer Overflows for the Village of McConnelsville. The plan is for elimination of all combined sewer overflow locations by constructing a new separated collection system. The estimated cost of the plan is \$2.9 million. Construction of the project is to be completed by December 31, 2017. The Long Term Control Plan for Combined Sewer Overflows, which was received by Ohio EPA on June 23, 2006 in accordance with requirements contained in NPDES permit number OPC00000\*FD and revised on September 27, 2007 and December 17, 2007, contains an implementation schedule that will be included in the Village's NPDES permit upon renewal.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public

hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Southeast District Office, 2195 Front Street, Logan, OH 43138. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH 43138, by first calling, (740) 385-8501 to make an appointment.

**Date of Public Notice: March 6, 2008**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to install a raw water intake structure into the Sandusky River. The application was submitted by the City of Clyde, 222 North Main Street, Clyde, Ohio 43410. The project is located at County Rt. 34 just east of Old Fort, Seneca County, Ohio. The Ohio EPA ID Number for this project is 073263.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would be to open cut the raw water intake piping across the Sandusky Riverbed and install a stone cofferdam to hold back the water during the installation. The applicant's proposed minimal degradation alternative, if approved, would be to directional bore the raw water intake piping, which would not require the stone cofferdam or digging a trench in the riverbed. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Sandusky River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the director of Ohio EPA.

Starting March 6, 2008 copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on April 22, 2008 at 6:30 p.m. at the Old Fort High School Commons, 7635 County Rd. 51, Old Fort, Ohio 44861. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on April 29, 2008. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on April 29, 2008.

**Date of Public Notice: March 12, 2008**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a proposed surface mining project. The application was submitted by Sands Hill Mining, LLC, 38701 State Route 160, and P.O. Box 650 Hamden, Ohio 45634. The Big Valley mine is a 326 acre site located in Sections 25, 30, 31, and 36 of Vinton and Wilkesville Townships in Vinton County, Ohio, south of the Village of Radcliff, bounded by State Route 32 to the north and Township Road 22 to the west. The proposed project, if approved, would extract the No. 4A, 5, 6, and No. 7 coal seams using conventional surface and auger mining methods. In addition limestone is proposed to be extracted from one seam. The Huntington District of the U.S. Army Corps of Engineers public notice number is 2001-00407. The Ohio Department of Natural Resources application number for this project is D-2114. The Ohio EPA ID Number for this project is 083325.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would produce approximately 2,514,036 tons of coal while surface and auger mining approximately 326 acres. Total impacts under this alternative would affect 2,352 linear feet of intermittent and ephemeral streams and 0.06 acre of wetland. The applicant's proposed minimal degradation alternative, if approved, would impact 1,003 feet of streams and 0.06 acre of wetlands. The minimal degradation alternative would result in the production of 2,354,866 tons of coal. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of unnamed, intermittent and ephemeral stream tributaries to Rockcamp Run, which is tributary to Raccoon Creek in the Southeast Ohio River drainage basin (HUC 05090101 040). The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in

lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1-05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting March 12, 2008 copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**Date of Public Notice: March 8, 2008**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct a new water intake structure on the Maumee River. The application was submitted by the City of Bowling Green, 304 North Church Street, Bowling Green, Ohio 43402. The project is located at their existing water treatment plant location at 17549 West River Road, Bowling Green, OH 43402. The Buffalo District Corps of Engineers Public Notice Number for this project is 2007-01693. The Ohio EPA ID Number for this project is 073286.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct new intake and outfall structures in the Maumee River. The structures will impact 0.084 acres of riverine fringe wetland. The impacted wetlands will be restored after construction. The applicant's proposed minimal degradation alternative, if approved, would construct a new headwall for a new intake. The headwall would permanently fill 0.01 acres of riverine fringe wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Maumee River. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by 3745-1 -05 of the Antidegradation Rule apply or may be granted by the Director of Ohio EPA.

Starting March 8, 2008, copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, P.O. Box 1049, Columbus, Ohio

43216-1049 by first calling (614) 644-2001. Applications can be made available at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on April 29, 2008 at 6:30 p.m. at the Ohio EPA Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on May 6, 2008. Comments received after this date may not be considered as part of the official recording of the hearing.