

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on March 27, 2008, the director of Ohio EPA issued an amended infectious waste generator certificate to Talecris Plasma Resources Inc, 79 TW Alexander Dr, 4101 Research Commons, Research Triangle Park, NC 27709, ID No.: 00-G-01507. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE**

**Natural Resource Trustees Release Draft Initial Natural Resource Restoration Plan and Environmental Assessment for the Ashtabula River and Harbor Site, Ashtabula, Ohio  
Public Meeting to be held**

The natural resource trustees (U. S. Fish and Wildlife Service, Ohio EPA and the National Oceanic and Atmospheric Administration) hereby announce the availability of the Draft Initial Natural Resource Restoration Plan and Environmental Assessment for the Ashtabula River and Harbor Site, Ashtabula, Ohio. The purpose of this document is to present the trustees' preferred alternative to accomplish the goal of restoring, rehabilitating, replacing and/or acquiring the equivalent of those resources which have been injured by releases of hazardous substances within the Ashtabula River and Harbor assessment area.

The trustees will hold a public meeting on April 22 at 7:00 P.M. at the Lakeside High School, 6600 Sanborn Road in Ashtabula, Ohio. The public meeting will begin with the presentation of the Plan and an information session during which the trustees will also answer any questions.

In addition, the trustees will accept written comments through April 30, 2008. Anyone may submit written comments on the Plan by writing to Regan Williams, Site Coordinator, Ohio EPA NEDO, 2110 East Aurora Road, Twinsburg, Ohio 44087, or via fax at (330) 487-0769, or via e-mail at [Regan.Williams@epa.state.oh.us](mailto:Regan.Williams@epa.state.oh.us). The trustees will consider all comments submitted during the public notice period before taking a final action.

A copy of the Plan is available for review and comment at the <http://www.fws.gov/midwest/AshtabulaNRDA> Web Page, or by contacting Regan Williams via e-mail at [Regan.Williams@epa.state.oh.us](mailto:Regan.Williams@epa.state.oh.us) or by phone at (330) 963-1210.

**Date of Public Notice: March 12, 2008**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to reconstruct Runway Safety Areas (RSA) at both ends of Runway 8/26 at the Ashtabula County Airport. The application was submitted by the Ashtabula County Airport Authority, 2382 Airport Road, Jefferson, Ohio 44047. The project is located at 2382 Airport Road, Jefferson, Ashtabula County, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is 2005-1342. The Ohio EPA ID Number for this project is 073124.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, will fill a total of 1,276 linear feet of stream and 14.9 acre of wetlands. The applicant's proposed minimal degradation alternative, if approved, would involve shifting Runway 8/26 to the southwest and would involve impacting 1,459 linear feet of stream channel and 12.2 acres of wetlands. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Griggs Creek, in the Grand River Watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting March 12, 2008, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE**

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO  
MOLDED FIBER GLASS COMPANIES**

On March 13, 2008, Ohio EPA issued final Findings and Orders to Molded Fiber Glass Companies for its facility located at 2925 MFG Place, Ashtabula, Ohio 44005. This facility is a large quantity generator of hazardous waste and transported or caused such waste to be transported to an unpermitted treatment facility. The EPA I.D. number for Molded Fiber Glass Companies is OHD153745138.

Molded Fiber Glass Companies must achieve compliance with Chapter 3734 of the Ohio Revised Code and the regulations promulgated thereunder according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**Clark, Coshocton, Delaware, Fairfield, Franklin, Hardin, Licking,  
Logan, Lucas, Meigs, Mercer, Muskingum, Ottawa, Paulding, Ross,  
Stark, Summit, Union, Van Wert, Washington, Wood, and  
Wyandot Counties**

**PUBLIC NOTICE  
ISSUANCE OF PREAPPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT SOURCES FOR  
SIDWELL MATERIALS, INC.**

Ohio EPA has received a request to pre-approve relocation of the following portable air contaminant sources owned and operated by Sidwell Materials, Inc to the following locations as identified below.

Ohio EPA believes that the identified operations will not cause appreciable degradation of the air quality in the area surrounding the subject site(s) and therefore approves the site(s) listed below, pursuant to Ohio Administrative Code (OAC) rule 3745-31-05(E). Relocation of any source to any of the listed sites requires the permittee to submit a notification to Ohio EPA at least fifteen (15) days prior to relocation of the source.

Facility ID	Facility Name	Facility Description	PTI #	Issued
0660950006	TriSon Screen Plant	Aggregate Screener	06-07965	6/22/2006
0660950007	Irock RDS-20 Crusher	Aggregate Crusher	06-07702	4/19/2005
0660950012	Eljay Crusher	Aggregate Crusher	06-07964	6/22/2006
0660950013	CEC-Minyu Crusher	Aggregate Crusher	06-07966	6/22/2006
0660950014	Irock 300 Crusher	Aggregate Crusher	06-08028	3/16/2006
0660950015	Chieftain 1400 Power Screen	Aggregate Screener	06-07255	11/18/2003
0660950016	Eljay Horizontal Screen Plant	Aggregate Screener	06-08029	4/27/2006
0660950017	Irock 150 Crusher	Aggregate Crusher	06-08032	6/15/2006
0660950019	HP200 Cone Crusher	Aggregate Crusher	06-08092 and 06-06830	6/15/06 and 6/20/02
0660950022	Irock 450 TPH Crusher	Aggregate Crusher	17-1583 and 06-08123	12/3/98 and 6/15/06
0660950027	Hazmag Crusher	Aggregate Crusher	13-03400	6/28/2001
0660960023	3406 CAT Generator	Diesel Generator	06-07790	6/16/2005
0660960044	3412 CAT Generator	Diesel Generator	06-07857	9/20/2005
0660960045	3456 CAT Generator	Diesel Generator	06-07856	9/20/2005
0660960046	3456 CAT 2 Generator	Diesel Generator	06-07863	9/8/2005
0660960055	3508 CAT Generator	Diesel Generator	06-08180	12/14/2006
0660970002	McNeilus Concrete Plant	Concrete Batch Plant	06-07573	7/29/2004
0660970004	Zanesville Plant #2	Concrete Batch Plant	06-06763	4/11/2002
0660970006	Zanesville Plant #4	Concrete Batch Plant	06-07449	3/23/2004

Proposed sites:

Name of Site	Street Address	City	County
Shelly-Mechanicsburg	5441 Casey Rd.	Mechanicsburg	Clark
Shelly-Springfield Sand and Gravel	4301 S. Charleston Pike	Springfield	Clark
Shelly-Coshocton	45500 County Rd. 23	Coshocton	Coshocton
Shelly- Ostrander Quarry	8328 Watkins Rd.	Ostrander	Delaware
Shelly- Lancaster Sand and Gravel	3232 Logan-Lancaster Rd.	Lancaster	Fairfield

Shelly- Westerville	6715 Westerville Rd.	Westerville	Franklin
Shelly-Columbus Limestone	3300 Jackson Pike	Grove City	Franklin
Shelly- Lockbourne	433 London Groveport Rd.	Lockbourne	Franklin
Shelly-Marblecliff	2650 Old Dublin Rd.	Hilliard	Franklin
Shelly- Tri-County Quarry	4664 Hardin-Marion Rd.	Kenton	Hardin
Shelly- Hardin Quarry	12484 State Route 701	Kenton	Hardin
Shelly- Alexandria	1400 Tharp Rd.	Alexandria	Licking
Shelly- St. Louisville	6824 Mt. Vernon Rd.	Newark	Licking
Shelly- Belle Center	1558 County Rd. 105	Belle Center	Logan
Shelly- East Liberty	4704 S. State Route 292	Zanesfield	Logan
Stoneco, Inc- Lime City Quarry	8812 Freemont Pike	Perrysburg	Lucas
Stoneco, Inc.- Maumee Quarry	1360 Ford St.	Maumee	Lucas
Shelly-Racine	49947 State Route 338	Racine	Meigs
Stoneco, Inc.-Celina	6430 Karch Rd.	Celina	Mercer
Shelly-East Fultonham Quarry	6305 Saltillo Rd.	East Fultonham	Muskingum
Shelly- Dresden	1985 Memorial Drive	Dresden	Muskingum
Stoneco, Inc.-Rocky Ridge Quarry	3017 N. State Route 590	Graytown	Ottawa
Stoneco, Inc. - White Rock	3800 Bolander Rd.	Clay Center	Ottawa
Stoneco, Inc. - Auglaize	13762 County Road 179	Oakwood	Paulding
Shelly-Chillicothe Sand and Gravel	1177 Hopetown Rd	Chillicothe	Ross
Shelly- Allied Corp.	3848 Erie S.W.	Massillon	Stark
Shelly- Jefferson Materials	8505 State Route 14	Streetsboro	Summit
Shelly- York Center	20620 Spangler Rd.	West Mansfield	Union
Stoneco, Inc.- Scott Quarry	2364 Ritchie Rd.	Convoy	Van Wert
Shelly- Willow Island	31330 State Route 7	Marietta	Washington
Stoneco, Inc.-Portage	11580 S. Dixie Highway	Portage	Wood
Stoneco, Inc.- Wyandot Dolomite	1794 County Rd. 99	Carey	Wyandot

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.  
Michael Carper, Ohio EPA Southeast District Office, 740-385-8501.

**Date of Public Notice: March 31, 2008**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to modify four low head dams via the construction of by-pass and grade control structures, stream bank stabilization for recreational and aquatic habitat enhancement. The application was submitted by Springfield Conservancy District, 515 N. Fountain Ave, Springfield, OH 45504. The project is located along approximately 4.5 miles of Buck Creek downstream of the Clarence Brown Reservoir to just above the confluence of the Mad River and on Beaver Creek above the confluence with Buck Creek. The Huntington District of the U.S. Army Corps of Engineers Number for this project is LRH-2006-535-GMR. The Ohio EPA ID Number for this project is 052443.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would authorize impacts to 1,675 linear feet of stream. The applicant's proposed minimal degradation alternative, if approved, would authorize impacts to 1,430 linear feet of stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Buck Creek watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting March 31, 2008, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 W. Town Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**PUBLIC NOTICE**

**OHIO EPA ISSUES TEMPORARY AUTHORIZATION**

On March 20, 2008, Ohio EPA issued a temporary authorization to Safety-Kleen Systems, Inc. (Safety-Kleen) for its facility located at 581 Milliken Drive SE, Hebron, Ohio 43025. The EPA Identification Number for this facility is OHD980587364.

**Why does Safety-Kleen need this temporary authorization?**

Safety-Kleen is permitted to store hazardous waste at its facility in Hebron, Ohio. On February 5, 2008, Safety-Kleen submitted a Class 3A modification to its Hazardous Waste Permit requesting to transfer ownership of the facility from Safety-Kleen to Clean Harbors Recycling Services of Ohio, LLC (Clean Harbors). The temporary authorization provides this change prior to the issuance of the Class 3A permit modification. This permit modification request is currently under review.

**Can I appeal this temporary authorization?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this temporary authorization you have the right to appeal this decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final temporary authorization, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than April 28, 2008. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Chris Korleski, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Ohio EPA PA No. 06-282**

**Ohio Environmental Protection Agency Draft Plan Approval**

**PUBLIC NOTICE**

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency  
Permits Section  
50 West Town Street, Suite 700  
P.O. Box 1049  
Columbus, Ohio 43216-1049  
(614) 644-2001

Public Notice No. 08-03-051  
Date of Issue of Public Notice: March 19, 2008

Name and Address of Applicant: Mr. John A. Wells, Mayor, 9 West Main Street, McConnelsville, Ohio 43656, Morgan County

Name and Address of Facility Where Discharge Occurs: Village of McConnelsville WWTP, State Route 376, McConnelsville, Ohio, 43756

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Long Term Control Plan for Combined Sewer Overflows for the Village of McConnelsville. The plan is for elimination of all combined sewer overflow locations by constructing a new separated collection system. The estimated cost of the plan is \$2.9 million. Construction of the project is to be completed by December 31, 2017. The Long Term Control Plan for Combined Sewer Overflows, which was received by Ohio EPA on June 23, 2006 in accordance with requirements contained in NPDES permit number OPC00000\*FD and revised on September 27, 2007 and December 17, 2007, contains an implementation schedule that will be included in the Village's NPDES permit upon renewal.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box

1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Southeast District Office, 2195 Front Street, Logan, OH 43138. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH 43138, by first calling, (740) 385-8501 to make an appointment.

PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT SOURCE FOR  
**Mar Zane Portable Generator 4 (0660960059)**

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of an 80 HP portable diesel generator permitted under PTI # 06-08217 issued on January 23, 2007. The air contaminant source is currently located at Shelly Materials, Inc., 26689 US Route 35, Chillicothe, OH, and is authorized to move to Belpre Sand and Gravel, 320 Cemetery Road, Little Hocking, Ohio upon the issuance of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.  
Bruce Weinberg, 2195 Front Street, Logan, Ohio 43138-8687, Phone: 740-380-5257.

PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT SOURCE FOR  
**Mar Zane Portable Generator 2 (0660960013)**

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of an 80 HP portable diesel generator permitted under PTI # 06-07473 issued on August 24, 2004. The air contaminant source is currently located at Shelly Materials, Inc., 26689 US Route 35, Chillicothe, OH, and is authorized to move to Belpre Sand and Gravel, 320 Cemetery Road, Little Hocking, Ohio upon the issuance of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, Ohio 43215

All inquiries concerning this action may be directed to the contact identified below.  
Bruce Weinberg, Ohio EPA Southeast District Office, Division of Air Pollution Control, 2195 Front Street,  
Logan, Ohio 43138-8687, Phone: 740-380-5257.

PUBLIC NOTICE  
ISSUANCE OF APPROVAL TO RELOCATE A PORTABLE AIR CONTAMINANT SOURCE FOR  
**MAR-ZANE PLANT 10 (0660010027)**

Ohio EPA has received a request to relocate a portable air contaminant source for the company identified above. Upon review of the request, the Director has approved the relocation of the 290 TPH Drum Mix Asphalt Plant and associated equipment permitted under PTI 06-06871, issued on May 23, 2002, PTI 06-07223, issued on October 23, 2003, and PTI 06-06494, issued on September, 23, 2004. The air contaminant source is currently located at Shelly Materials Inc., 26689 US Route 35, Chillicothe, OH and is authorized to move to Belpre Sand and Gravel, 320 Cemetary Road, Little Hocking, OH upon the issuance of this notice.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 S. Fourth Street  
Room 222  
Columbus, OH 43215

All inquiries concerning this action may be directed to the contact identified below.  
Bruce Weinberg, Ohio EPA Southeast District Office, Division of Air Pollution Control, 2195 Front St., Logan, OH 43138. (740) 380-5257.