

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
INITIAL CERTIFICATION OF ENVIRONMENTAL PROFESSIONAL
UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on July 14, 2008, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued an initial "certified professional" certification to: **Mr. Stephan W. Ryder CP317**. The issuance of the certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission"). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, OH 43215.

If you would like to review a copy of the certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Rosemount Analytical, Inc. – Rosemount Analytical, Inc. Property

Notice is hereby given that on July 23, 2008, the Director of the Ohio Environmental Protection Agency (“Ohio EPA”), pursuant to Ohio Revised Code (“ORC”) Chapter 3746 and Ohio Administrative Code (“OAC”) Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Rosemount Analytical, Inc. for the property identified as the Rosemount Analytical, Inc. property (the “Property”).

Rosemount Analytical, Inc. conducted a voluntary action of the approximately 8.41 acre-Property located at 1201 North Main Street, Orrville, Wayne County, Ohio. A no further action letter was submitted on December 10, 2007 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Rosemount Analytical, Inc. by Mr. John A. Simon, a Certified Professional (No. CP152), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

The issuance of the Covenant Not to Sue/Final Findings and Orders is a final action of the Director. The action may be appealed to the Environmental Review Appeals Commission (“Commission”). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. (See ORC 3745.04 and 3745.07). A copy of the appeal must be served on the Director within three (3) days after the appeal is filed with the Commission. The appeal may be filed with the Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Ohio EPA PA No. 654980

Ohio Environmental Protection Agency Draft Plan Approval

PUBLIC NOTICE

Draft Plan Approval for wastewater treatment and/or disposal facilities

Ohio Environmental Protection Agency
Permits Section
50 West Town Street, Suite 700
P.O. Box 1049
Columbus, Ohio 43216-1049
(614) 644-2001

Public Notice No. 08-07-066
Date of Issue of Public Notice: July 31, 2008

Name and Address of Applicant: Carol Petrachkoff, Chairperson of Board of Public Affairs,
203 North Market Street, Lisbon, Ohio 44432, Columbiana County

Name and Address of Facility Where Discharge Occurs: From the combined sewer
overflows located within the Village of Lisbon service area along Little Beaver Creek

Public notice is hereby given that Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has issued a draft plan approval for the Long Term Control Plan for Combined Sewer Overflows for the Village of Lisbon. The plan is for elimination of all combined sewer overflow locations by constructing a new separated collection system. The estimated cost of the plan is \$4.9 million. Construction of the project is to be completed by December 31, 2020. The Long Term Control Plan for Combined Sewer Overflows, which was received by Ohio EPA on June 25, 2007 in accordance with requirements contained in NPDES permit number 3PA00034*AD and revisions received on October 10, 2007, February 28, 2008, and May 2, 2008, contains an implementation schedule that will be included in the Village's NPDES permit upon renewal.

Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the plan is issued as final. Any person may submit written comments on the draft plan and administrative record and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where

there is significant public interest, the director may hold a public hearing on a draft plan or plans prior to final issuance of the plan or plans. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Northeast District Office, 2110 East Aurora Road, Twinsburg, OH 44087. Comments received after this date may not be considered by the Director before issuing the final plan.

Copies of the draft Plan and technical support information may be reviewed and/or copies made at the Ohio EPA Northeast District Office, 2110 East Aurora Road, Twinsburg, OH 44087, by first calling, (330) 963-1200 to make an appointment.

PUBLIC NOTICE

OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT

On July 25, 2008, Ohio EPA issued a final class 2 modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Heritage-WTI, Inc., fka Von Roll America, Inc. for its facility at 1250 St. George Street, East Liverpool, Ohio 43920-3400. The EPA Identification Number for this facility is OHD980613541.

Why is Heritage-WTI, Inc. modifying its Permit?

Heritage-WTI, Inc., is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. Von Roll America, Inc. requests to: 1) install additional fire detection/suppression equipment and modify the current system in order to accommodate the proposed waste management activities; 2) modify containment to accommodate the storage of incompatibles; 3) install vapor recovery and ventilation systems, and; 4) make upgrades to wiring/electrical. This final modified permit will allow Heritage-WTI, Inc., to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

Can I appeal this final modified Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this final modified Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than **August 27, 2008**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Chris Korleski, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE

**OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
POLY-CARB, INC.**

On July 21, 2008, Ohio EPA issued final Findings and Orders to Poly-Carb, Inc. for its facility located at 33095 Bainbridge Road, Solon, Ohio 44139. This facility is a small large quantity generator of hazardous waste and transported or caused to be transported such waste to an unpermitted treatment facility. The EPA I.D. number for Poly-Carb, Inc. is OHD074550096.

Poly-Carb, Inc. must achieve compliance with Chapter 3734 of the Ohio Revised Code and the regulations promulgated thereunder according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**Delaware, Fairfield, Franklin, Licking,
Pickaway, and Union Counties**

Date of Public Notice: July 25, 2008

**PUBLIC NOTICE
ISSUANCE OF PROPOSED MODIFICATIONS TO NPDES PERMITS
AND DRAFT PLAN APPROVAL**

Notice is hereby given that on July 25, 2008, the Director of the Environmental Protection Agency issued proposed modifications to National Pollutant Discharge Elimination System (NPDES) permits 4PF00000 and 4PF00001 to the City of Columbus, 910 Dublin Road, Columbus, Ohio 43215, for the discharges from the Jackson Pike Wastewater Treatment Plant located at 2104 Jackson Pike, Columbus, Franklin County, Ohio, and the Columbus Southerly Wastewater Treatment Plant located at 6977 South High Street, Lockbourne, Franklin County, Ohio, and points within their sewerage collection systems. The purpose of the modifications is to add a special condition to the NPDES permits that addresses the approval and implementation of the City of Columbus Wet Weather Management Plan. "Proposed Actions" are written statements of the Director's intent with respect to the issuance, denial, modification, revocation or renewal of a permit, license or variance. An adjudication hearing may be held on a proposed action if a hearing request or objection is received by OEPA within 30 days of issuance of the proposed action. Adjudication hearing requests must be sent to: Hearing Clerk, Ohio Environmental Protection Agency, P.O. Box 1049, Columbus, Ohio 43216-1049 (Telephone: 614-644-2129).

Public notice is hereby given that on July 25, 2008 the Director of the Environmental Protection Agency issued a draft plan approval for the Wet Weather Management Plan for the City of Columbus. The plan is for reducing discharges from the City's combined sewer overflow and sanitary sewer overflow locations by constructing improvements to the sewerage collection and treatment system. The estimated cost of the plan implementation is approximately 2.5 billion dollars. The Wet Weather Management Plan was received by Ohio EPA on July 1, 2005 pursuant to the "Combined Sewer Overflow" Consent Order (Court of Common Pleas, Franklin County, Ohio; Case No. 04-CVH-05-5336; September 17, 2004) and the Sanitary Sewer Overflow Consent Order, (Court of Common Pleas, Franklin County, Ohio; Case No. 02-CVH-05-576; August 2, 2002). "Draft Actions" are written statements of the Director's intent with respect to the issuance, denial, etc. of a permit, license, order etc. Interested persons may submit written comments or request a public meeting regarding draft actions within 30 days of notice of the draft action.

I have determined that a temporary lowering of water quality to certain site specific areas in the Scioto River, Olentangy River, Alum Creek and Big Walnut Creek watersheds may occur and is appropriate and necessary as a result of the draft and/or proposed actions. In

accordance with OAC 3745-1-05, this decision was reached only after examining a series of technical alternatives, reviewing social and economic issues related to the degradation, and considering all public and appropriate intergovernmental comments. The lowering of water quality is necessary to accommodate important social or economic development in the areas in which these water bodies are located.

Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the draft and proposed actions are issued as final. Any person may submit written comments on the draft and proposed actions and may request a public hearing. A request for public hearing shall be in writing and shall state the nature of the issues to be raised. In appropriate cases, including cases where there is significant public interest, the Director may hold a public hearing on a draft plan or proposed action prior to final issuance. Written comments and/or public hearing requests must be received by the Ohio EPA, Division of Surface Water no later than 30 days from the date of this public notice. Comments and/or public hearing requests should be delivered or mailed to both of the following locations: 1) Ohio Environmental Protection Agency, Division of Surface Water, Permits Processing Unit, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049 and 2) Ohio Environmental Protection Agency, Central District Office, P.O. Box 1049, Columbus, Ohio 43216-1049. Comments received after this date may not be considered by the Director before issuing the final actions.

Copies of the pending NPDES modification applications, proposed modified permits, draft plan approval and technical support information may be reviewed and/or copies made at Ohio EPA's Central District Office, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio 43215, by first calling (614)728-3778 to make an appointment, or can be viewed at http://www.epa.state.oh.us/dsw/cso/columbus_ltcp.html.