

PUBLIC NOTICE

FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on November 10, 2008, the director of Ohio EPA issued an amended infectious waste generator certificate to DaVita Inc, 5200 Virginia Way, Brentwood, TN 37027, Reg. No.: 00-G-01073. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on November 10, 2008, the director of Ohio EPA issued an amended infectious waste generator certificate to the Abbott Laboratories Inc, One Abbott Park Rd, Abbott Park, IL 60064, ID No.: 25-G-01244. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on November 10, 2008; the director of Ohio EPA issued an amended infectious waste transporter certificate to Healthcare Waste Solutions Inc of NKY, 7453 Empire Dr Ste 120, Florence, KY 41042, Reg. No. 00-T-00301. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on November 10, 2008; the director of Ohio EPA issued an amended infectious waste transporter certificate to Daniels Sharpsmart Inc, 2133-126 Upton Dr #436, Virginia Beach VA 23454, Reg. No. 00-T-00278. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on November 10, 2008, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF EMERGENCY REGISTRATION CERTIFICATES FOR A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that, on November 12, 2008, the director of Ohio EPA issued (1) one emergency infectious waste transporter certificate to Darob Inc, 1801 Research Dr, Louisville, KY 40269, ID No: 00-T-00261. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**Division of Surface Water
Credible Data (Volunteer Monitoring) Program
Qualified Date Collector Approvals
All Effective 11/04/08**

Name Organization	Level / Specialty	Expiration Date
John Rhoades (#008) Northeast Ohio Regional Sewer Dist.	Level 3 - Benthic Macroinvertebrate Biology (Data Collection and Eval)	11/3/2010
Ronald Maichle (#145) Northeast Ohio Regional Sewer Dist.	Level 3 - Stream Habitat Assessment (QHEI)	11/3/2010
James Spetz (#199) Cleveland Metroparks	Level 2 - Stream Habitat Assessment (QHEI/HHEI)	11/3/2013
George Feltham (#241) Logan SWCD	Level 2 - Stream Habitat Assessment (QHEI)	11/3/2013
Matthew Silveira (#242) Hebble Creek Stream Team	Level 1	NA
Gina Tighe (#243) Indian Lake Watershed Project	Level 1	NA
William Lewis (#244) Ohio Lake Management Society	Level 1	NA
Betty Kaser (#245) Indian Lake Watershed Project	Level 1	NA
Karen Fell (#246) Buckeye Lake For Tomorrow	Level 1	NA
Dan Frear (#247) Buckeye Lake For Tomorrow	Level 1	NA
Jeanne Frear (#248) Buckeye Lake For Tomorrow	Level 1	NA
Merv Bartholow (#249) Buckeye Lake For Tomorrow	Level 1	NA
John Hoermle (#250) Buckeye Lake Area Civic Association	Level 1	NA

Noel Dusan (#251) Buckeye Lake For Tomorrow	Level 1	NA
Diana Slobodian (#252) Friends Of Big Creek	Level 1	NA
John Douglas Riley (#253) Buckeye Lake For Tomorrow	Level 1	NA
Shirley Fee (#254) Friends Of Buckeye Lake	Level 1	NA
Don Fee (#255) Friends Of Buckeye Lake	Level 1	NA
William Baker (#256) Buckeye Lake Civic Association	Level 1	NA
Arthur Lowe (#257) Buckeye Lake For Tomorrow	Level 1	NA
James Weybright (#258) Indian Lake Watershed Quality	Level 1	NA
Vicky Boots(#259) Indian Lake Watershed Project	Level 1	NA
Tamera Jane Bailey(#260) Buckeye Lake For Tomorrow	Level 1	NA
Garland Waleko(#261) Professional Service Industries, Inc.	Level 2 - Stream Habitat Assessment (QHEI)	11/3/2013
Francisco Rivera(#262) Northeast Ohio Regional Sewer Dist.	Level 3 - Chemical Water Quality Assessment	11/3/2010
Carole Donnelly(#263) Buckeye Lake Civic Assoc.	Level 1	NA
Susan Finley (#264) Buckeye Lake For Tomorrow	Level 1	NA
Randy Finley(#265) Buckeye Lake For Tomorrow	Level 1	NA
Nathan Ehlinger(#266) GAI Consultants, Inc.	Level 2 - Stream Habitat Assessment (QHEI)	11/3/2013
Julie Nieset(#267) GAI Consultants, Inc.	Level 2 - Stream Habitat Assessment (QHEI)	11/3/2013

Jason Earley(#268) ASC Group, Inc.	Level 2 - Stream Habitat Assessment (QHEI)	11/3/2013
Martha Kay Daugherty(#269) Indian Lake Watershed Project	Level 1	NA

PUBLIC NOTICE

OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE POST-CLOSURE PLAN

On October 15, 2008, Ohio EPA received an amended hazardous waste post-closure plan from Ashland, Inc.- Distribution Company, (Ashland, Inc.) for its underground storage tank unit located at 3849 Fisher Road, Columbus, Ohio. The EPA Identification Number for this facility is OHD000816736.

Why is Ashland, Inc. submitting this Amended Post-Closure Plan?

At the request of Ohio EPA, Ashland, Inc. submitted this amended post-closure plan. This post-closure plan updates the site activities, reduces analyte list and upgrades the programs to be in compliance with Ohio EPA's final rules. It appends and updates the groundwater monitoring and reporting of the 1993 Post-Closure Care Plan.

When and how do I submit written comments about this Amended Post-Closure Plan?

You can submit written comments anytime between November 10 and December 10, 2008. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Amended Post-Closure Plan?

You can review the Plan at the following locations:

Ohio EPA, Central District Office, 50 West Town Street, Suite 700, Columbus, Ohio 43215, tel: (614) 728-3778, and;

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, tel: (614) 644-2977.

PUBLIC NOTICE

OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT

On November 10, 2008, Ohio EPA issued two (2) final Class 2 modifications to the Hazardous Waste Facility Installation and Operation Permit (Permit) for Ross Incineration Services, Inc. for its facility located at 36790 Giles Road, Grafton, Ohio 44044. The EPA Identification Number for this facility is OHD048415665.

Why is Ross Incineration Services, Inc. modifying its Permit?

Ross Incineration Services, Inc. (Ross) is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. Ross is requesting, 1) the removal of no longer applicable volume and concentration restrictions that had been placed on specific waste codes; and, 2) contingency plan changes. These final permit modifications will allow Ross to make the requested changes. To issue these final Permit modifications, Ohio EPA determined that the modification applications are complete and meets appropriate standards.

Can I appeal these final Permit modifications?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal these Permit decisions to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal these final Permit modifications, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than December 11, 2008. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: **Environmental Review Appeals Commission**, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: **Chris Korleski, Director of Ohio EPA**, P.O. Box 1049, Columbus, Ohio 43216-1049.

PUBLIC NOTICE

OHIO EPA RECEIVES NEW HAZARDOUS WASTE POST-CLOSURE PLAN

On October 30, 2008, Ohio EPA received a new hazardous waste post-closure plan from XXKem for its landfill disposal unit located at 4015 Stickney Avenue, Toledo, Ohio 43608. The EPA Identification Number for this facility is OHD980586804.

Why is XXKem submitting this New Post-Closure Plan?

At the request of Ohio EPA, XXKem submitted this new post-closure plan. This plan was prepared for the City of Toledo which will serve to identify and discuss the post-closure activities for the facility's landfill cover system. The O&M activities will serve to, 1) maintain the integrity of the cover system; and, 2) maintain the integrity of the monitoring systems. Additionally, this plan presents the groundwater sampling, analysis, and reporting procedures to be followed during the post-closure period for the property.

When and how do I submit written comments about this New Post-Closure Plan?

You can submit written comments anytime between November 6 and December 8, 2008. Send your comments to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services Section, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the New Post-Closure Plan?

You can review the New Post-Closure Plan at the following locations:

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461, and;

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, (614) 644-2977.

PUBLIC NOTICE

OHIO EPA RECEIVES AMENDED HAZARDOUS WASTE POST-CLOSURE PLAN

On November 5, 2008, Ohio EPA received an amended hazardous waste post-closure plan from Kelsey-Hayes Company for its hazardous waste landfill area located at 2400 Charles Street, Portsmouth, Ohio 45662. The EPA Identification Number for this facility is OHD052859170.

Why is Kelsey-Hayes Company submitting this Post-Closure Plan?

At the request of Ohio EPA, Kelsey-Hayes Company submitted this post-closure plan. This plan is to supersede the original post-closure plan and any revisions or amendments thereafter. It includes a description of the tasks that will be undertaken to continue the landfill inspection and maintenance.

When and how do I submit written comments about this Post-Closure Plan?

You can submit written comments anytime between November 12 and December 12, 2008. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services Section, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us.

Where can I review the Post-Closure Plan?

You can review the Post-Closure Plan at the following locations:

Ohio EPA, Southeast District Office, 2195 Front Street, Logan Ohio 43138, tel: (740) 385-8501; and,

Ohio EPA, Division of Hazardous Waste Management, 50 West Town Street, Suite 700, Columbus, Ohio 43215, tel: (614) 644-2977.