

PUBLIC NOTICE

FINAL ISSUANCE OF A RENEWAL CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on December 8, 2008, the director of Ohio EPA issued a renewal infectious waste transporter certificate to Anson Trucking Inc, 208 Dove St, Dunkirk, NY 14048, ID No.: 00-T-00232. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE

FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that on December 8, 2008, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS

***Universal Tubular Systems, LLC for the Northern Portion of Universal Tubular
Systems Property***

Notice is hereby given that on December 9, 2008, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Universal Tubular Systems, LLC for property identified as the Northern Portion of Universal Tubular Systems Property (the "Property").

Universal Tubular Systems, LLC conducted a voluntary action of the approximately 6.586-acre Property located at 525 Beer Road, Ontario, Richland County, Ohio. A no further action letter was submitted on June 6, 2008 to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response on behalf of Universal Tubular Systems, LLC by Steven M. Gross, a Certified Professional (No. CP192), as defined in ORC 3746.01(E) and OAC 3745-300-01(A)(8).

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to ORC 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within 30 days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address: Environmental Review Appeals Commission, 309 South Fourth St., Room 222, Columbus, OH 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
LABORATORY NAME CHANGE
UNDER THE VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on December 10, 2008, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a revised laboratory certification to ALS Laboratory Group, Environmental Division (Cincinnati) ("ALS") formerly, DataChem Laboratories, Inc., of 4388 Glendale-Milford Road, Cincinnati, Ohio. The certification assigned to ALS remains CL0022.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after the notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONALS UNDER OHIO'S VOLUNTARY
ACTION PROGRAM**

Notice is hereby given that on December 11, 2008, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code ("ORC") 3746.04(B)(5) and Ohio Administrative Code ("OAC") 3745-300-05, issued a renewal of certification to the following Certified Professionals: **Barry A. Cik, CP109, and Robin J. Clark, CP282.**

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Date of Public Notice: December 3, 2008

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct the Stone Bridge Estates, Plats 8 & 9 residential development on a vacant 40-acre parcel of land in the City of Canfield. The application was submitted by Charles Masters & Company. The project is located west of the State Route 46/Herbert Road intersection, north of Herbert Road, on the north side of the completed phases of the Stone Bridge development. The Pittsburgh District Corps of Engineers is currently reviewing a Section 404 Individual Permit for this project. The Corps of Engineers' Public Notice for this 404 permit application (08-51) was issued on September 30, 2008. The Ohio EPA ID Number for this project is 083376.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would require the filling of 0.51 acre of wetlands and 1,973 linear feet of ephemeral and intermittent tributaries to Sawmill Creek. The applicant's proposed minimal degradation alternative, if approved, would require the filling of 0.13 acre of wetlands and 1,785 linear feet of ephemeral and intermittent tributaries to Sawmill Creek. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Sawmill Creek. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting December 3, 2008, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Date of Public Notice: December 10, 2008

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification and isolated wetlands permit for a project that impacts 0.211 acre of jurisdictional wetlands, 1.94 acres of isolated wetlands, and 2,586 linear feet of stream for construction of a trans-shipment terminal and repair facility. The project consists of construction of a trans-shipment facility along 4.9 miles of existing rail line. Construction of the trans-shipment terminal includes 12 support tracks, 4 process tracks, administration building, train crew building, hostler maintenance building, rail car and hostler maintenance administration building, and 2 250,000-gallon fuel storage tanks. Construction also includes several miscellaneous rail lines such as sidings, repair tracks, and locomotive tracks. The trans-shipment facility includes vehicular parking areas, shipping container staging/storage areas, stormwater structures, a wastewater treatment package plant, and supporting infrastructure such as water, power, and access roads. The application was submitted by Evansville Western Railway, Inc. The project is located west of North Baltimore and east of Hoytville in the Township of Henry, Wood County, Ohio. The Ohio EPA ID Numbers for this project is 083407 and 083408.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, consists of construction of a trans-shipment facility along 4.9 miles of existing rail line. The preferred alternative will impact approximately 0.211 acre of jurisdictional wetlands, 1.94 acres of isolated wetlands, and 2,586 linear feet (0.413 acre) of jurisdictional streams. The applicant's proposed minimal degradation alternative will impact approximately 0.178 acre of jurisdictional wetlands, 1.94 acres of isolated wetlands, and 2,196 linear feet (0.395 acre) of jurisdictional streams. The applicant's proposed non-degradation alternative includes spanning all jurisdictional areas and, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Rader Creek, an unnamed tributary to Rader Creek, 2 roadside ditches that empty into the unnamed tributary to Rader Creek, and 2 roadside ditches

that flow into an unnamed tributary to the North Branch of the Portage River and fringe wetlands associated with each of these streams. Rader Creek is located in the western portion of the construction area. Five remaining streams also bisect the area of construction, flowing in a generally northerly direction. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting December 10, 2008, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.