

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AN AMENDED CERTIFICATE OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on March 9, 2009, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF RENEWAL CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on March 9, 2009; the director of Ohio EPA issued an infectious waste generator certificate to Marion Health Care Corp, 101 Sun Ave NE, Albuquerque, NM 87109, Reg. No.: 00-G-01182. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF RENEWAL CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on March 9, 2009, the director of Ohio EPA issued an infectious waste generator certificate to BioLife Plasma Services LP, One Baxter Pkwy DF#3-1W, Deerfield IL 60015, Reg. No.: 00-G-00372. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

## **PUBLIC NOTICE**

### **FINAL ISSUANCE OF AMENDED CERTIFICATE OF REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on March 9, 2009, the director of Ohio EPA issued an amended infectious waste generator certificate to The Little Clinic of Ohio LLC, 8 Cadillac Dr Ste 250, Brentwood, TN 37027, Reg. No.: 00-G-01474. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**Date of Public Notice: March 14, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for Shoreline Improvements at Camp Luthor, North Kingsville, Ohio. The application was submitted by Lutheran Outdoor Ministries of Ohio, 863 Eastwind Drive, Westerville, OH 43081. The project is located at 3901 Lake Road, North Kingsville OH 44030. The Buffalo District of the U.S. Army Corps of Engineers permit number is 2008-1211. The Ohio EPA ID Number for this project is 093481

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct 1,323 LF of new armor stone revetment along the shoreline of the property and remove 11 existing submerged concrete block groins. Approx. 52,600 SF of new lake bottom will be filled below OHW, and 6,790 CY of new fill will be placed below OHW. The applicant's proposed minimal degradation alternative, if approved, would construct 1,323 LF of new armor stone revetment along the shoreline of the property at 5' closer to the OHW line and remove 11 existing submerged concrete block groins. Approx. 46,000 SF of new lake bottom will be filled below OHW and 5,890 CY of new fill will be placed below OHW. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands or lake habitat.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting March 13, 2009, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 W. Town Street, Columbus, Ohio by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information and public hearing relative to issues of lower water quality at 6:30 P.M. on April 30, 2009 at the North Kingsville Municipal Building, 3541 East Center St., North Kingsville, OH 44030. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by the close of business on May 7, 2009. Comments received after this date may not be considered as part of the official record of the hearing.

Persons wishing to be on Ohio EPA's interested parties mailing list for this project, or wish to submit comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on May 7, 2009.

**PUBLIC NOTICE**

**OHIO EPA APPROVES CLOSURE PLAN FOR  
MAUMEE AND WESTERN RAILROAD CORPORATION**

On February 27, 2009, Ohio EPA approved a closure plan for Maumee and Western Railroad Corporation for two spent battery waste areas located at 817 Fifth Street, Defiance, Ohio. The EPA I.D. number for this facility is OHR000134455.

Pursuant to Ohio Revised Code rule 3745-66-11 & 12, the facility's closure plan received on July 31, 2008 was approved with modifications as outlined in the Director's February 27, 2009 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE  
NOTICE OF PUBLIC HEARING  
OHIO ENVIRONMENTAL EDUCATION FUND AGENDA**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Office of Environmental Education (OEE) will conduct a public hearing to solicit input on the draft annual agenda for the Ohio Environmental Education Fund (OEEF) for the 2010 fiscal year.

The draft annual environmental education agenda describes proposed public outreach activities of the Office of Environmental Education, and proposed priorities for expenditures and administration of the OEEF. The OEEF General Grant Program provides approximately \$600,000 annually for projects costing up to \$50,000 each, and another \$90,000 is earmarked for Mini Grants to support small projects costing up to \$5,000 each.

The public hearing will be held on March 24, 2009 at 10:30 a.m. in Room A of the conference center at the Ohio Environmental Protection Agency Central Office, located at 50 W. Town Street, Suite 700, Columbus, Ohio 43215. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the draft annual agenda.

All interested persons are entitled to attend or be represented and give written or oral comments on the draft annual agenda at the hearing. Written comments must be received by the Ohio EPA-OEE, Attention: Carolyn Watkins, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on March 31, 2009. Comments received after March 31, 2009, will be considered but not included as part of the official record of the public hearing. After the public hearing, the Director of Environmental Protection (Director) may make any modifications to the draft annual agenda that the Director considers appropriate based upon the comments received at the public hearing.

Copies of the draft annual agenda may be reviewed at Ohio EPA's Office of Environmental Education, 50 W. Town Street, Suite 700, Columbus, Ohio, or requested by calling (614) 644-2873 or e-mailing [oeef@epa.state.oh.us](mailto:oeef@epa.state.oh.us). The draft annual agenda has also been posted on the OEE Web page at [www.epa.state.oh.us/oeef/](http://www.epa.state.oh.us/oeef/).

**Date of Public Notice: March 13, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for an after-the-fact certification for the placement of 0.453 acres of fill and the grading of 0.70 acres (1.153 acres total) of non-forested, Category 2 wetlands in order to expand parking areas for commercial developments in the area.

The application was submitted by Daniel Wilson, Xenia Self Storage Company. The project is located at 1855 Bellbrook Ave., Xenia, OH 45385. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2007-566-LMR. The Ohio EPA ID Number for this project is #083421.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in the previously mentioned impacts to 1.153 acres of wetlands.

The applicant's proposed minimal degradation alternative, if approved, would result in impacts to 0.226 acres of wetlands by requiring removal of 0.227 acres of the unauthorized fill and restoring the plant community on that portion of the site and the 0.70 acres of wetlands that were impacted by grading.

The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state. Fill would be removed from the 0.453 acres of the wetland that was previously filled and that area, along with the 0.70 acres of wetlands that were impacted by grading, would be monitored for restoration of the wetlands.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary to Glady Run in the Little Miami River watershed. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed

alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting March 13, 2009, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE**

**OHIO EPA ISSUES DRAFT HAZARDOUS WASTE PERMIT MODIFICATION**

On March 4, 2009, Ohio EPA issued a draft modification to the Hazardous Waste Facility Installation and Operation Permit (Permit) for Ross Incineration Services, Inc. for its facility located at 36790 Giles Road, Grafton, Ohio 44044. The EPA Identification Number for this facility is OHD048415665.

**Why is Ohio EPA Initiating a Modification of Ross Incineration Services, Inc.'s Permit?**

Ross Incineration Services, Inc. (RIS) is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. The Director of Ohio EPA is initiating this draft modification to incorporate the Ross Transportation Services, Inc. (RTS) 10-day transfer storage activities into RIS's permit as a hazardous waste container storage unit. Hazardous waste transporters are regulated under OAC Chapter 3475-53 (Transporter Standards). Under the rules of this chapter, a transporter is not required to obtain a hazardous waste permit. However, these standards are no longer applicable once the waste is no longer in the "normal course of transportation." Waste destined for RIS ceases transportation when it arrives at RTS since both entities are located on contiguous property. Therefore, RTS and its hazardous waste management activities are subject to the hazardous waste permitting requirements. The draft Permit modification contains the conditions under which the facility must operate if the Permit receives final approval. Details about this draft action can be viewed on Ohio EPA's website under Stakeholders Involvement at <http://web.epa.state.oh.us/dhwm/>

**When and where will Ohio EPA hold a Public Meeting?**

You may request Ohio EPA to hold a public meeting for this draft permit modification. You should send your request to: Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services Section, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2917, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us) If the request is granted, Ohio EPA will announce the time and location of the public meeting.

**When and how do I submit written comments?**

You can submit written comments anytime between March 5 and April 20, 2009. Send your comments to Ohio EPA, Lazarus Government Center, Division of Hazardous Waste Management, Attn: Regulatory and Information Services Section, P.O. Box 1049,

Columbus, Ohio 43216-1049, telephone number (614) 644-2917, fax number (614) 728-1245, e-mail: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us).

**Where can I review the Permit modification package?**

You can review this at one of the following locations:

***Grafton-Midview Public Library***, 983 Main Street, Grafton, Ohio 44044-1492, (440) 926-3317;

***Ohio EPA -Northeast District Office***, 2110 East Aurora Road, Twinsburg, Ohio 44087, (330) 963-1200; and,

***Ohio EPA, Division of Hazardous Waste Management***, 50 West Town Street, Suite 700, Columbus, Ohio 43215, (614) 644-2917.

**What will Ohio EPA do with the comments?**

After carefully considering public comments, Ohio EPA will reconsider the draft Permit modification, making any necessary changes, and issue or deny the final Permit. Ohio EPA will issue a "response to public comments," specifying any changes made to the draft Permit. If you commented on the draft Permit, Ohio EPA will send you copies of the "response to public comments" and the final permit decision.

**PUBLIC NOTICE**

**Rail C&DD Waste Photograph Plan Approval**

Notice is hereby given that on March 11, 2009, the director of Ohio EPA approves the Rail C&DD Waste Photograph Plan (RCWPP) for the Sunny Farms Landfill (Facility). The Facility is located at 12500 W. Co. Rd. 18, Fostoria, OH 44830, Seneca County. This approval is subject to all rules, regulations, and specified conditions. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Directors action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215. Persons wishing to be on Ohio EPA's interested parties mailing list for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614) 644-2621.

**Date of Public Notice: March 9, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project proposing to construct a new section of towpath trail along the east side of the Ohio and Erie Canal. The application was submitted by the City of Akron, 166 South High Street, Akron, Ohio 44308. The project begins south of West Cedar Street and ends north of West Bartges Street in Akron, Summit County, Ohio. The Buffalo District Corps of Engineers Public Notice Number for this project is 2008-01205. The Ohio EPA ID Number for this project is 083453.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in impacts to 762 linear feet (0.07 acre) to the Ohio and Erie Canal. The towpath bank will use concrete to reinforce the stability of the slope. The applicant's proposed minimal degradation alternative, if approved, would result in impacts to 762 linear feet (0.04 acre) to the Ohio and Erie Canal. The towpath bank will be reinforced using a sheet pile retaining wall. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio and Erie Canal. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting March 9, 2009, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application

and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.