

Division of Surface Water  
 Credible Data (Volunteer Monitoring) Program  
 Qualified Date Collector Approvals  
 All Effective 11/19/09

<b>Name Organization</b>	<b>Level / Specialty</b>	<b>Expiration Date</b>
Peter Moorhouse (#410) OLMS	Level 1	NA
Charles Moorhouse (#411) OLMS	Level 1	NA
David Bucknavich (#412) Holiday Lakes H.O.A.	Level 1	NA
Diane Bucknavich (#413) Holiday Lakes H.O.A.	Level 1	NA
Cindy Brookes (#414) Sandusky River Watershed Coalition Lake Mohawk Property Owners Association	Level 1	NA
Dona Rhea (#415) Delaware SWCD	Level 1	NA
Zoe Economos (#416) Case Western Reserve University	Level 1	NA
Herbert Richey (#417) GLWWA, LIA	Level 1	NA
April Mather (#402) Alliance for the Great Lakes	Level 2	11/19/2014
Rachel Taulbee Lawhon & Associates, Inc.	Level 3	11/19/2011
Michael Durkalec (#406) Cleveland Metroparks Rocky River Watershed Council	Level 3	11/19/2011
James Riddle (#407) Woolpert, Inc.	Level 3	11/19/2011
Kristyn Robinson (#015) Friends of Lower Muskingum River	Level 2	11/19/2014

Casey Swecker (#408) Environmental Solutions and Innovations, Inc.	Level 2	11/19/2014
Brian Bohl (#362) Hamelton SWCD	Level 3	11/19/2011

**State of Ohio  
Environmental Protection Agency  
Notice of Adoption of Rules**

Notice is hereby given that the Director of Environmental Protection, under the authority of Ohio Revised Code 3704.03(E) has adopted new rule 3745-21-25 of the Administrative Code, "Control of VOC emissions from reinforced plastic composites production operations."

The rule is intended to assist the state of Ohio in achieving and/or maintaining the national 8-hour ground level ozone standard through the regulation of volatile organic compound (VOC) emissions from stationary sources. VOC emissions are a precursor to ozone formation. This rule will apply statewide in order to aid in the reduction of ozone formation.

A public hearing on the new rule was held on July 20, 2009 in Columbus, Ohio. After considering comments and oral testimony, the Director's order of adoption was issued on December 4, 2009. The effective date of this rule is December 14, 2009.

To request a copy of this rule, obtain further information, or inspect or request copies of agency files and records pertaining to the proceeding contact Mr. Alan Harness, Ohio EPA, Division of Air Pollution Control, Lazarus Government Center, PO Box 1049, Columbus, Ohio 43216-1049 or call Mr. Alan Harness at (614) 644-4838. This rule is available on Ohio EPA's Regulations Web page for electronic downloading The URL is: <http://epa.ohio.gov/dapc/regs/regs.aspx#Carbon>.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Richard Cordray," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

**State of Ohio**  
**Environmental Protection Agency**

December 4, 2009

**Notice of Final Rule-making**

Notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Drinking and Ground Waters (DDAGW) adopted revisions to rules in Ohio Administrative Code (OAC) to adopt the federal Stage 2 Disinfectants and Disinfection Byproducts (D/DBP) Rule. The revisions are, in part, a result of the five year rule review requirements of Section 119.032 of the Revised Code.

The Stage 2 D/DBP rule builds upon earlier rules that addressed disinfection byproducts to improve drinking water quality and provide additional public health protection from disinfection byproducts. The Stage 2 rule strengthens public health protection for customers of systems that deliver disinfected water by requiring such systems to meet maximum contaminant levels as an average at each compliance monitoring location (instead of as a system-wide average as in previous rules) for two groups of DBPs, trihalomethanes (TTHM) and five haloacetic acids (HAA5). The rule targets systems with the greatest risk and builds incrementally on existing rules. This regulation will reduce DBP exposure and related potential health risks and provide more equitable public health protection.

The Director of Environmental Protection, after considering public comment, adopted these rules in final form, pursuant to Section 6109.04 of the Ohio Revised Code. The Director's order of adoption was issued on December 4, 2009, 2009. The effective date of these new rules will be January 1, 2010, in accordance with Section 119.04(A) of the Revised Code.

A copy of the rules may be obtained, at cost, by contacting the Hearing Clerk, Ohio EPA, 50 West Town Street, Suite 700, P.O. Box 1049, Columbus, Ohio 43216-1049, or (614) 644-2129. These rules are also available electronically at the following internet address: <http://www.epa.ohio.gov/ddagw/rulemaking.aspx#final>.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Richard Cordray," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served

upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

**PUBLIC NOTICE**  
**FINAL ACTIONS OF THE DIRECTOR**  
**ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER**  
**THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 12/2/2009.

For information regarding these final actions, contact Michael Riggleman, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
LORAIN	PERFORMANCE CLINIC, INC	NORTH RIDGEVILLE	OH

## **PUBLIC NOTICE**

The following permit is being issued on December 1, 2009 as a final action with an effective date of January 1, 2010. Final actions are actions of the Director which are effective upon issuance or a stated effective date. Pursuant to Ohio Revised Code Section 3745.04, a Final Action may be appealed to the Environmental Review Appeals Commission (ERAC) filing an appeal within 30 days of notice of the final action. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney Generals Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Final Issuance of NPDES General Permit:

General Permit Authorization to Discharge Wastewater from Sewage Treatment Systems Designed to Treat an Average Flow of 25,000 Gallons per Day or Less under The National Pollutant Discharge Elimination System across the State of Ohio

Issue Date: December 1, 2009

Effective Date: January 1, 2010

Ohio NPDES General Permit Number OHS000003

This Final Action Was Not Preceded by a Proposed Action and Is Appealable to ERAC.

The full text of the permit can be viewed over the Internet at [www.epa.ohio.gov/dsw/permits/gpfact.aspx](http://www.epa.ohio.gov/dsw/permits/gpfact.aspx) or copies can be obtained by calling (614)644-2001.

## **PUBLIC NOTICE**

The following permit is being issued on December 1, 2009 as a final action with an effective date of January 1, 2010. Final actions are actions of the Director which are effective upon issuance or a stated effective date. Pursuant to Ohio Revised Code Section 3745.04, a Final Action may be appealed to the Environmental Review Appeals Commission (ERAC) filing an appeal within 30 days of notice of the final action. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney Generals Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Appeals Commission at 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

Final Issuance of NPDES General Permit:

General Permit Authorization to Discharge Wastewater from Sewage Treatment Systems Designed to Treat an Average Flow of 25,000 Gallons per Day or Less under The National Pollutant Discharge Elimination System across the State of Ohio (Facilities that can not meet BADCT Treatment Levels)

Issue Date: December 1, 2009

Effective Date: January 1, 2010

Ohio NPDES General Permit Number OHV000002

This Final Action Was Not Preceded by a Proposed Action and Is Appealable to ERAC.

The full text of the permit can be viewed over the Internet at [www.epa.ohio.gov/dsw/permits/gpfact.aspx](http://www.epa.ohio.gov/dsw/permits/gpfact.aspx) or copies can be obtained by calling (614)644-2001.

**Date of Public Notice: November 30, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to replace 3.2 miles of gas pipeline that currently lacks corrosion protection. The application was submitted by the East Ohio Gas Company, 320 Springside Drive Suite 320, Akron, OH 44333. The project is located south of Wade Ave and west of Austinburg Rd in Plymouth and Saybrook Townships. The Buffalo District Corps of Engineers Number for this project is 2009-00256. The Ohio EPA ID Number for this project is 093531.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would utilize a 60 foot ROW, temporarily impacting 14.79 acres of wetlands and 638 feet of stream. The applicant's proposed minimal degradation alternative, if approved, would implement a 30 foot ROW through wetlands and streams, reducing temporary impacts to 6.80 acres of wetland and 360 feet of stream. All impacts to aquatic resources will be temporary and restored to original contours and grade after installation of the replacement line. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Red Brook and Hubbard Run. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting November 30, 2009, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Public Notice: December 1, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project that involves three phases of improvements to State Route 4B in Butler County . The application was submitted by The Ohio Department of Transportation, 1980 West Broad Street, Columbus, Ohio 43223. The project is located from south of Hamilton-Mason Road to the intersection of the bypass with State Route 4. The Huntington District Corps of Engineers Public Notice Number for this project is 2008-00854-MIL. The Ohio EPA ID Number for this project is 093575.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 0.98 acre (2,313 LF) of five streams, 1.34 acres of two wetlands and 2.86 acres of one pond. The applicant's proposed minimal degradation alternative, if approved, would impact 0.98 acre (2,313 LF) of five streams, 1.34 acres of two wetlands and 1.34 acres of one pond. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state however it would not meet the project's purpose and need.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of unnamed surface waters within the Lower Great Miami (HUC 05080002) and the Middle Ohio-Laughery (HUC 05090203) watersheds. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting December 1, 2009, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in

reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Public Notice: December 10, 2009**

**PUBLIC NOTICE  
ISSUANCE OF PROPOSED NPDES PERMIT MODIFICATION AND PUBLIC  
HEARING**

Notice is hereby given that on December 10, 2009, the Director of the Environmental Protection Agency will issue a proposed National Pollutant Discharge Elimination System (NPDES) permit modification to First Energy Generation Corporation, 6800 Marginal Road, Cleveland, Ohio 44103. First Energy is requesting a modification of mercury and copper limitations in Part I.A. of the NPDES permit for outfall 002 for the Lake Shore Plant located at 6800 Marginal Road, Cleveland, Cuyahoga County, Ohio. Proposed Actions are written statements of the Director's intent with respect to the issuance, denial, modification, revocation, or renewal of a permit, license or variance. Interested persons may submit written comments regarding proposed actions.

The discharges from the facility, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. However, the chemical-specific water quality criteria developed to protect aquatic life and human health, set forth in OAC 3745-1-07, will not be exceeded.

In accordance with OAC 3745-1-05, Ohio EPA will provide an opportunity for public comment concerning this project. Comments received shall be considered by the Director before the proposed action is issued as final. A public hearing has been scheduled for 6:30 P.M. on January 21, 2010 at the Horizon Science Academy, 6000 South Marginal Road, Cleveland, Ohio 44103. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the proposed permit modification. Persons wishing to 1) be on Ohio EPAs interested parties mailing list for this project, or 2) submit comments for Ohio EPAs consideration must do so in writing to Ohio EPA-DSW, Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43126-1049 by the close of business on January 28, 2010. Comments received after this date may not be considered as part of the official record of this hearing.

Copies of the pending NPDES modification application, proposed permit and technical support information may be reviewed and/or copies made at Ohio EPAs Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44807, by first calling (330)963-1200 to make an appointment.

**Date of Public Notice: November 28, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION AND PUBLIC HEARING**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the placement of large stone in front of an existing concrete seawall along the Lake Erie shoreline. The application was submitted by Mr. Derek J. Wheeler, 10665 Mount Royal Drive, Concord, Ohio 44077. The project is located along the Lake Erie shoreline at 7593 Lake Shore Blvd., Madison, Ohio 44057. The Buffalo District Corps of Engineers Provisional Nationwide Permit Number for this project is 2009-00759. The Ohio EPA ID Number for this project is 093552.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed Preferred Alternative, if approved, would result in a total of 128 cubic yards (cy) of large stone to be placed below the plane of ordinary high water (OHW = 573.4 feet IGLD 1985) and above existing grade along 59 feet of existing concrete seawall.

The applicant's proposed Minimal Degradation Alternative, if approved, would result in a total of 106 cy of large stone to be placed below the plane of ordinary high water (OHW = 573.4 feet IGLD 1985) and above existing grade along 59 feet of existing concrete seawall. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the State.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. Ohio EPA will review the application, and decide whether to grant or deny the application in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting November 28, 2009 copies of the application for the certification and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio 43216-1049 by first calling (614) 644-2001. Applications can be made available upon request at the Ohio EPA District Offices by calling the same number.

Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on January 19, 2010 at 6:30 p.m. at the Madison Township Administrative Building, 2065 Hubbard Road, Madison, OH 44057.

The public hearing will end when all interested parties have had an opportunity to provide testimony related to the projects.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on January 26, 2010. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or request to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Lawrence County**

**PUBLIC NOTICE  
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO  
DOW CHEMICAL COMPANY**

On November 12, 2009, Ohio EPA issued final Findings and Orders to Dow Chemical Company for its facility located at 925 County Road 1-A, Ironton, Ohio 45638. This is a permitted facility who transferred ownership and operations to Americas Styrenics LLC without providing former notification to Ohio EPA. The EPA I.D. number for this facility is OHD039128913.

Dow Chemical Company must achieve compliance with Chapter 3734 of the Ohio Revised Code and the regulations promulgated thereunder according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE**  
**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT**

On November 19, 2009, Ohio EPA issued a final Class 2 modification to the Hazardous Waste Facility Installation and Operation Permit (Permit) for Ross Incineration Services, Inc. for its facility located at 36790 Giles Road, Grafton, Ohio 44044. The EPA Identification Number for this facility is OHD048415665.

**Why is Ross Incineration Services, Inc. modifying its Permit?**

Ross Incineration Services, Inc. (Ross) is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. Ross is requesting additional storage area for hazardous wastes without free liquids. This final permit modification will allow Ross to make the requested change. To issue this final Permit modification, Ohio EPA determined that the modification application is complete and meets appropriate standards.

**Can I appeal this final Permit modification?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal the Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final Permit modification, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than December 21, 2009. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Chris Korleski, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE**  
**OHIO EPA ISSUES FINAL MODIFIED HAZARDOUS WASTE PERMIT**

On December 1, 2009, Ohio EPA issued a final Class 2 modification to the Hazardous Waste Facility Installation and Operation Permit (Permit) for Ross Incineration Services, Inc. for its facility located at 36790 Giles Road, Grafton, Ohio 44044. The EPA Identification Number for this facility is OHD048415665.

**Why is Ross Incineration Services, Inc. modifying its Permit?**

Ross Incineration Services, Inc. (Ross) is permitted to operate a hazardous waste incinerator and other related hazardous waste management units at its facility. Ross is requesting approval for the continued acceptance of the K181 waste code. This final permit modification will allow Ross to make the requested change. To issue this final Permit modification, Ohio EPA determined that the modification application is complete and meets appropriate standards.

**Can I appeal this final Permit modification?**

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal the Permit decision to the Environmental Review Appeals Commission (ERAC).

**If I decide to appeal this final Permit modification, how and when must I make the appeal?**

If you file an appeal, you must put it in writing no later than January 4, 2010. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney Generals Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code 3745.04 with ERAC at the following address: ***Environmental Review Appeals Commission***, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: ***Chris Korleski, Director of Ohio EPA***, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Mahoning County**

**PUBLIC NOTICE  
ISSUANCE OF DRAFT SOLID WASTE PERMIT TO INSTALL  
And  
NOTICE OF PUBLIC INFORMATION SESSION / PUBLIC HEARING**

Notice is hereby given that on December 1, 2009, a draft Solid Waste Permit to Install (PTI #02-23005) was issued to: Central Waste, Inc., 12003 Oyster Road, Alliance, OH 44601. If issued as a final permit, it will authorize the construction of a new solid waste transfer facility, known as the Central Waste Rail Transfer Facility (Facility) located at 12009 Oyster Road, Smith Township, Mahoning County. Central Waste, Inc. (CWI) is the proposed owner and operator, and is the applicant for the PTI.

A Public Information Session/Public Hearing will be held on Wednesday, January 13, 2010, at 6:00 p.m., at the Sebring High School, Auditorium, 225 East Indiana Avenue, Sebring, Ohio 44672. Written comments will be accepted for the director's consideration until January 20, 2010. Comments should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621. Both the application and draft permit may be reviewed in accordance with Ohio EPA's file review procedures by writing to, Ohio EPA Northeast District Office, 2110 E. Aurora Road, Twinsburg, OH 44087, Tel:(330) 963-1200.

**Stark County**

**PUBLIC NOTICE  
ISSUANCE OF DRAFT SOLID WASTE PERMIT TO INSTALL  
And  
NOTICE OF PUBLIC INFORMATION SESSION / PUBLIC HEARING**

Notice is hereby given that on December 1, 2009, a draft Solid Waste Permit to Install (PTI #02-23005) was issued to: Central Waste, Inc., 12003 Oyster Road, Alliance, OH 44601. If issued as a final permit, it will authorize the construction of a new solid waste transfer facility, known as the Central Waste Rail Transfer Facility (Facility) located at 12009 Oyster Road, Smith Township, Mahoning County. Central Waste, Inc. (CWI) is the proposed owner and operator, and is the applicant for the PTI.

A Public Information Session/Public Hearing will be held on Wednesday, January 13, 2010, at 6:00 p.m., at the Sebring High School, Auditorium, 225 East Indiana Avenue, Sebring, Ohio 44672. Written comments will be accepted for the director's consideration until January 20, 2010. Comments should be sent to: Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, Tel: (614)644-2621. Both the application and draft permit may be reviewed in accordance with Ohio EPA's file review procedures by writing to, Ohio EPA Northeast District Office, 2110 E. Aurora Road, Twinsburg, OH 44087, Tel:(330) 963-1200.

**Summit County**

**Date of Public Notice: December 4, 2009**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project known as the Ritchie Road Stormwater Retention Basin. The application was submitted by the City of Stow 3760 Darrow Road, Stow, Ohio 44224. The project is located south of Ritchie Road in an unnamed tributary of Mud Brook in the City of Stow. The Buffalo District Corps of Engineers has issued a Provisional Nationwide Permit (D/A Processing No. 2008-01105). The Ohio EPA ID Number for this project is 093476.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in the on-site construction of an off-line retention basin that would provide 3.0-acre-feet of the total 9.0-acre-feet required to provide flood control. Approximately 200 linear feet of on-site stream impacts would result, along with additional stream impacts at two other locations. The applicant's proposed minimal degradation alternative, if approved, would involve construction of an in-line retention basin with a wetland buffer designed to allow for fish passage and provision of wildlife habitat. The on-site basin will provide 4.5-acre-feet of storage, with a second off-line system to be constructed at a separate location where no wetland or stream impacts will result. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of an unnamed tributary of Mud Brook. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting December 4, 2009, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio

EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.