

**PUBLIC NOTICE  
FINAL ISSUANCE OF AN AMENDED CERTIFICATE  
OF REGISTRATION AS A TRANSPORTER OF INFECTIOUS WASTE**

Notice is hereby given that on February 11, 2011, the director of Ohio EPA issued an amended infectious waste transporter certificate to Stericycle, Inc., 28161 N Keith Dr., Lake Forest, IL 60045, Reg. No. 00-T-00199. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE  
FINAL ISSUANCE OF AMENDED CERTIFICATE OF  
REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE**

Notice is hereby given that on February 16, 2011; the director of Ohio EPA issued an amended infectious waste generator certificate to Bio Medical Applications of Ohio Inc, 10585 N Meridian St Ste 160, Indianapolis IN 46290, Reg. No.: 00-G-00986. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL OF CERTIFIED PROFESSIONALS UNDER OHIO'S VOLUNTARY  
ACTION PROGRAM**

Notice is hereby given that on February 11,2011, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code (AORC@) 3746.04(B)(5) and Ohio Administrative Code (AOAC@) 3745-300-05, issued a renewal of certification to the following Certified Professionals: **Charles R. Bishop (CP253), Mark D. Butler (CP137), Robin J. Clark (CP282), Gregory A. Hilty (CP320), Bruce A. Savage (CP265), and John A. Zampino (CP280).**

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**Adams County**

**PUBLIC NOTICE  
NOTICE OF PUBLIC INFORMATION SESSION RESCHEDULED FOR DP&L -  
CARTER HOLLOW RSW LANDFILL**

Notice is hereby given that Ohio EPA will conduct a public information session concerning Permit to Install application (PTI) #06-08445, for the Dayton Power and Light Company (DP&L), Carter Hollow RSW Landfill, 745 US Route 52, Manchester, OH 45144. This application is for a New Class III Residual Waste Landfill. The public information session has been **rescheduled** for Monday, **March 28, 2011**, 6:30 p.m., at the Manchester Community Center, 400 Pike St., Manchester, OH 45144. This date **replaces** the public information session scheduled for **March 2, 2011**. The application may be reviewed in accordance with Ohio EPA's file review procedures by writing to Ohio EPA Southeast District Office, 2195 Front Street, Logan, OH 43138, Tel:(740) 385-8501. Interested parties may contact Ohio EPA Southeast District Office at the same address and phone number.

**Ashtabula County**

**PUBLIC NOTICE  
OHIO EPA APPROVES POST CLOSURE PLAN FOR  
ESAB WELDING & CUTTING PRODUCTS, INC.**

On February 10, 2011, Ohio EPA approved a post-closure plan for ESAB Welding & Cutting Products, Inc., for a closed hazardous waste landfill unit located at 3325 Middle Road, Ashtabula, Ohio 44044. The EPA I.D. number for this facility is OHD000821454.

Pursuant to Ohio Administrative Code rule 3745-55-17 & 18, the facility's closure plan received on November 15, 2010 was approved as outlined in the Director's February 10, 2011 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE  
OHIO EPA RECEIVES NEW HAZARDOUS WASTE CLOSURE PLAN**

On February 8, 2011 Ohio EPA received a new hazardous waste closure plan from Ohio University for two (2) storage units located at Ridges Area 10, Building 32, Athens, Ohio 45701. The EPA Identification Number for this facility is OHD986975068.

**Why is Ohio University Submitting this New Closure Plan?**

As the result of the Final Findings and Orders issued by Ohio EPA on December 8, 2010, Ohio University submitted this new closure plan. This closure plan addresses the Light Bulb Room storage unit and Hazardous Waste storage area. The plan summarizes the removal of hazardous waste from both locations; the closure schedule; decontamination; personnel health and safety, and other related topics including the sampling plan, closure certification, and closure cost estimate.

**When and how do I submit written comments about this New Closure Plan?**

You can submit written comments anytime between February 22 and March 24, 2011. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services Section, P.O. Box 1049, Columbus, Ohio 43216-1049, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: [dhwmcomments@epa.state.oh.us](mailto:dhwmcomments@epa.state.oh.us)

**Where can I review the New Closure Plan?**

You can review the Closure Plan at the following locations:

**Ohio EPA, Southeast District Office**, 2195 Front Street, Logan, Ohio 43138, tel: (740) 385-8501;

**Ohio EPA, Division of Hazardous Waste Management**, 50 West Town Street, Suite 700, Columbus, Ohio 43215; (614) 644-2977.

Date of Public Notice: February 14, 2011

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for construction of a new detached 12' by 50' detached pier along the Lake Erie shoreline. The application was submitted by David J II & Catherine Marquard and is located at 33790 Lake Road in Avon Lake, Ohio. The Buffalo District Corps of Engineers Project # is 2011-00027. The Ohio EPA ID Number for this project is 113722.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would result in 146 cubic yards (CY) of fill placement and occupy a 850 square foot (SF) area on the Lake Erie bottom, below the ordinary high water mark (OHWM). The applicant's proposed minimal degradation alternative, if approved, would result in 126 CY of fill placement and occupy a 750 SF area on the Lake Erie bottom, below the OHWM. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting February 14, 2011, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number. And a PDF version of the application will be available on-line at <http://www.epa.state.oh.us/dsw/home.aspx>.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Public Notice: February 11, 2011**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct two buildings and associated parking lots and utilities for medical offices that will service the Beavercreek area, specifically Wright Patterson Air Force Base. The application was submitted by Synergy Building Systems. The project is located at 4083 Colonel Glenn Highway, west of Grange Hall Road/National Road and east of Wright-Patterson Air Force Base. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2009-1054-GMR. The Ohio EPA ID Number for this project is 103632.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 950 linear feet of stream and 0.007 acres of wetland. The applicant's proposed minimal degradation alternative, if approved, would impact 235 linear feet of stream and 0.007 acres of wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Mad River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting February 11, 2011, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Public Notice: February 23, 2011**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to replace 150 linear feet of a damaged natural gas pipeline. The application was submitted by East Ohio Gas Company. The project is located along the Tuscarawas River on the north side of Navarre, Ohio. The Huntington District Corps of Engineers has issued a Nationwide Permit #12 for this project. The Corps' Project Number for this project is LRH-2010-01040-TUS-adjacent wetland. The Ohio EPA ID Number for this project is 113723.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would temporarily impact 0.073 acres of a Category 3 wetland. The applicant's proposed minimal degradation alternative, if approved, would temporarily impact 0.041 acres of a Category 3 wetland. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state. However, the pipeline would not be replaced or repaired with this alternative.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Category 3 wetland. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting January 26, 2011, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001.

Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number. Ohio EPA will hold a public information session and public hearing relative to issues of lower water quality on Tuesday, April 19, 2011 at 6:30 p.m. at the Navarre Village Hall, 27 W. Canal Street, Navarre, Ohio 44662. The public hearing will end when all interested parties have had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the proposed project. The purpose of the hearing is to obtain additional information that will be considered by Ohio EPA prior to any further action on the application.

Ohio EPA will continue to accept written comments on the application through the close of business on Tuesday, April 26, 2011. Comments received after this date may not be considered as part of the official record of the hearing. Anyone may submit written comments or requests to be placed on a mailing list for information by writing to: Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049.

**Date of Public Notice: February 16, 2011**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct a new plant facility, accessory employee and truck parking, and rail access to the site, to facilitate planned expansion of the company at the Orrville Campus. The application was submitted by J.M. Smucker Company, 1 Strawberry Lane, Orrville, Ohio 44667. The project is located on the northeast corner of Strawberry Lane and N. Mill Street, Orrville, Ohio. The Huntington District Corps of Engineers Public Notice Number for this project is LRH-2010-00378-TUS. The Ohio EPA ID Number for this project is 103698.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 5 wetlands totaling 3.676 acres of impacts (3.372 acres of forested, Category 2 wetlands and 0.304 acres of forested Category 1 wetlands) and 120 linear feet of one stream.

The applicant's proposed minimal degradation alternative, if approved, would impact 5 wetlands totaling 1.928 acres of impacts (1.624 acres of forested, Category 2 wetlands and 0.304 acres of forested Category 1 wetlands) and 120 linear feet of one stream. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of wetlands and an unnamed tributary to Little Chippewa Creek within the Tuscarawas River watershed. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted. Starting February 22, 2011, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number. They may also be found on the Ohio EPA's web site at <http://www.epa.ohio.gov/dsw/401/applications.aspx>.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.