

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
RENEWAL OF LABORATORY CERTIFICATION  
UNDER  
OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on February 17, 2011, the Director of the Ohio Environmental Protection Agency (Ohio EPA), pursuant to Ohio Revised Code 3746.04(B)(6) and Ohio Administrative Code 3745-300-04, issued a renewal of laboratory certification to Lancaster Laboratories, Inc. ("Lancaster") of 2425 New Holland Pike, Lancaster, Pennsylvania. The certification number assigned to Lancaster remains CL0070.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (the "Commission") pursuant to ORC Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer" which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Site Assistance & Brownfield Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE  
OHIO ENVIRONMENTAL PROTECTION AGENCY  
MODIFICATION OF LABORATORY CERTIFICATION  
UNDER  
OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on February 17, 2011, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") 3746.04(B)(6) and Ohio Administrative Code ("OAC") 3745-300-04, issued a modified laboratory certificate to GEOAnalytical, Inc. ("GEO") of 9263 Ravenna Road, Suite A-7 of Twinsburg, Ohio, granting the laboratory's request to modify its certification under Ohio's Voluntary Action Program to remove Lithium by method 6010B from its current certificate. The certification number assigned to GEO remains CL0008.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (the "Commission") pursuant to ORC Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer" which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Site Assistance & Brownfield Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE**  
**COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS**  
**The University of Dayton, University of Dayton Redevelopment Property**

Notice is hereby given that on February 22, 2011, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to the University of Dayton, (the "Volunteer") for property known as the University of Dayton Riverfront Redevelopment Property (the "Property").

The Volunteer conducted a voluntary action of the approximately 11.3 acre-Property, which is located at 1300 South Patterson Boulevard, Dayton, Montgomery County, Ohio. A no further action letter for the Property was submitted on February 26, 2009, to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response by Craig A. Kasper, a Certified Professional as defined in ORC 3746.01(F) and OAC 3745-300-01(A).

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (the "Commission") pursuant to ORC 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Josh Mandell," which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact Debi Tavizon, Records Management Officer, Ohio EPA, Division of Emergency and Remedial Response, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE**  
**OHIO ENVIRONMENTAL PROTECTION AGENCY**  
**SUSPENSION OF A PORTION OF LABORATORY CERTIFICATION**  
**UNDER**  
**OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on February 24, 2011, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") 3745-300-04, issued Final Findings and Orders to TestAmerica Laboratories, Inc. ("TestAmerica") of 4738 Gateway Circle, Dayton, Ohio that suspend the laboratory's certification under Ohio's Voluntary Action Program to perform analyses for Polychlorinated Biphenyls by method 8082.

TestAmerica has been issued a revised laboratory certificate which reflects the suspension. TestAmerica may perform analyses only for those analytes, parameter groups, and methods identified in its revised certificate.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (the "Commission") pursuant to ORC Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Ohio Treasurer" which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address:

Environmental Review Appeals Commission  
309 South Fourth Street, Room 222  
Columbus, OH 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Site Assistance & Brownfield Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**Date of Public Notice: February 17, 2011**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to install the Stacy Substation and a 138kV overhead electric transmission line connecting the Stacy Substation to an existing transmission line to meet the demands of higher than average electric load growth. The application was submitted by Cleveland Electric Illuminating Company and American Transmission Systems, Incorporated. The project is located within an approximate 14.7 mile long corridor spanning from Mayfield Road. to Stocking Road. The Buffalo District Corps of Engineers Public Notice Number for this project is 2009-01427. The Ohio EPA ID Number for this project is 093580.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would extend through an approximate 14.7 mile corridor filling 0.03 acre of wetland, placing 5 upright poles in wetlands along with guying anchors for four additional poles, requiring 3 permanent stream crossings, and converting 6.7 acres of forested wetland to scrub shrub wetland. This alignment represents the route approved by the Ohio Power Siting Board (OPSB) in the November 24, 2008 Certificate. The applicant's proposed minimal degradation alternative, if approved, would extend through an approximate 12.05 mile corridor placing 6 upright poles in wetlands, and converting approximately 1.7 acres of forested wetland to scrub shrub wetland. This alternate route was proposed but not selected by the OPSB. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state but would not address the project's needs.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality within the Grand River watershed. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting February 17, 2011, copies of the application and technical support information may be inspected on Ohio EPA-DSW website: [www.epa.ohio.gov/dsw](http://www.epa.ohio.gov/dsw)

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**Date of Public Notice: February 14, 2011**

**PUBLIC NOTICE  
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for the subject transportation project. The proposed project consists of replacing the structurally deficient and functionally obsolete bridge over the Ohio River that connects the City of Ironton, Lawrence County, Ohio to the City of Russell, Greenup County, Kentucky. Identified deficiencies include excessive maintenance costs, deficient structural condition, inadequate capacity and functional obsolescence according to current design standards. The new structure will meet current design and loading criteria and address the identified deficiencies. The project is located within the Ohio River drainage basin (River Mile 326.5, HUC 05090103-010-060), below Ice Creek to above Little Sandy River (KY) {except Storms Creek}. The Huntington District of the U.S. Army Corps of Engineers Number for this project is LRH-1999-00427-OHR. The Ohio EPA ID Number for this project is 113729.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would involve impacts to 597 linear feet of the Ohio River for temporary cofferdams and construction of three permanent in-river bridge pier structures for the new bridge and 83 linear feet for demolition of the existing structure. The applicant's proposed minimal degradation alternative, if approved, would involve impacts to up to 85 linear feet of the Ohio River to rehabilitate the existing bridge. This would be accomplished through the use of a cofferdams and concrete patchwork. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands but would not meet the purpose and need for the project, as defined by the National Environmental Policy Act (NEPA). The applicant is seeking authorization for the preferred alternative. Mitigation for impacts will be performed in accordance with Ohio EPA and U.S. Army Corps of Engineers (USACE) requirements. The discharges from the activity, if approved, would result in degradation to, or lowering of the water quality to the Ohio River drainage basin at River Mile 326.5 (HUC 05090103-010-060), below Ice Creek to above Little Sandy River (KY) {except Storms Creek}. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting February 15, 2011, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 122 South Front Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number. Written comments must be received by the Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216-1049 by the close of business on March 17, 2011. Comments received after this date may not be considered as part of the official record.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.

**PUBLIC NOTICE  
Notification of a Need to Amend the Mixed Waste  
Site Treatment Plan**

Notice is hereby given that the USDOE Portsmouth Gaseous Diffusion Plant (DOE-Ports) has identified a need to amend its approved Site Treatment Plan (STP) for its facility located in Piketon, Ohio. Notice of the proposed amendment was provided to the Ohio EPA by letter dated February 14, 2011. The STP for DOE Ports was originally approved by the Director on October 4, 1995. DOE Ports specifically expresses a desire to amend the STP, as follows: Section 9.0, Appendix III - Change schedule from March 31, 2011 to March 31, 2012 to allow DOE-Ports additional time for permitting of treatment capacity and completion of projects for the waste remaining in backlog. March 31, 2012 is consistent with DOE-Ports' other Mixed Waste Agreed Order as well as DOE Ports' Compliance Orders for commercial stabilization at the Portsmouth Site.

Interested persons are encouraged to review the proposed amendment request in its entirety. A copy of the draft revised plan documents may be requested from or reviewed at the Ohio EPA, Southeast District Office, 2195 Front Street, Logan, Ohio, 43138, telephone (740) 385-8501; and at the U.S. DOE Environmental Information Center, 1862 Shyville Road, Room 220, Piketon, Ohio 45661; telephone (740) 289-8898. Comments concerning the proposed amendments to the STP may be submitted to the Ohio EPA, Division of Hazardous Waste Management, Attention: Regulatory and Information Services Section, Lazarus Government Center, P.O. Box 1049, Columbus, Ohio 43216-1049, within 30 days of the date of this notice.