

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF LABORATORY CERTIFICATION
UNDER
OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on March 25, 2011, the Director of the Ohio Environmental Protection Agency (Ohio EPA), pursuant to Ohio Revised Code 3746.04(B)(6) and Ohio Administrative Code 3745-300-04, issued a renewal of laboratory certification to Environmental Science Corporation ("ESC") of 12065 Lebanon Road, Mt. Juliet, Tennessee. The certification number assigned to ESC remains CL0069.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (the "Commission") pursuant to ORC Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio" which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you would like to review a copy of the certificate, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Emergency and Remedial Response, Site Assistance & Brownfield Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
FINAL ISSUANCE OF EMERGENCY REGISTRATION CERTIFICATES
FOR A TRANSPORTER OF INFECTIOUS WASTE

Notice is hereby given that, on March 28, 2011, the director of Ohio EPA issued (1) one emergency infectious waste transporter certificate to WM Healthcare Solutions Inc, 1001 Fannin Ste 4000, Houston TX, 77002, ID No: 00-T-00321. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
FINAL ISSUANCE OF AMENDED CERTIFICATE OF
REGISTRATION AS A GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on March 29, 2011; the director of Ohio EPA issued an amended infectious waste generator certificate to DaVita Inc, 5200 Virginia Way, Brentwood, TN 37027, Reg. No.: 00-G-01073. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

Date of Public Notice: April 5, 2011

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit (3PE00004) for the discharge from the existing City of Lakewood Wastewater Treatment Plant. The NPDES application was submitted by the City of Lakewood, 12650 Detroit Road, Lakewood, Ohio 44107. The City has requested to modify the permit limits for mercury through the granting of variances.

The City of Lakewood wastewater treatment plant is located at 1699 Park Drive, Metropolitan Park, Lakewood, Cuyahoga County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Lake Erie.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. A public hearing has been scheduled for 6:30 p.m. on June 1, 2011 at the Lakewood City Hall Auditorium, 12650 Detroit Avenue, Lakewood, Ohio 44107. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on June 8, 2011. Comments received after this date may not be considered as part of the official record.

Copies of the pending NPDES application are available for review at Ohio EPA's Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio, by first calling (330)963-1200 to make an appointment.

**PUBLIC NOTICE
OHIO EPA ISSUES EMERGENCY PERMIT TO LIMA REFINING COMPANY**

On March 30, 2011, Ohio EPA issued an emergency permit to the Lima Refining Company to divert and temporarily store the storm waters and process waters from open sewers (into D-Pond) located at their facility on 1150 S. Metcalf Street, in Lima, Ohio. This storage is required due to a large rainfall event. The U.S. EPA I.D number assigned to this facility is OHD005051826, and the emergency permit I.D. number to this action is 03-02-1033E. The expiration for this emergency is May 27, 2011.

This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
DUFFIN MANUFACTURING**

On March 24, 2011, Ohio EPA issued final Findings and Orders to the Duffin Manufacturing Company for its facility located at 316 Warden Avenue, Elyria, Ohio 44036. This facility is a small quantity generator of hazardous waste. Duffin Manufacturing caused the transportation of such waste to an unpermitted waste management facility. The EPA I.D. number for this facility is OHD004196630.

Duffin Manufacturing must achieve compliance with Chapter 3734 of the Ohio Revised Code and the regulations promulgated there under according to the detailed compliance schedule which outlines civil penalties and payments. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

PUBLIC NOTICE
OHIO EPA ISSUES CLASS 2 MODIFIED HAZARDOUS WASTE PERMIT

On March 30, 2011, Ohio EPA issued a modified Hazardous Waste Facility Installation and Operation Permit (Permit) to Veolia ES Technical Solutions, LLC, (Veolia LLC) for its facility at 4301 Infirmary Road, West Carrollton, Ohio 45449. The EPA Identification Number for this facility is OHD093945293.

Why is Veolia LLC modifying its Permit?

Veolia LLC is a commercial waste management facility engaged in the reclamation of industrial solvents, blending and marketing of hazardous waste fuels, and storage for transfer of waste not processed at the facility. Veolia LLC is requesting a net increase of 54,173 gallons of volume to the capacity of the previously authorized containment systems formerly maintained at the facility. This final modified permit will allow Veolia LLC to make the requested changes. To issue this final modified Permit, Ohio EPA determined that the modification application is complete and meets appropriate standards.

Can I appeal this final modified Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this modified Permit, you have the right to appeal this Permit decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal this final modified Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than **May 1, 2011**. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: **Environmental Review Appeals Commission**, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: **Scott J. Nally, Director of Ohio EPA**, P.O. Box 1049, Columbus, Ohio 43216-1049.

**PUBLIC NOTICE
OHIO EPA ISSUES FINAL FINDINGS AND ORDERS TO
U.S. DOE PORTSMOUTH**

On March 28, 2011, Ohio EPA issued final Findings and Orders to the U.S. DOE Portsmouth facility located at 3930 U.S. Route 23 South, Ohio 45661. The Orders modify the February 22, 2008 Findings and Orders which provide a continued exemption from the hazardous waste permitting and transporter requirements for transporting and storing all cylinders of DUF6. These Orders add new Department of Defense contractors to the exemption. The EPA I.D. number for this facility is OH7890008983.

U.S. DOE Ports must achieve compliance with Chapter 3734.02(G) of the Ohio Revised Code and the regulations promulgated there under according to the detailed compliance schedule which outlines civil penalties. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

PUBLIC NOTICE
OHIO EPA ISSUES FINAL RENEWAL HAZARDOUS WASTE PERMIT

On March 25, 2011, Ohio EPA issued a final renewal Hazardous Waste Facility Installation and Operation Permit (Permit) to the United States Department of Energy, Portsmouth Gaseous Diffusion Plant (U.S. DOE Ports) for its facility at 3930 U.S. Route 23 South, Piketon, Ohio 45661. The EPA Identification Number for this facility is OH7890008983.

Why does U.S. DOE Ports Need a Permit?

U.S. DOE Ports is engaged in the generation of large volumes of waste from current site environmental cleanup operations while smaller amounts of waste are also generated at the site by the U.S. Enrichment Corporation in the general operations of the plant. The final renewal Permit contains the conditions under which the facility must operate. To issue this final Permit, Ohio EPA determined that the Permit application is complete and meets appropriate standards and that the applicant has a history of compliance with relevant environmental laws. The renewal Permit allows U.S. DOE Ports to continue to store waste in containers on-site. It will also require U.S. DOE Ports to investigate and, if necessary, clean up any contamination from hazardous wastes or constituents that may be at the facility. Details about this final action can be viewed on Ohio EPA's website at <http://www.epa.ohio.gov/dhwm>

Can I appeal this Permit?

Yes, if you are an officer of an agency of the state or of a political subdivision, acting in a representative capacity, or any person who would be aggrieved or adversely affected by this Permit, you have the right to appeal this permit decision to the Environmental Review Appeals Commission (ERAC).

If I decide to appeal the final Permit, how and when must I make the appeal?

If you file an appeal, you must put it in writing no later than April 26, 2011. Your appeal must explain why you are appealing the action and the grounds you are using for your appeal. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. You must file your appeal, according to Ohio Revised Code § 3745.04 with ERAC at the following address: **Environmental Review Appeals Commission**, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. You must send a copy of the appeal to the director of Ohio EPA at the following address no later than three (3) days after you file it with ERAC: **Scott J. Nally, Director of Ohio EPA**, P.O. Box 1049, Columbus, Ohio 43216-1049.

Date of Public Notice: March 30, 2011

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project for the construction of a bioengineered riprap erosion revetment with bendway weirs along the eroded portion of the Cuyahoga River at Bath Road. The application was submitted by the U.S. Army Corps of Engineers, Buffalo District. The project is located along the Cuyahoga River, adjacent to Bath Road in Akron, near the river's confluence with Yellow Creek. The Buffalo District Corps of Engineers Public Notice Number for this project is Bath Road-11. The Ohio EPA ID Number for this project is 113737.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would involve the construction of a riprap revetment with bendway weirs along a 750 foot section of the Cuyahoga River. The applicant's proposed preferred alternative, if approved, would involve the construction of a riprap revetment with bendway weirs, longitudinal fill stone toe protection (LFSTP) and bio-engineered plantings along a 750foot section of the Cuyahoga River. The applicant's proposed minimal degradation alternative, if approved, would include a riprap revetment along 750 FT section of the Cuyahoga River, but would not include bendway weirs, LFSTP or bio-engineered plantings.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Cuyahoga River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting March 30, 2011, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

**PUBLIC NOTICE
OHIO EPA APPROVES CLOSURE PLAN FOR
WARD TRUCKING**

On March 11, 2011, Ohio EPA approved a closure plan for Ward Trucking LLC for its hazardous waste management units located at 2800 Brecksville Road, Richfield, Ohio 44286. The EPA I.D. number for this facility is OHD101513984.

Pursuant to Ohio Administrative Code rule 3745-66-11 & 12, the facility's closure plan received on January 25, 2011 as outlined in the Director's March 11, 2011 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.

**PUBLIC NOTICE
OHIO EPA RECEIVES NEW HAZARDOUS WASTE POST-CLOSURE PLAN**

On February 22, 2011, Ohio EPA received a new hazardous waste closure plan from Evergreen Recycling & Disposal Facility (Evergreen) for its storage and treatment units located at 2625 East Broadway, Northwood, Ohio 43619. The EPA Identification Number for this facility is OHD068111327.

Why is Evergreen Submitting this Closure Plan?

At the request of Ohio EPA, Evergreen submitted this closure plan. This document describes the Delta soils storage location and the Delta soils treatment location which are both within the DioSites Treatment Center. At the storage location, excavation and clean-up activities have already been performed. At the treatment location, closure activities will be performed after the treated soils are removed from the compacted clay liner. Other topics in the closure plan include Oversight and Closure Completion, and the Closure Schedule.

When and how do I submit written comments about this Closure Plan?

You can submit written comments anytime between March 15, 2011 and April 14, 2011. Send your comments to Ohio EPA, Division of Hazardous Waste Management, Attn: Regulatory and Information Services Section, P.O. Box 1049, Columbus, Ohio 43216, telephone number (614) 644-2977, fax number (614) 728-1245, e-mail address: dhwmcomments@epa.state.oh.us

Where can I review the Closure Plan?

You can review the Closure Plan at the following locations:

Ohio EPA, Northwest District Office, 347 North Dunbridge Road, Bowling Green, Ohio 43402, tel: (419) 352-8461; and,

Ohio EPA, Division of Hazardous Waste Management, 20 West Town Street, Suite 700, Columbus, Ohio 43215 (614) 644-2977.