

PUBLIC NOTICE
COVENANT NOT TO SUE/FINAL FINDINGS AND ORDERS
Hospira, Inc., Former Main Plant property

Notice is hereby given that on June 1, 2011, the Director of the Ohio Environmental Protection Agency ("Ohio EPA"), pursuant to Ohio Revised Code ("ORC") Chapter 3746 and Ohio Administrative Code ("OAC") Chapter 3745-300, issued a Covenant Not To Sue/Final Findings and Orders to Hospira, Inc., the "Volunteer" for property known as the Former Main Plant (the "Property").

The Volunteer conducted a voluntary action of the approximately 7.651-acre Property, which is located at 268 East Fourth Street, Ashland, Ashland County, Ohio. A no further action letter for the Property was submitted on October 7, 2010, to the Voluntary Action Program of the Ohio EPA Division of Emergency and Remedial Response by William Lozier, a Certified Professional as defined in ORC 3746.01(F) and OAC 3745-300-01(A).

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (the "Commission") pursuant to ORC 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Treasurer, State of Ohio", which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address: 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

If you would like to review a copy of the Covenant Not To Sue/Final Findings and Orders, please contact the Records Management Officer, Ohio EPA, Division of Environmental Response and Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF LABORATORY CERTIFICATION
UNDER
OHIO'S VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on June 8, 2011, the Director of the Ohio Environmental Protection Agency (Ohio EPA), pursuant to Ohio Revised Code 3746.04(B)(6) and Ohio Administrative Code 3745-300-04, issued a renewal of laboratory certification to TestAmerica Laboratories, Inc. ("TestAmerica"), 5815 Middlebrook Pike, Knoxville, Tennessee. The certification number assigned to TestAmerica remains CL00059.

This action of the Director is final and may be appealed to the Environmental Review Appeals Commission (the "Commission") pursuant to ORC Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio" which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

If you would like to review a copy of the certificates, or any documents related to the laboratory's certification, please contact Ohio EPA, Division of Environmental Response and Revitalization, Site Assistance & Brownfield Revitalization, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR FACILITIES UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-15, has issued certificates to perform work as a Certified Repair Facility under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the facilities listed below. All certificates are issued 6/1/2011.

For information regarding these final actions, contact Michael Riggleman, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. These final actions of the Director were not preceded by proposed actions, and are appealable to the Environmental Review Appeals Commission within thirty (30) days after issuance of the Director's action, pursuant to section 3745.07 of the Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. A copy of the appeal must be served on the Director of the Ohio Environmental Protection Agency within three (3) days of filing with the Commission. Appeals must be sent to the following address: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215.

COUNTY	SHOP NAME	CITY	STATE
CUYAHO GA	BEDFORD AUTO CARE	BEDFORD	OH
LAKE	ENGER AUTO SERVICE	MENTOR	OH
LAKE	LOU KULIS AUTO SERVICE	MENTOR	OH

**PUBLIC NOTICE
 FINAL ACTIONS OF THE DIRECTOR
 ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER
 THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM**

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 6/1/2011.

For information regarding these final actions, contact Michael Riggleman, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Kevin Boyce," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
 309 South Fourth Street, Room 222
 Columbus, OH 43215

FIRST	LAST	CITY	STATE
TERRENCE	NAWROCKI	MACEDONIA	OH
BRYCE A.	RIHA	MUNSON TOWNSHIP	OH

Ashtabula County

Date of Public Notice: June 13, 2011

**PUBLIC NOTICE
 NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
 ANTIDEGRADATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the renewal of a National Pollutant Discharge Elimination System (NPDES) permit (3IV00010) for the discharge from the existing Ohio-American Water Company – Ashtabula District Wastewater Treatment Plant. The NPDES application was submitted by the Ohio-American Water Company, P.O. Box 580, Ashtabula, Ohio 44004.

The Ohio-American Water Company – Ashtabula District wastewater treatment plant is located at 1330 West First Street, Ashtabula, Ashtabula County, Ohio. Treated wastewaters are proposed to be discharged at the same location. The proposed discharges are to Lake Erie.

The discharges from this facility, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. A public hearing has been scheduled for 5:00 p.m. on July 27, 2011 at the Ashtabula City Hall, 4717 Main Avenue, Ashtabula, Ohio 44004. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on August 3, 2011. Comments received after this date may not be considered as part of the official record.

Copies of the pending NPDES application are available for review at Ohio EPA's Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio, by first calling (330)963-1200 to make an appointment.

Lorain County

Date of Public Notice: June 15, 2011

**PUBLIC NOTICE
NOTICE OF RECEIPT OF APPLICATION AND PUBLIC HEARING
ANTIDegradation**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA)-Division of Surface Water (DSW) has received an application for the modification of a National Pollutant Discharge Elimination System (NPDES) permit (3PD00040) for the discharge from the City of Lorain Wastewater Treatment Plant. The application was submitted by the City of Lorain, 1106 First Street, Lorain, Ohio 44052.

The City of Lorain requests to modify the effluent mercury discharge limit provision of the Lorain Wastewater Treatment Plant's NPDES permit by applying for a variance-based effluent mercury discharge limit. The City of Lorain wastewater treatment plant is located at 6301 West Erie Avenue, Lorain, Ohio 44053. The discharges are to Lake Erie. Other wastewater disposal alternatives resulting in lesser or no degradation or lowering of water quality will be considered by Ohio EPA.

In accordance with the antidegradation rule, OAC 3745-1-05, I have determined that a lowering of water quality in Lake Erie is necessary. Provision (D)(1)(g) was applied to this application. This provision excludes the need for the submittal and subsequent review of technical alternatives and social and economic issues related to the degradation. Other rule provisions, however, including public participation and appropriate intergovernmental coordination were required and considered prior to reaching this decision.

Copies of the pending NPDES modification application are available for review at Ohio EPA's Northeast District Office, 2110 East Aurora Road, Twinsburg, Ohio 44087 (330-963-1200). An Ohio EPA public hearing on the proposed project has been scheduled for 6:30 P.M. on August 4, 2011 at the Lorain City Hall Council Chambers, 200 West Erie Avenue, Lorain, Ohio 44052. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project.

All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the applications. Persons wishing to 1) be on the Ohio EPA's interested parties' mailing list for this project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 by close of business on August 11, 2011. Comments received after this date may not be considered as part of the official record.

Date of Public Notice: May 27, 2011

PUBLIC NOTICE NOTICE OF RECEIPT OF 401 APPLICATION

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to place additional stone slope protection downstream of the Dover Dam abutments on the bank of the Tuscarawas River and, for site access, conversion of an old railroad bed to become an access road along the left descending bank. The application was submitted by the U.S. Army Corps of Engineers, Huntington District. The project is located at the Dover Dam, 5135 State Route 800, Dover, Ohio. The Ohio EPA ID Number for this project is 113749.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would consist of placing stone slope protection downstream of the Dover Dam abutment for a distance of 700 linear feet on the left descending bank and 685 linear feet on the right descending bank of the Tuscarawas River. Additional impacts associated with improvements to an old railroad bed to convert it to an access road include culvert replacements impacting 127 linear feet of stream channels and 0.025 acres of Category 1 wetlands. The total amount of material to be placed below the Ordinary High Water Mark (OHWM) for this alternative is 4,861 cubic yards.

The applicant's proposed minimal degradation alternative, if approved, would consist of placing stone slope protection downstream of the Dover Dam abutment for a total distance of 700 linear feet on the left descending bank and 655 linear feet on the right descending bank of the Tuscarawas River. Additional impacts associated with improvements to an old railroad bed to convert it to an access road include culvert replacements impacting 127 linear feet of stream channels and 0.025 acres of Category 1 wetlands. The total amount of material to be placed below the OHWM for this alternative is 3,784 cubic yards. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Tuscarawas River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

