

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER OHIO'S
VOLUNTARY ACTION PROGRAM

Notice is hereby given that on August 25, 2011, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code (AORC@) 3746.04(B)(5) and Ohio Administrative Code (AOAC@) 3745-300-05, issued a renewal of certification to the following Certified Professional: **Martin L. Schmidt – CP 170, Joel A. Hunt – CP 185, Thomas P. Clark – CP 210, Michael J. Westerfield – CP 240, Julianne M. Schucker – CP 258, Michael J. Luesen – CP 267, Jeffrey L. Paetz – CP 315, Robert M. Freda – CP 326, and Frank D. West – CP 329.**

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission (ACommission@). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at 309 South Fourth St., Room 222, Columbus, Ohio 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

PUBLIC NOTICE
FINAL ACTIONS OF THE DIRECTOR
ISSUANCE OF CERTIFICATES TO REPAIR TECHNICIANS UNDER
THE MOTOR VEHICLE EMISSION INSPECTION AND MAINTENANCE PROGRAM

Notice is hereby given that the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code Chapter 3704.14 and Ohio Administrative Code rule 3745-26-16, has issued certificates to perform work as a Certified Repair Technician under the Motor Vehicle Emission Inspection and Maintenance Program, consistent with the requirements of that program, to the repair technicians listed below. All certificates are issued 9/1/2011.

For information regarding these final actions, contact Michael Riggleman, Ohio EPA, Division of Air Pollution Control, Mobile Sources Section, P.O. Box 1049, Columbus, Ohio 43216-1049, or by telephone at (614) 644-3059. You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Kevin Boyce," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

FIRST	LAST	CITY	STATE
GERRIT	DeRUYTER	MACEDONIA	OH

STATEWIDE

**Ohio Environmental Protection Agency
P U B L I C N O T I C E
Final Program Management and Intended Use Plan
For the Drinking Water Assistance Fund
For Program Year 2012**

Public notice is hereby given that the Director of the Ohio Environmental Protection Agency issued a final action effective August 31, 2011 adopting the Program Management and Intended Use Plan for the Drinking Water Assistance Fund that has been authorized by Ohio Revised Code section 6109.22 and Section 1452 of the Safe Drinking Water Act.

This action may be appealed, in writing, within thirty (30) days of this notice, to the Environmental Review Appeals Commission, 77 South High Street, 17th Floor, Columbus, Ohio 43215. Notice of any appeal shall be filed with the Director within three (3) days. This notice of appeal shall be sent to: Division of Drinking and Ground Waters, Ohio Environmental Protection Agency, P.O. Box 1049, Columbus, Ohio 43216-1049. Consult ORC Chapter 3745 and OAC Chapters 3745-47 and 3746-05 for requirements.

Copies of the Final Program Management and Intended Use Plan are available from the Division of Drinking and Ground Waters, upon request, and also through the Internet at www.epa.ohio.gov/ddagw/financialassistance.aspx.

Date of Public Notice: August 22, 2011

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct 125 linear feet of new armor stone revetment (1-2 ton) and rehabilitate 25 LF of concrete groin with new armor stone (3-5 ton). The application was submitted by Joseph and Kris Platko. The project is located at 4237 Lake Road East in Geneva Township. The Buffalo District Corps of Engineers Public Notice Number for this project is 2011-00160. The Ohio EPA ID Number for this project is 113740.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would be to construct 125 linear feet of new armor stone revetment (1-2 ton) with 2:1 slope and rehabilitate 25 linear feet of concrete groin with new armor stone (3-5 ton) along the shoreline of the property. Fill materials for the revetment would consist of: armor stone (1-2 ton): 480 cubic yards (205 CY below the ordinary high watermark), concrete block and rubble relocation: 40 CY below OHS, ODOT "C" stone: 74 CY above OHW, and concrete stairs: 3 CY of concrete above OHW. Groin: armor stone (3-5 ton) 23 CY (15 CY below the OHW). Revetment: 1,975 SF of lake bottom below the OHW and groin: 150 SF of lake bottom below the OHW will be filled for this alternative. The applicant's proposed minimal degradation alternative, if approved, would be to construct 125 linear feet of new armor stone revetment (1-2 ton) with 1.5:1 slope and rehabilitate 25 linear feet of concrete groin with new armor stone (3-5 ton) along the shoreline of the property. Fill materials for the revetment would consist of: armor stone (1-2 ton): 330 cubic yards (165 CY below the ordinary high watermark), concrete block and rubble relocation: 40 CY below OHW, ODOT "C" stone: 74 CY above OHW, and concrete stairs: 3 CY of concrete above the OHW. Groin: armor stone (3-5 ton) 23 CY (15 CY below the OHW). Revetment: 1,550 SF of lake bottom below the OHW and groin: 150 SF of lake bottom below the OHW will be filled for this alternative. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting August 22, 2011, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Date of Public Notice: August 30, 2011

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to replace and construct new portions of Docks A & C and install additional floating docks to increase docking capacity. The application was submitted by the Village of Put-In-Bay. The project is located at Put-In-Bay Marina between Hartford Avenue and Catawba Avenue, in Lake Erie. The Buffalo District Corps of Engineers Public Notice Number for this project is 2007-01679. The Ohio EPA ID Number for this project is 113771.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would discharge 4,660 cubic yards (CY) of fill below the ordinary high water mark (OHWM) of Lake Erie for new open steel crib pier and fish habitat stone. The applicant's proposed minimal degradation alternative, if approved, would discharge 2,179 CY of fill below the ordinary high water mark OHWM of Lake Erie for new open steel crib pier and fish habitat stone. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting August 30, 2011, copies of the application and technical support information may be inspected on Ohio EPA-DSW website:

www.epa.ohio.gov/dsw

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Date of Public Notice: August 31, 2011

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 certification for a project to construct surface facilities necessary for underground coal mining activities. The application was submitted by Rosebud Mining Company. The project is located approximately nine miles southeast of the town of Dennison, Mill Township, Tuscarawas County. The Huntington District of the U.S. Army Corps of Engineers Number for this project is LRH-2009-1040. The Ohio EPA ID Number for this project is 113772.

As required by the Antidegradation Rule, three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would impact 2,780 feet of intermittent stream and 251 feet of ephemeral stream, (3,031 feet total). The proposed minimal degradation if approved, would impact 1,656 feet of intermittent stream and 206 feet of ephemeral stream (1,862 feet total). The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on streams or wetlands.

The discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Stillwater Creek watershed. The review of the application will be conducted, and a decision whether to grant or deny the application will be made, in accordance with Chapters 3745-1 and 3745-32 of the Ohio Administrative Code (OAC). In accordance with OAC 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of the water quality. Other alternatives resulting in lesser or no degradation, or lowering of water quality, will be considered by Ohio EPA during the review process.

No exclusions or waivers, as outlined by Paragraph 3745-1-05 (D) of the Antidegradation Rule (effective as of May 1, 1998), apply or may be granted by the Director of Ohio EPA.

Starting August 31, 2011, copies of the application for the certification and technical support information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Columbus, Ohio, by first calling (614) 644-2001. Applications can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA/DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within 30 days of the date of this public notice.