

Public Hearing Notice
Ohio Environmental Protection Agency
Infrastructure State Implementation Plan

Notice is hereby given that the Director of the Ohio Environmental Protection Agency (Ohio EPA) is submitting to the United States Environmental Protection Agency (U.S. EPA) the Infrastructure State Implementation Plan (SIP) for the State of Ohio. Specifically, the State of Ohio is submitting this documentation in order to comply with the "SIP elements required under Section 110(a)(1) and (2) of the Clean Air Act (CAA) for the 2008 Lead (Pb)" guidance emitted by EPA on 6/14/2011. Section 110(a)(1) requires States to submit an implementation plan to the U.S. EPA Administrator that provides for implementation, maintenance, and enforcement of the National Ambient Air Quality Standards (NAAQS). Section 110(a)(2) lists the elements that are to comprise the implementation plan. Several of the elements in Section 110(a)(2) specifically address the need for states to demonstrate the ability to implement, maintain and enforce the (NAAQS).

The elements of Section 110(a)(2) are as follows:

- Emission limits and other control measures,
- Ambient air quality monitoring data system,
- Plan for enforcement of control measures, prevention of significant deterioration (PSD), and new source review (NSR),
- Interstate transport provisions,
- Adequate resources,
- Stationary source monitoring and reporting systems,
- Emergency episodes,
- Future SIP revisions,
- Nonattainment area plan or plan revision,
- Consultation with government officials, public notification, PSD and visibility protection,
- Air quality modeling/data,
- Permitting fees, and
- Consultation/participation by affected local entities.

The Ohio EPA is seeking public comment to satisfy the U.S. EPA requirement for public involvement in SIP-related activities. Comments should address the requirements of Section 110(a)(2)(A) to Section 110(a)(2)(M) of the CAA, which is the above compilation of elements. These elements will demonstrate how the NAAQS are being implemented, maintained, and enforced by the State of Ohio. The elements of the Infrastructure SIP, once approved by U.S. EPA, will provide a federally enforceable written confirmation of how the State of Ohio will continue to comply with the Section 110(a)(2) requirements of the CAA.

E-mail: Carolina.Prado@epa.state.oh.us

Mailing Address: Carolina Prado
Ohio Environmental Protection Agency, DAPC
P.O. Box 1049
Columbus, OH 43215-1045

Pursuant to the Code of Federal Regulation (CFR) Part 40 Section 51.103, a public hearing on this package will be conducted on: October 11, 2011 at 2:00 PM at the Ohio EPA Central Office, 50 West Town St., Columbus, Ohio. All interested persons are in entitled to attend or be represented at the hearing and give written or oral comments on this action. All oral comments presented at the hearing and all written statements submitted at the hearing or to the above address by the close of business on October 11, 2011, will be considered by Ohio EPA prior to final action on this submittal. Written statements submitted after October 11, 2011, may be considered as time and circumstances permit, but will not be part of the official record of the hearing.

The Infrastructure SIP is available on Ohio EPA DAPC's Web page for electronic downloading at: <http://www.epa.ohio.gov/dapc/SIP/infrastructure.aspx>. Questions regarding accessing the web site should be directed to Arunee Niamlarb at 614-728-1342; other questions or comments about this document should be directed to either Carolina Prado, (614)-644-2310, Carolina.Prado@epa.state.oh.us or Jennifer Hunter at (614) 644-3696, Jennifer.Hunter@epa.state.oh.us or mailed to Carolina Prado or Jennifer Hunter at the above address.

PUBLIC NOTICE
FINAL ISSUANCE OF RENEWAL CERTIFICATE OF REGISTRATION AS A
GENERATOR OF INFECTIOUS WASTE

Notice is hereby given that on September 7, 2011; the director of Ohio EPA issued an infectious waste generator certificate to CSL Plasma Inc, 900 Broken Sound Pkwy Ste 400, Boca Raton, Fl 33487, Reg. No.: 00-G-01406. Persons wishing to be notified of further actions or proceedings for this project must submit a request in writing to Ohio EPA, Division of Solid and Infectious Waste Management, Attn: Systems Management Unit, P.O. Box 1049, Columbus, Ohio 43216-1049, tel.: (614) 644-2621. This final action was not preceded by a proposed action and may be appealed to the Environmental Review Appeals Commission, at 309 South Fourth Street, Suite 222, Columbus, Ohio 43215.

PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
INITIAL CERTIFICATION OF ENVIRONMENTAL PROFESSIONAL
UNDER OHIO'S VOLUNTARY ACTION PROGRAM

Notice is hereby given that on September 6, 2011 the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code (AORC@) 3746.04(B)(5) and Ohio Administrative Code (AOAC@) 3745-300-05, issued an initial certified professional certification to: Sally Gladwell CP335 and Henry Cooke CP336.

The issuance of the certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission ("Commission") pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be filed with the Commission within thirty (30) days after notice of the action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Treasurer, State of Ohio", which the Commission, in its discretion, may reduce if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at the following address: 77 South High Street, 17th Floor, Columbus, Ohio 43215.

If you would like to review a copy of the certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

**PUBLIC NOTICE
OHIO ENVIRONMENTAL PROTECTION AGENCY
RENEWAL OF CERTIFIED PROFESSIONAL CERTIFICATIONS UNDER OHIO'S
VOLUNTARY ACTION PROGRAM**

Notice is hereby given that on September 6, 2011, the Director of the Ohio Environmental Protection Agency, pursuant to Ohio Revised Code (AORC@) 3746.04(B)(5) and Ohio Administrative Code (AOAC@) 3745-300-05, issued a renewal of certification to the following Certified Professionals: **Stephan W. Ryder CP317, John T. Garvey CP118, James R. Burns CP145, Julie K. Hewlett CP111, Christopher W. Krumm CP 177, Edward M. McCabe CP102, Michael J. Momenee CP236, Atul Pandey CP224, Jim C. Smith CP121, Dan B. Brown CP127.**

The issuance of the renewal certification is a final action of the Director and will be public noticed in accordance with OAC 3745-47-07. The action may be appealed to the Environmental Review Appeals Commission (ACommission@). The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice or issuance of the action. See ORC 3745.04 and 3745.07. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Commission at 309 South Fourth St., Room 222, Columbus, Ohio 43215.

If you would like to review a copy of any renewal certificate, or any documents related to the certification, please contact Debi Tavizon, Records Management Officer, at Ohio EPA, Division of Emergency and Remedial Response, Voluntary Action Program, P.O. Box 1049, Columbus, OH 43216-1049, or by telephone at (614) 644-2924.

Brown, Meigs, Scioto and Washington Counties

Date of Public Notice: Sept 7, 2011

PUBLIC NOTICE NOTICE OF RECEIPT OF 401 APPLICATION

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project consisting of channel maintenance dredging of commercially navigable waterways and public access sites on the Ohio River and its tributaries. The application was submitted by the U.S. Army Corps of Engineers, Huntington District. The project is located at Racine Lock and Dam Upper Approach, Ginat Run Public Access Site, Eagle Creek Public Access Site, White Oak Creek Public Access Site, and Government Harbor (Muskingum River). The Ohio EPA ID Number for this project is 113802.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would allow a total of 89,000 cubic yards of sediment to be dredged from sites located on the Ohio River and its tributaries and would cause a temporary decrease in water quality during dredging and disposal, and the loss of habitat in disposal areas. The applicant's proposed minimal degradation alternative, if approved, would be similar to the preferred alternative with a smaller scope and would allow a total of 54,000 cubic yards of sediment to be dredged from sites on the Ohio River and its tributaries. This alternative creates the potential for more frequent impacts due to emergency dredging operations. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River and its tributaries. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting September 7, 2011, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Date of Public Notice: August 22, 2011

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project to construct an "L" concrete pier with a 50 foot access bridge. The application was submitted by John and Lori R. Hughes. The project is located at 102 Mansfield Avenue, Huron, Ohio 44839. The Buffalo District Corps of Engineers Public Notice Number for this project is 2010-00989. The Ohio EPA ID Number for this project is 113775.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would construct an "L" concrete pier that is 12' wide, 50' long with a 20' hook at the end and would result in the discharge of 240 CY of material below the Ordinary High Water Mark (OHWM) of Lake Erie. The applicant's proposed minimal degradation alternative, if approved, would construct an "L" concrete pier that is 10' wide, 50' long with a 20' hook at the end and would result in the discharge of 202 CY of material below the Ordinary High Water Mark (OHWM) of Lake Erie. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of Lake Erie. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting August 22, 2011, copies of the application and technical support information may be inspected at Ohio EPA-DSW, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio, by first calling (614) 644-2001. Copies of the application and technical support information can be made available upon request at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.

Date of Public Notice: August 30, 2011

**PUBLIC NOTICE
NOTICE OF RECEIPT OF 401 APPLICATION**

Public notice is hereby given that the Ohio Environmental Protection Agency (Ohio EPA) Division of Surface Water (DSW) has received an application for, and has begun to consider whether to issue or deny, a Clean Water Act Section 401 water quality certification for a project New Barge Terminal. The application was submitted by Lawrence Economic Development Corporation (LEDC). The project is located on the right descending bank of the Ohio River near mile 318.1. The Huntington District Corps of Engineers Public Notice Number for this project is 2010-09. The Ohio EPA ID Number for this project is 113808.

As required by the Antidegradation Rule, rule 3745-1-05 of the Ohio Administrative Code (OAC), three alternatives have been submitted for the project. The applicant's proposed preferred alternative, if approved, would include 5000 cy of mechanical dredging with upland disposal, 24,500 cy of clean stone fill below Ordinary High Water (OHW) inside steel mooring cells, 18,700 cy riprap below OHW. The applicant's proposed minimal degradation alternative, if approved, would 5000 cy of mechanical dredging with upland disposal, 24,500 cy of clean stone fill below Ordinary High Water (OHW) inside steel mooring cells, 18,700 cy riprap below OHW. The applicant's proposed non-degradation alternative, if approved, would have no direct impacts on waters of the state.

Discharges from the activity, if approved, would result in degradation to, or lowering of, the water quality of the Ohio River. Ohio EPA will review the application, and decide whether to grant or deny the application, in accordance with OAC Chapters 3745-1 and 3745-32. In accordance with OAC rule 3745-1-05, an antidegradation review of the application will be conducted before deciding whether to allow a lowering of water quality. All three proposed alternatives will be considered during the review process. No exclusions or waivers, as outlined by OAC rule 3745-1-05, apply or may be granted.

Starting August 30, 2011 copies of the modification request, 401 certification, and associated information may be inspected at Ohio EPA/DSW, Lazarus Government Center, 50 West Town Street, Columbus, Ohio, 43215 by first calling (614) 644-2001. Information on the certification request can be made available at Ohio EPA District Offices by calling the same number.

Persons wishing to 1) be on Ohio EPA's interested parties mailing list for this project, 2) request a public hearing, or 3) submit written comments for Ohio EPA's consideration in reviewing the application should do so in writing to Ohio EPA-DSW, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio 43216-1049 within thirty days of the date of this public notice.